PQH462264

ARITHMETIC

PART II

WENTWORTH-SMITH

Helen Hunter
November 2, 1922.
220 Palmer St.
Miles City, Montana

WENTWORTH-SMITH MATHEMATICAL SERIES

COMPLETE ARITHMETIC

PART II

BY

GEORGE WENTWORTH

AND

DAVID EUGENE SMITH

GINN AND COMPANY

BOSTON · NEW YORK · CHICAGO · LONDON
ATLANTA · DALLAS · COLUMBUS · SAN FRANCISCO

COPYRIGHT, 1909, BY GEORGE WENTWORTH
AND DAVID EUGENE SMITH
ENTERED AT STATIONERS' HALL
ALL RIGHTS RESERVED
915.7

WENTWORTH-SMITH
MATHEMATICAL SERIES
BY
GEORGE WENTWORTH
AND
DAVID EUGENE SMITH

New Elementary Arithmetic (Wentworth)
Complete Arithmetic (Wentworth and Smith)
Complete Arithmetic, Part I (Wentworth and Smith)
Complete Arithmetic, Part II (Wentworth and Smith)
Oral Arithmetic (Wentworth and Smith)

Other books in preparation

The Athenæum Press
GINN AND COMPANY · PROPRIETORS · BOSTON · U.S.A.

PREFACE

In deciding the form of arrangement for this book the authors accept the fact that each of the two well-defined types of text-books in arithmetic has advantages. A teacher may prefer either one or the other, according to circumstances or training; and the same teacher might conceivably, in the exercise of the best pedagogic judgment, use under one set of conditions a text-book of one type, and when conditions changed employ a book of the other kind.

With books of the type arranged for the recurrent treatment of topics the market is well supplied. Some of the extreme books of this recurrent form are, it is true, too fragmentary in arrangement to give the pupil that feeling of mastery which is his right and his reward. But excellent books of this type, which avoid its perils and provide all its good features, are now available. There is, however, great need for arithmetics having the topical arrangement but thoroughly modern in spirit and in material. That need this book is written to supply. The leading principle that has made the Wentworth books the standard in America for a generation has been followed: Present the reason briefly but clearly, then furnish such an amount of practice that the pupil cannot forget the principle. Theory is reduced to a minimum, and practice is abundant, in both abstract and concrete work, since the experience of a century proves beyond question that each of these two lines must be treated fully to prepare the pupils for life.

The concrete problems are modern in the best sense. Those that seem to be real are real; modern business

customs are followed, and the needs of the future citizen are always kept in mind. But in this book is found no trace of the unfortunate tendency of some of our recent writers to consider an example concrete when it treats of topics or contains technicalities that no pupil understands and few teachers are expected to know.

This volume covers all of the topics ordinarily studied in the seventh and eighth school years. Under each topic there are found an unusually large number of well-graded examples, and at frequent intervals collections of problems without numbers have been inserted as exercises in terse mathematical statement. The topics properly close with sets of exercises that relate to the vocational interests of our people, to the end that pupils may leave school with the real applications of arithmetic to common life clearly in their minds. A few recreations are given in the Appendix, that the lighter side of arithmetic may be seen along with its more serious aspect, and a large amount of drill work has been added for the use of pupils who may be in need of more work than is commonly required.

Any corrections or suggestions relating to the work will be thankfully received.

The authors hope that teachers who recognize the strong features of the topical arrangement, who wish for an abundance of well-graded problems requiring thought in their solution, who are sympathetic with the movement to replace the obsolete by the genuine applications of arithmetic to the American life of to-day, who are opposed to certain of the extreme attempts of the present time that are sure to result disastrously to scholarship, — that such teachers will find in this work a sane, modern, and helpful treatment of the subject.

GEORGE WENTWORTH
DAVID EUGENE SMITH

CONTENTS

Chapter		Page
I.	Percentage	1
II.	Ratio and Proportion	61
III.	Powers and Roots	77
IV.	Metric Measures	97
V.	Stocks and Bonds	109
VI.	Banking	119
VII.	Exchange	135
VIII.	Measurement of Solids	145
IX.	Vocational Problems	153
X.	General Review	165
	Appendix	187
	Definitions of Common Terms	219
	Index	225

COMPLETE ARITHMETIC

PART II

CHAPTER I

PERCENTAGE

1. Per Cent. Another name for hundredths is *per cent.*

Thus 0.01 or $\frac{1}{100}$ is the same as 1 per cent.

That part of arithmetic which treats of per cent is called *percentage.*

2. Symbol for Per Cent. The symbol for per cent is written thus: %.

We may read 0.06 either "6 hundredths" or "6 per cent." In the same way, we may think of 6% either as "6 per cent" or "6 hundredths," although it is read "6 per cent."

The expression 800% means $\frac{800}{100}$ and equals the whole number 8; 225% equals the mixed number 2.25, or $2\frac{1}{4}$; $\frac{1}{2}$% means $\frac{1}{2}$ of $\frac{1}{100}$, or $\frac{1}{200}$, and is read either "$\frac{1}{2}$ per cent" or, quite commonly, "$\frac{1}{2}$ of 1%."

3. Relation to Fractions. Since 6% means $\frac{6}{100}$, which equals 0.06, or $\frac{3}{50}$, we see that we may express per cent as a decimal fraction or as a common fraction.

4. Per Cents as Common Fractions. Since $62\frac{1}{2}\% = \frac{62\frac{1}{2}}{100} = \frac{125}{200} = \frac{5}{8}$, therefore

To express per cent as a common fraction, write the number indicating the per cent for the numerator and 100 for the denominator, and reduce this fraction to lowest terms.

EXERCISE 1

Reduce to a common fraction, integer, or mixed number:

1. 4%.	11. 100%.	21. $6\frac{1}{4}$%.	31. $3\frac{1}{3}$%.
2. 5%.	12. 200%.	22. $12\frac{1}{2}$%.	32. $6\frac{2}{3}$%.
3. 6%.	13. 500%.	23. $37\frac{1}{2}$%.	33. $33\frac{1}{3}$%.
4. 10%.	14. 125%.	24. $62\frac{1}{2}$%.	34. $66\frac{2}{3}$%.
5. 15%.	15. 150%.	25. $87\frac{1}{2}$%.	35. $16\frac{2}{3}$%.
6. 20%.	16. 175%.	26. $18\frac{3}{4}$%.	36. $83\frac{1}{3}$%.
7. 25%.	17. 120%.	27. $31\frac{1}{4}$%.	37. $112\frac{1}{2}$%.
8. 30%.	18. 140%.	28. $43\frac{3}{4}$%.	38. $133\frac{1}{3}$%.
9. 50%.	19. 160%.	29. $56\frac{1}{4}$%.	39. $166\frac{2}{3}$%.
10. 75%.	20. 180%.	30. $68\frac{3}{4}$%.	40. $187\frac{1}{2}$%.

41. How much is $\frac{1}{25}$ of 75? 4% of 75?

42. How much is $\frac{1}{4}$ of 640? 25% of 640?

43. How much is $\frac{1}{2}$ of 1728? 50% of 1728?

44. How much is $\frac{3}{4}$ of 8440? 75% of 8440?

45. How much is $1\frac{1}{4} \times 864$? 125% of 864?

46. Instead of multiplying 64 by $12\frac{1}{2}$%, what fractional part of 64 may we take? Do this.

47. Instead of multiplying 720 by $37\frac{1}{2}$%, what fractional part of 720 may we take? Do this.

48. Take $87\frac{1}{2}$% of 80 in the shortest way.

49. Take $33\frac{1}{3}$% of 66 in the shortest way.

Find the following:

50. $16\frac{2}{3}$% of 66.	53. $112\frac{1}{2}$% of 176.	56. $133\frac{1}{3}$% of 729.
51. $16\frac{2}{3}$% of 738.	54. $137\frac{1}{2}$% of 256.	57. $133\frac{1}{3}$% of 801.
52. $12\frac{1}{2}$% of 736.	55. $162\frac{1}{2}$% of 312.	58. $166\frac{2}{3}$% of 708.

5. Per Cents as Decimals. Since 25.5% and 0.255 have the same value,

Therefore, *to express as a decimal a number written with the per cent sign, omit the sign and move the decimal point two places to the left.*

Since per cent means hundredths, when we omit the per cent sign we must indicate the hundredths in some other way, as by moving the decimal point two places to the left.

Thus $1\frac{1}{2}\% = 0.01\frac{1}{2}$, or 0.015; $125\% = 1.25$; $0.6\% = 0.006$.

EXERCISE 2

Express as decimals:

1. 6%.	**7.** $16\frac{2}{3}\%$.	**13.** 0.9%.	**19.** 675%.
2. 10%.	**8.** $33\frac{1}{3}\%$.	**14.** $0.1\frac{1}{2}\%$.	**20.** 375%.
3. 25%.	**9.** $37\frac{1}{2}\%$.	**15.** $6.2\frac{1}{2}\%$.	**21.** 100%.
4. 50%.	**10.** $66\frac{2}{3}\%$.	**16.** 200%.	**22.** 1000%.
5. 75%.	**11.** 0.5%.	**17.** 150%.	**23.** 0.005%.
6. $12\frac{1}{2}\%$.	**12.** 0.7%.	**18.** 125%.	**24.** 0.065%.

25. Express $\frac{1}{8}\%$ as a decimal; as a common fraction

26. Express $\frac{7}{8}\%$ as a decimal; as a common fraction.

27. Express $333\frac{1}{3}\%$ as a decimal; as an improper fraction; as a mixed number.

28. How much is $\frac{1}{100}$ of \$200? 1% of \$200?

29. How much is 0.06 of \$100? 6% of \$100?

30. How much is 0.15 of \$300? 15% of \$300?

31. How much is $1\frac{1}{4} \times \$650$? $1.25 \times \$650$? 125% of \$650?

32. How much is $2.50 \times \$460$? 250% of \$460?

33. If 2% of the pupils of this school are absent to-day, how many are absent out of every 100? out of every 50?

6. Decimals as Per Cents. Since per cent means hundredths, to express a decimal as per cent we have to consider only how many hundredths the decimal represents.

For example, express 0.3 as per cent.

Here $0.3 = 0.30$, which is 30 hundredths, or 30%.

Express 0.375 as per cent.

Here $0.375 = 37.5$ hundredths, or $37\frac{1}{2}$ hundredths. Hence it equals 37.5% or $37\frac{1}{2}$%.

Express 0.00125 as per cent.

Here $0.00125 = 0.00\frac{125}{1000} = 0.00\frac{1}{8} = \frac{1}{8}$%.

Express $6.5\frac{1}{2}$ as per cent.

Here $6.5\frac{1}{2} = \frac{655}{100} = 655$%.

Therefore, *to express a decimal as per cent, write the per cent sign after the number of hundredths.*

EXERCISE 3

Express as per cents:

1. 0.5.	**6.** 0.25.	**11.** 0.125.	**16.** $0.2\frac{1}{2}$.	**21.** $0.3\frac{1}{3}$.
2. 0.7.	**7.** 0.57.	**12.** 0.275.	**17.** $0.5\frac{1}{4}$.	**22.** $0.333\frac{1}{3}$.
3. 0.6.	**8.** 0.34.	**13.** 0.375.	**18.** $0.6\frac{3}{4}$.	**23.** $6.6\frac{2}{3}$.
4. 6.2.	**9.** 0.29.	**14.** 0.758.	**19.** $5.2\frac{1}{8}$.	**24.** 0.00375.
5. 7.5.	**10.** 7.65.	**15.** 9.637.	**20.** $7.3\frac{3}{8}$.	**25.** 0.000125.

26. A pint, being 0.5 qt., is what per cent of a quart?

27. A peck, being 0.25 bu., is what per cent of a bushel?

28. A quart, being 0.125 pk., is what per cent of a bushel?

29. Express 0.007 of a mile as per cent of a mile.

30. What per cent of a dollar is 37¢? is 37 dimes?

31. Express 1 gill as per cent of a gallon.

32. Express 1 quart as per cent of a bushel.

7. Common Fractions as Per Cents. Since per cent means hundredths, to express a common fraction as per cent we have only to reduce it to hundredths.

For example, $\frac{4}{5} = \frac{80}{100}$, and this is the same as 0.80 or 80%. Likewise $\frac{2}{25} = \frac{8}{100} = 8\%$, and $2\frac{1}{2} = \frac{5}{2} = \frac{250}{100} = 250\%$.

Therefore, *to express a common fraction as per cent, reduce it to hundredths, omit the denominator, and write the numerator followed by the per cent sign.*

This is easily done by reducing to a decimal, and writing this in the per cent form (§ 6).

It is often more convenient to express per cents decimally than with the symbol %. Thus, in the case of $25\frac{2}{3}$ we have $25.66\frac{2}{3}$, a more convenient form than $2566\frac{2}{3}\%$.

EXERCISE 4

Express as per cents:

1. $\frac{1}{2}$.	6. $\frac{3}{5}$.	11. $\frac{9}{20}$.	16. $\frac{1}{3}$.	21. $\frac{1}{16}$.	26. $2\frac{1}{4}$.
2. $\frac{1}{4}$.	7. $\frac{4}{5}$.	12. $\frac{1}{25}$.	17. $\frac{2}{3}$.	22. $\frac{5}{16}$.	27. $3\frac{3}{5}$.
3. $\frac{3}{4}$.	8. $\frac{1}{10}$.	13. $\frac{11}{25}$.	18. $\frac{1}{8}$.	23. $\frac{1}{32}$.	28. $7\frac{5}{8}$.
4. $\frac{1}{5}$.	9. $\frac{7}{10}$.	14. $\frac{1}{50}$.	19. $\frac{3}{8}$.	24. $1\frac{5}{32}$.	29. $6\frac{1}{3}$.
5. $\frac{2}{5}$.	10. $\frac{1}{20}$.	15. $\frac{37}{50}$.	20. $\frac{5}{8}$.	25. $\frac{5}{24}$.	30. $75\frac{7}{8}$.

31. A foot is what per cent of a yard?

32. An inch is what per cent of a foot?

33. A pint is what per cent of a gallon?

34. What per cent of a gallon is 3 qt.?

35. What per cent of a pound is 4 oz.?

36. What per cent of a pound is 7 oz.?

37. If a man spends $\frac{5}{6}$ of his income, what per cent of his income does he spend?

38. If you have increased $\frac{1}{10}$ in weight during the past year, what per cent have you gained in weight?

8. Terms used in Percentage. The number of which some per cent is to be taken is called the *base*.

The number of hundredths of the base is called the *rate*.

For example, in 25% of \$300, \$300 is the base and 25% is the rate.

Sometimes 25 is called the *rate per cent*, 25% being called the *rate*, but these two terms are commonly used to mean the same thing.

The result found by taking a certain per cent of the base is called the *percentage*. Therefore,

The percentage is the product of the base and the rate.

9. Important Per Cents. Certain per cents are used so frequently that their equivalent common fractions should be remembered. These are as follows:

$50\% = \frac{1}{2}$,	$37\frac{1}{2}\% = \frac{3}{8}$,	$16\frac{2}{3}\% = \frac{1}{6}$,	$20\% = \frac{1}{5}$,
$25\% = \frac{1}{4}$,	$62\frac{1}{2}\% = \frac{5}{8}$,	$33\frac{1}{3}\% = \frac{1}{3}$,	$40\% = \frac{2}{5}$,
$12\frac{1}{2}\% = \frac{1}{8}$,	$87\frac{1}{2}\% = \frac{7}{8}$,	$66\frac{2}{3}\% = \frac{2}{3}$,	$60\% = \frac{3}{5}$,
$6\frac{1}{4}\% = \frac{1}{16}$,	$3\frac{1}{8}\% = \frac{1}{32}$,	$83\frac{1}{3}\% = \frac{5}{6}$,	$80\% = \frac{4}{5}$.

To take $87\frac{1}{2}\%$ of 648 is, therefore, the same as to take $\frac{7}{8}$ of 648.

EXERCISE 5

Find:

1. 50% of \$274.
2. 25% of \$372.
3. $12\frac{1}{2}\%$ of \$512.
4. $6\frac{1}{4}\%$ of \$3376.
5. $37\frac{1}{2}\%$ of \$17.76.
6. $62\frac{1}{2}\%$ of \$11.92.
7. $87\frac{1}{2}\%$ of \$34.48.
8. $3\frac{1}{8}\%$ of \$739.20.
9. $16\frac{2}{3}\%$ of \$34.26.
10. $33\frac{1}{3}\%$ of \$77.16.
11. $66\frac{2}{3}\%$ of \$80.07.
12. $83\frac{1}{3}\%$ of \$71.10.
13. 20% of \$735.15.
14. 40% of \$611.25.
15. 60% of \$734.15.
16. $112\frac{1}{2}\%$ of 72.
17. $137\frac{1}{2}\%$ of 96.
18. $116\frac{2}{3}\%$ of 72.
19. $133\frac{1}{3}\%$ of 81.
20. $166\frac{2}{3}\%$ of 84.

10. To find Some Per Cent of a Number. Finding some of the more important per cents of numbers, by reducing to common fractions, has already been considered on page 6. The more general case, that in which common fractions cannot be used to advantage, will now be considered.

For example, required to find $23\frac{3}{4}\%$ of 275.

$$23\frac{3}{4}\% = 0.23\frac{3}{4}.$$

Multiplying by $0.23\frac{3}{4}$, we have $65.31\frac{1}{4}$.

If we wish, we may write $23\frac{3}{4}\%$ as 0.2375 and then multiply. We may also, if we choose, write the product 65.3125.

$$\begin{array}{r} 275 \\ .23\frac{3}{4} \\ \hline 206\frac{1}{4} \\ 825 \\ 550 \\ \hline 65.31\frac{1}{4} \end{array}$$

Therefore, *to find a required per cent of a number, multiply the number by the given rate.*

EXERCISE 6

Find, by using decimals:

1. 22% of 75.
2. 35% of 86.
3. 27% of 32.
4. 41% of 78.
5. 62% of 93.
6. 26% of 3.4.
7. 43% of 6.7.
8. 39% of 5.3.
9. 28% of 0.7.
10. 35% of 0.63.
11. $2\frac{3}{4}\%$ of 8.4.
12. 0.5% of 5.7.
13. 1.9% of 6.8.
14. 235% of 742.
15. 622% of 0.72.

Find, by using common fractions:

16. 25% of 1728.
17. 50% of 6235.
18. 20% of 7341.
19. 30% of 2790.
20. 75% of 6448.
21. $12\frac{1}{2}\%$ of 9616.
22. $6\frac{1}{4}\%$ of 24,328.
23. $33\frac{1}{3}\%$ of 9051.
24. $66\frac{2}{3}\%$ of 7116.
25. $87\frac{1}{2}\%$ of 35,360.
26. $16\frac{2}{3}\%$ of \$13,806.
27. $37\frac{1}{2}\%$ of 25,040.
28. $83\frac{1}{3}\%$ of 22,350.
29. 125% of 948.
30. $133\frac{1}{3}\%$ of 729.
31. $166\frac{2}{3}\%$ of 816.

32. A man borrowed \$175 and had to pay 6% of that sum for the use of it for a year. How much did he pay in addition to the sum borrowed?

33. If a manufacturer sells at a profit of 15% shoes that cost him \$2.33⅓ a pair to make, how much is his profit on 1000 pairs of shoes?

34. If a shop manufactures 276 locomotives and sells 75% of them for \$11,125 each and the rest for \$9825 each, how much is received for all?

35. A farmer can have his land poorly plowed for \$3.48 an acre, but it will cost him 66⅔% more to have a good job done. How much will it cost to have 60 acres well done?

36. How much butter fat is there in 375 lb. of milk brought to a creamery, the creamery test showing that 3.9% of the weight of the milk is butter fat?

37. A farmer takes 340 lb. of milk to a creamery and is paid 26¢ a pound for the butter fat. The tests show that the butter fat is 3.8% of the weight of this milk. How much does he receive?

38. One cow in a dairy gives 28 lb. of milk a day, which tests 3.1% of butter fat; another gives 24 lb., testing 3.7%. Butter fat being worth 23¢ a pound, which cow is the more profitable, and how much more?

39. A farmer has 75 trees on an acre of woodland, of which he decides to cut 60%. If wood is worth \$5.75 a cord, and he can cut 3 cords from 5 trees, how much will he receive for the wood?

40. A dressmaker bought 37½ yd. of chiffon velvet at \$4.10 a yard, and received a reduction of 8% for paying cash. She sold the velvet at \$4.25 a yard. How much did she make on the transaction?

11. Given the Percentage and Rate to find the Base. In accordance with the definitions in § 8, finding a number of which a given per cent is known may be spoken of as finding the base when the percentage and rate are given.

In these examples we let 100% of a number equal the number. This is legitimate, because $100\% = \frac{100}{100} = 1$, so that we merely let once the number stand for the number. This is often convenient.

(1) If 15% of a number is 9165, what is the number?

Since 15% of the number = 9165,
therefore 1% of the number = $\frac{1}{15}$ of 9165, or 611,
and the number = 100 × 611, or 61,100.

(2) If $33\frac{1}{3}\%$ of a number is 247, what is the number?

Since $33\frac{1}{3}\%$, or $\frac{1}{3}$, of a number is 247, the number is 3 × 247, or 741.

(3) 275 is $66\frac{2}{3}\%$ more than what number?

Since 100% of the number = the number,
therefore $66\frac{2}{3}\%$ of the number = the increase,
and $166\frac{2}{3}\%$, or $\frac{5}{3}$, of the number = 275.
Therefore $\frac{1}{3}$ of the number = $\frac{1}{5}$ of 275, or 55,
and the number = 3 × 55, or 165.

(4) 616 is 12% less than what number?

Since 100% of the number = the number,
therefore 12% of the number = the decrease,
and 88% of the number = 616.
Therefore 1% of the number = $\frac{1}{88}$ of 616, or 7,
and the number = 100 × 7, or 700.

In each of these examples it will be noticed that we practically divide the percentage by the rate. Therefore,

The base equals the percentage divided by the rate.

This is also evident because the percentage equals the base multiplied by the rate (§ 10). Therefore we have the product (percentage) and one factor (rate) to find the other factor (base), and this we find by dividing.

EXERCISE 7

Of what numbers are the following the given per cents?

1. 72, 12%.
2. 165, 15%.
3. 252, 21%.
4. 578, 34%.
5. 7999, 25%.
6. 48.72, $33\frac{1}{3}$%.
7. 96.54, $66\frac{2}{3}$%.
8. \$114, 6%.
9. \$3113, $5\frac{1}{2}$%.
10. 32.86, 106%.
11. 45.10, 110%.
12. 55.55, 125%.

The following numbers are the given per cents more than what numbers?

13. $34\frac{1}{3}$, 3%.
14. 26, 4%.
15. 42, 5%.
16. 259.7, 6%.
17. 342.4, 7%.
18. 459, 8%.
19. 800, 25%.
20. 520, 30%.
21. $1087\frac{1}{2}$, 50%.
22. 9.72, $33\frac{1}{3}$%.
23. 6.37, $16\frac{2}{3}$%.
24. 15.6, $66\frac{2}{3}$%.

The following numbers are the given per cents less than what numbers?

25. 24, 4%.
26. 38, 5%.
27. $31\frac{1}{3}$, 6%.
28. 251.1, 7%.
29. 294.4, 8%.
30. 682.5, 9%.
31. 573, 25%.
32. 140, 50%.
33. 180, 75%.
34. 6.3, $12\frac{1}{2}$%.
35. 20, $37\frac{1}{2}$%.
36. 3.3, $62\frac{1}{2}$%.

37. \$435 is 6% of what sum of money?
38. \$19.75 is 5% of what sum of money?
39. \$38.25 is $4\frac{1}{2}$% of what sum of money?
40. What is the number of which 14.7 is $66\frac{2}{3}$%?
41. What is the sum of which \$41.25 is 15%?
42. What is the sum of which $33\frac{1}{3}$% is \$2.25?
43. A farmer sold his milk to a factory where he received credit for 1045 lb. of butter fat. If his milk tested 3.8% butter fat, how many pounds of milk did he sell?

12. Given the Base and Percentage to find the Rate. Since the percentage is the product of the base and rate (§ 8), therefore the rate may be found by dividing the percentage by the base. Consider, for example, the following:

(1) What per cent of 5 is 4?

Here 4 is the product of some number and 5. Therefore the required per cent may be found by dividing 4 by 5; and $4 \div 5$, or $\frac{4}{5}$, $= 0.80 = 80\%$.

(2) What per cent of 245 is 29.4?

Here 29.4 is the product of some number and 245. Therefore the required per cent, $29.4 \div 245$, $= 0.12 = 12\%$.

Therefore, *the rate equals the percentage divided by the base.*

This case and the two cases considered in § 10 and § 11 cover all important questions in percentage.

EXERCISE 8

Find what per cent the second number is of the first:

1. 72, 3.6.	**7.** 28.6, 6.006.	**13.** 785.6, 392.8.
2. 97, 6.79.	**8.** 23.4, 10.53.	**14.** 48.36, 8.06.
3. 387, 15.48.	**9.** 33.3, 10.989.	**15.** 542.1, 361.4.
4. 426, 38.34.	**10.** 1671, 50.13.	**16.** 21.36, 8.01.
5. 121, 13.31.	**11.** 1555, 373.2.	**17.** 72.48, 45.3.
6. 29.1, 4.656.	**12.** 2035, 447.7.	**18.** 2.248, 1.967.

19. A dressmaker bought a 20-yard silk dress pattern for \$45 less 20%. She sold it for \$45. What per cent did she gain on what she paid for it?

20. Allowing 8 oz. of Paris green to 50 gal. of water in preparing a spray against leaf-eating insects, and considering a gallon of water to weigh 8.4 lb., the weight of the Paris green is what per cent of the weight of the water?

13. Commercial Discount. A reduction from the list price of an article, from the amount of a bill of goods, or from the amount of a debt is called *commercial discount.*

Commercial discount is also called *trade discount.*

Discounts are usually reckoned at some common fraction of, or at some rate per cent of, the amount from which the discount is made.

The amount of the bill after the discount has been made is called the *net amount,* or the *net price.*

For example, what is the net amount of a bill of $275 after a discount of 20% is made?

Amount of bill	$275
Less 20%, or $\frac{1}{5}$, of $275	55
Net amount	$220

Instead of speaking of "20% off," merchants often speak of "$\frac{1}{5}$ off." So they speak of "$\frac{1}{4}$ off," and "$\frac{1}{3}$ off," but it is not so convenient to use common fractions for such discounts as 12%, 7%, 15%, etc.

EXERCISE 9

Find the net prices of goods billed as follows, with discounts as stated:

1. $27, 6%.
2. $32, 7%.
3. $46, 5%.
4. $75, 8%.
5. $64, 4%.
6. $86, 9%.
7. $68, 10%.
8. $82, 12%.
9. $96, 15%.
10. $252, 8%.
11. $175, 9%.
12. $25.50, 6%.
13. $48.75, 8%.
14. $62.30, 10%.
15. $73.40, 10%.
16. $68.75, 12%.
17. $86.40, 15%.
18. $37.90, 10%.
19. $48.50, 12%.
20. $52.50, 14%.
21. $68.20, 15%.
22. $47.20, 15%.
23. $125.50, 4%.
24. $375.50, 8%.
25. $426.50, 10%.
26. $382.60, 10%.
27. $296.80, 15%.
28. $492.50, 12%.
29. $598.20, 15%.
30. $275.00, 11%.
31. $826.50, 12%.
32. $962.20, 15%.
33. $896.50, 14%.

34. The discount on some goods listed at \$460 is \$115. What is the rate of discount?

35. The discount at 8% on some goods is \$41.60. What is the list price?

36. The discount at $12\frac{1}{2}\%$ on some goods is \$2.05. What is the list price?

37. A bicycle was marked \$45, but was sold at 12% discount. What was the net price?

38. A piano was listed at \$550, but was sold at 30% discount. What was the selling price?

39. A jobber bought some goods listed at \$2450. He was allowed a discount of 22%. What was the net price?

40. A merchant bought 850 yards of muslin at 6¢ a yard, less 18%. How much did it all cost?

41. A merchant bought 975 yards of lawn for \$146.25, less 20%. How much did he pay per yard?

42. A grocer bought 36 doz. cans of soup listed at \$1.75 a dozen. He was allowed a discount of 25%. What was the net price?

43. A dealer sold some boxes of soap, 60 cakes to the box, for \$2.25 a box. He was allowed a discount of 20%. How much did he receive per cake?

44. A grocer bought 160 bags of flour, $12\frac{1}{4}$ lb. to the bag, listed at 4¢ a pound. He was allowed a discount of 15%. What did the flour cost him?

45. A grocer bought 24 doz. pound packages of macaroni for \$31.20, less 15%. He sold it for 15¢ per package. How much did he gain in all?

46. After the holidays a man bought some silver goods that had been marked \$280 but were now subject to a discount of $12\frac{1}{2}\%$. How much did they cost him?

14. Discount Series. The changes in cost of production from time to time, and the variation due to the credit of the buyer, and the quantity of goods purchased, give rise frequently to several discounts known as a discount series.

Goods that are selling at a discount of 20% may be produced at a lower cost owing, for example, to an unusually large cotton crop. An additional discount of 10% may then be allowed. Likewise a person whose credit is exceptional, who buys an especially large quantity, or who pays cash, may be entitled to a still further discount of 5%.

In a discount series the first denotes the discount from the list price, the second denotes the discount from the remainder, and so on.

Thus \$100 less 20%, 10%, and 5%, means that 20% is taken from \$100, leaving \$80; then 10% from \$80, leaving \$72; then 5% from \$72, leaving \$68.40. The order is, however, immaterial.

When there is a fraction of a cent in a remainder, the seller usually counts it a whole cent in his favor.

The regular discount is quoted first, and then the special discounts.

Advantages of a discount series are that it saves reprinting elaborate catalogues, allows of easy change, enables the dealer easily to offer different discounts to different customers, and allows for several options to purchasers.

If a bill is due at once it usually bears the words "Terms cash." If due in 60 days without discount, it may bear the marks "N/60" or "Net 60 da." If due in 60 days, but with a special discount of 3% if paid in 10 days, it may read "3/10, N/60," or "3% 10 da., net 60 da."

EXERCISE 10

Given these list prices and discounts, find the net prices:

1. \$225, 20% and 6%.
2. \$368, 25% and 5%.
3. \$480, $12\frac{1}{2}$% and 3%.
4. \$350, 15% and 4%.
5. \$560, 25% and 10%.
6. \$270, $33\frac{1}{3}$% and 10%.
7. \$480, 25%, 10%, 5%.
8. \$560, 25%, 20%, 3%.
9. \$729, $33\frac{1}{3}$%, 10%, 10%.
10. \$280, 25%, 10%, 10%.
11. \$2760, $33\frac{1}{3}$%, 20%, 10%.
12. \$5550, $33\frac{1}{3}$%, 25%, 15%.

13. How much will 240 ft. of iron pipe cost if listed at \$1.50 a foot, a discount of 40% and 10% being allowed?

14. How much will a gross of jars of mixed pickles cost at \$6 a dozen, a discount of 20% and 10% being allowed?

15. The list price of 2-pound cartons of prunes is \$24 per 100. A discount of 20% and 10% is allowed. What is the net price of 300 cartons?

16. A book dealer can buy an encyclopedia for \$60 less 20% and 10%, or for the same price less 15% and 15%. Which is the better for him, and how much better?

17. A grocer buys 100 dozen jars of table salt listed at \$1.50 a dozen, a discount of 25% and 8% being allowed. If he sells the salt at 12¢ a jar, how much does he gain?

18. A dry goods dealer buys 960 yd. of silk listed at \$1.50 a yard, a discount of $33\frac{1}{3}\%$ and 5% being allowed. If he sells it at \$1.50 a yard, how much does he gain?

19. A dealer buys 36 doz. pocket knives listed at \$8.40 a dozen, a discount of 25% and 10% being allowed. If he sells them at 75¢ apiece, how much does he gain?

20. A furniture dealer buys 16 bedroom sets listed at \$36 each, a discount of $16\frac{2}{3}\%$ and 10% being allowed. If he sells the furniture at \$36 a set, how much does he gain?

21. A hardware dealer bought a shipment of stoves. After deducting a discount of $33\frac{1}{3}\%$ and 25%, and paying \$9.75 freight and \$2.50 cartage, the stoves cost him \$252.25. What was the list price of the stoves?

22. A dry goods dealer bought a shipment of cloth. After deducting a discount of 25% and 10%, and paying \$8.50 for freight and cartage, the cloth cost him \$410. What was the list price?

15. Bills Discounted. The following is a common form of a bill of goods purchased from a wholesale dealer.

Chicago, March 15, 19.....

Mr. R. D. Scanlan, Springfield, Ill.

Bought of **Lane & Company, Jewelers**
1072 Wabash Avenue

Terms *20%, 10%*

Feb. 10. 8 doz. spoons No. 487 @ $14.75	*$118.00*
7 doz. plated forks No. 511 @ $4.20	*29.40*
	$147.40
Less 20%, 10%	*41.27*
	$106.13

EXERCISE 11

Make out bills for the following:

1. 36 doz. files at $6.25; 3 doz. saws at $17.50. Discounts 30%, 20%.

2. 960 yd. silk at $1.40; 840 yd. velvet at $1.60. Discounts 25%, 10%.

3. 4 doz. pr. hinges at $4.60; 25 doz. table knives at $8.40. Discounts 20%, 10%.

4. 12 doz. locks at $4.20; 6 doz. mortise locks at $4.60. Discounts 25%, 8%.

5. 360 yd. taffeta at 98¢; 4 gross pompons at $144; 3 doz. pieces braid at $20.40. Discounts 10%, 5%.

6. 60 lb. brads at 6¢; 200 bolts at $4.80 per C; 6 doz. knives at $7.20. Discounts 40%, 20%, 10%.

7. 480 yd. silk at $1.60; 640 yd. lawn at 22¢; 960 yd. taffeta at 96¢. Discounts 10%, 5%, 5%.

16. Single Discount equal to a Series. It is often convenient to find a single discount equal to a series.

For example, find the single discount equal to the discount series 20%, 10%, and 10%.

Let the list price be represented by	100 % of the list price.
Then deducting 20% of this, or	20 % of the list price,
we have	80 % of the list price.
Deducting 10% of this, or	8 % of the list price,
we have	72 % of the list price.
Deducting 10% of this, or	7.2% of the list price,
we have	64.8% of the list price.

Then $100\% - 64.8\% = 35.2\%$, the single discount.

EXERCISE 12

Find the single discount equal to the discount series:

1. 10%, 8%.
2. 15%, 6%.
3. 18%, 3%.
4. 14%, 9%.
5. 20%, 10%.
6. 30%, 10%.
7. 25%, $12\frac{1}{2}\%$.
8. 10%, 10%, 10%.
9. 25%, 15%, 10%.
10. 25%, 20%, 10%.
11. 30%, 20%, 10%.
12. $33\frac{1}{3}\%$, 10%, 5%.
13. $33\frac{1}{3}\%$, 10%, 10%.
14. $16\frac{2}{3}\%$, 10%, 10%.
15. 20%, $12\frac{1}{2}\%$, 10%.
16. 25%, $12\frac{1}{2}\%$, 10%.

17. Compare the single discount equal to the series 10% and 5%, with the sum of 10% and 5% minus the product of 10% and 5%.

18. By the method suggested in Ex. 17, find the single discount equal to the series 20%, 5%.

19. How does the single discount equal to the discount series 20%, 10%, and 5%, compare with that equal to the discount series 10%, 5%, and 20%? Prove it.

17. Gain and Loss. In business transactions gain and loss is often computed as a certain per cent of the cost of the property sold. The following examples may be taken as typical problems:

(1) For how much must a merchant sell goods that cost \$275, so as to gain 20% ?

If he gains 20% of \$275 he gains $\frac{1}{5}$ of \$275, or \$55. Therefore he must sell the goods for \$275 + \$55, or \$330.

(2) If goods marked \$75 are sold at a bargain sale for 15% off, at what price are they sold ?

If the goods are sold at 15% off the marked price, they are sold for \$75 less 15% of \$75, or \$75 − \$11.25, or \$63.75.

(3) If some goods are damaged so that they are sold for \$120, or 25% below cost, how much did they cost ?

100% of the cost = the cost.
25% of the cost = the loss.
75% of the cost = the selling price = \$120.
1% of the cost = $\frac{1}{75}$ of \$120.
100% of the cost = $\frac{100}{75}$ (or $\frac{4}{3}$) of \$120, or \$160.

(4) A dealer sold a hat that cost \$2.40 so as to gain 25%. The selling price was 20% less than the marked price. What was the marked price ?

He gained 25% (or $\frac{1}{4}$) of \$2.40, or \$0.60. Therefore the selling price was \$2.40 + \$0.60, or \$3.

100% of the marked price = the marked price.
20% of the marked price = amount taken off.
80% of the marked price = the selling price = \$3.
1% of the marked price = $\frac{1}{80}$ of \$3.
100% of the marked price = $\frac{100}{80}$ (or $\frac{5}{4}$) of \$3, or \$3.75.

We may prove this result or any of the preceding results by working backward. Here \$3.75 less 20% (or $\frac{1}{5}$) of \$3.75 = \$3.75 − \$0.75 = \$3, the selling price. Also \$2.40 + 25% of \$2.40 = \$3, the selling price, and the two results agree.

EXERCISE 13

For how much must a merchant sell goods that he bought at the price here given, so as to gain the per cent specified?

1. \$25, 12%.
2. \$36, 14%.
3. \$65, 15%.
4. \$72, 18%.
5. \$85, 25%.
6. \$175, $8\frac{1}{2}$%.
7. \$190, $9\frac{1}{4}$%.
8. \$250, 12%.
9. \$375, 15%.
10. \$735, 18%.
11. \$172.80, $12\frac{1}{2}$%.
12. \$373.20, $16\frac{2}{3}$%.
13. \$45,550, $17\frac{1}{2}$%.
14. \$27,475, 22%.
15. \$75,250, 25%.

If goods marked as here shown are sold at a bargain sale for the given per cent off, find the selling price:

16. \$60, 15%.
17. \$85, 18%.
18. \$72, 22%.
19. \$176, $6\frac{1}{4}$%.
20. \$712, $12\frac{1}{2}$%.
21. \$972, $16\frac{2}{3}$%.
22. \$225.40, 25%.
23. \$27,250, 20%.
24. \$22,400, $17\frac{1}{2}$%.

If goods are sold for the sum specified, which is the given per cent below cost, find the cost:

25. \$71.25, 5%.
26. \$72.16, 12%.
27. \$58.48, 14%.
28. \$140, 20%.
29. \$207.20, 30%.
30. \$382.50, 15%.
31. \$226.20, 13%.
32. \$265.60, 17%.
33. \$358.80, 22%.

34. A merchant sold some goods that cost \$175 so as to gain 20%. The selling price was 20% less than the marked price. What was the marked price?

35. A dealer sold some furniture for which he had paid \$240, so as to gain $12\frac{1}{2}$%. The selling price was 25% less than the marked price. What was the marked price?

36. A merchant sold some goods at 10% below cost, this being 20% below his marked price. The goods cost \$300. What was the marked price?

Given the cost and rate of gain as follows, find the amount of gain:

37. \$275, 15%. **42.** \$275.40, 15%. **47.** \$4275.50, 8%.
38. \$365, 12½%. **43.** \$346.50, 16%. **48.** \$2936.40, 12%.
39. \$4723, 14%. **44.** \$492.75, 18%. **49.** \$3275.75, 16%.
40. \$3965, 16%. **45.** \$575.50, 24%. **50.** \$4206.03, 33⅓%.
41. \$7287, 22%. **46.** \$812.50, 16%. **51.** \$3742.20, 16⅔%.

Given the cost and rate of loss as follows, find the amount of loss:

52. \$275, 6%. **55.** \$362.50, 4%. **58.** \$4725.25, 8%.
53. \$345, 4%. **56.** \$427.50, 8%. **59.** \$2632.50, 12%.
54. \$463, 8%. **57.** \$732.25, 12%. **60.** \$4170.00, 15%.

61. How much is 33⅓% profit on goods costing \$637.20?

62. A dealer sold a sewing machine at a gain of 25%. It cost him \$31.40. Find the selling price.

63. A man bought a horse for \$150 and sold it at a loss of 8%. Find the selling price.

64. A merchant bought 85 yd. of silk at \$1.25 a yard and sold it at a loss of 8%. How much was his loss?

65. A jeweler bought a dozen clocks at \$4.75 apiece and sold them at an advance of 16%. How much was his gain?

66. A man bought a horse for \$140 and sold it for \$161. What was his gain per cent?

67. A dealer bought a piano for \$320 and sold it for \$400. What was his gain per cent?

68. A grocer bought 500 lb. of coffee at 32¢ a pound. He sold it at an advance of 6¼%. How much did he gain?

69. A dealer sold a piano for \$280, thereby losing 12½%. How much did the piano cost him?

70. A wholesale dealer paid \$2.50 per barrel for apples. He sold them to a retailer at a gain of 8%, and the retailer sold them at a gain of $16\frac{2}{3}\%$. What was the retail price?

71. A clothier marked a suit of clothes that cost him \$13.20, so as to gain 40%. He discounted the marked price $16\frac{2}{3}\%$. What was the actual selling price?

72. A man bought a horse for \$150 and a carriage for \$120. He sold them, gaining 8% on the horse and losing 12% on the carriage. Find his net gain or loss.

73. A farmer received \$160 for some produce. It passed through the hands of a shipper, a commission merchant, and a retailer, who gained respectively $12\frac{1}{2}\%$, $3\frac{1}{3}\%$, and 20%. What was the retail price?

74. Some goods cost a merchant \$100. At what price must he mark them so that he can take off 20% and still make a profit of 20%?

75. Some goods cost a merchant \$240. At what price must he mark them so that he can take off 20% and still make a profit of 20%?

76. At what per cent above cost must a merchant mark his goods so that he can take off 20% and still make a profit of 20%?

77. At what per cent above cost must a merchant mark his goods so that he can take off 25% and still make a profit of 25%?

78. A man sold two houses for \$9600 each. On one he gained 20% and on the other he lost 20%. Did he gain or lose on the whole transaction, and how much?

79. A man sold two houses for \$9600 each. He sold one at a profit of 25% and the other at a loss of 25%. Did he gain or lose on the whole transaction, and how much?

18. Commission or Brokerage. A sum paid by one person to another for transacting business is called *commission* or *brokerage.*

19. Principal and Agent. The person for whom another transacts business is called the *principal.* The person who transacts the business is called the *agent.*

20. Commission Merchant and Broker. An agent who has actual possession of the goods of his principal is called a *commission merchant.* An agent who makes sales or purchases for his principal without having actual possession of the goods is called a *broker.*

Commission and brokerage are usually reckoned at a certain per cent of the money involved in the transaction. If goods are bought, the commission is a certain per cent of the cost; if goods are sold, the commission is a certain per cent of the amount received; if a collection is made, the commission is a certain per cent of the amount collected.

Brokerage is often a fixed sum per bushel (as of wheat purchased), a fixed sum per 100 bales (as of cotton), a fixed sum per tierce (as of lard), and so on.

In all problems, unless otherwise directed, discard any fraction of a cent less than $\frac{1}{2}$ in a final result; when a fraction of a cent is $\frac{1}{2}$ or more, count it as a full cent.

EXERCISE 14

Find the commissions on sales or purchases of the following amounts, at the rates specified:

1. \$275, 2%.
2. \$345, 3%.
3. \$675, 4%.
4. \$725, 5%.
5. \$875, 6%.
6. \$2750, $1\frac{1}{2}$%.
7. \$3275, $2\frac{1}{2}$%.
8. \$2760, $3\frac{1}{2}$%.
9. \$4175, $4\frac{1}{2}$%.
10. \$6375, $3\frac{1}{3}$%.
11. \$8000, $\frac{1}{8}$%.
12. \$7500, $\frac{1}{4}$%.
13. \$6200, $\frac{1}{2}$%.
14. \$3520, $\frac{3}{8}$%.
15. \$4800, $1\frac{1}{8}$%.

Find the net amounts remaining after deducting commissions on sales as follows, at the rates specified:

16. \$4800, $\frac{1}{8}\%$.
17. \$6400, $\frac{1}{4}\%$.
18. \$3500, $\frac{1}{5}\%$.
19. \$2800, $2\frac{1}{4}\%$.
20. \$5600, $2\frac{1}{8}\%$.
21. \$6400, $3\frac{1}{2}\%$.
22. \$275.50, 4%.
23. \$612.50, 8%.
24. \$721.50, 6%.

25. What is the commission at $3\frac{1}{2}\%$ on a sale of potatoes to the amount of \$1270?

26. A broker bought 750 tierces of lard for a customer, charging $2\frac{1}{2}¢$ a tierce. A tierce being 340 lb., how many pounds did he buy, and what was the brokerage?

27. Lard selling at \$7.03 per tierce, how much will 1250 tierces cost? How many pounds are there? What is the brokerage on the purchase at $2\frac{1}{2}¢$ per tierce?

28. A commission merchant sells for a factory 6900 lb. of cheese at 12¢ a pound, charging 5% commission. What sum should he remit to his principal?

29. A commission merchant sold 1700 dozen eggs for a dealer, charging him 5% on the sale, and remitting \$339.15. At what price per dozen did he sell the eggs?

30. A commission merchant sold 160 tubs of butter, 50 lb. to the tub, for \$1920, charging 5% commission. What did the commission amount to per pound?

31. A broker buys 1750 bags of coffee for a customer, at 8.43¢ per pound. There being 130 lb. to the bag and the broker charging \$10 per 250 bags, how many pounds are bought, and what is the total cost, including the brokerage?

32. A broker bought 700 bales of cotton for a customer, at 12.1¢ per pound. Taking the bales as weighing 500 lb. each, and the brokerage at \$5 per hundred bales, find the number of pounds purchased and the total cost including the brokerage.

21. Insurance. An agreement by which, for a lawful consideration, a company agrees to pay an indemnity for loss by fire or other specified cause is called *insurance*.

22. Policy. The written contract of insurance is called a *policy*. The sum agreed to be paid by the terms of an insurance policy is called the *face* of the policy. The consideration, or sum paid for insurance, is called the *premium*.

There are several kinds of insurance. There are companies that insure people's lives (life insurance); that insure against loss by fire (fire insurance), by accidents to ships (marine insurance), by accidents to people (accident insurance), by burglary (burglary insurance), and so on. Those who insure are often called *underwriters*.

23. Fire Insurance. Insurance against loss or damage by fire is called *fire insurance*.

In fire insurance the premium is sometimes stated as a certain sum on $100, and sometimes as a certain rate per cent.

EXERCISE 15

Find the premiums on these policies at the rates specified:

1. $1500, $1\frac{1}{4}\%$.
2. $1500, $1\frac{1}{2}\%$.
3. $1750, $1\frac{3}{4}\%$.
4. $2250, $2\frac{1}{4}\%$.
5. $3500, $1\frac{1}{2}\%$.
6. $2600, $2\frac{3}{4}\%$.
7. $3800, $2\frac{1}{2}\%$.
8. $4500, $1\frac{3}{4}\%$.
9. $12,500, 1%.
10. $13,500, 2%.
11. $15,000, $1\frac{1}{4}\%$.
12. $12,750, $1\frac{3}{4}\%$.
13. $15,250, $1\frac{1}{2}\%$.
14. $16,500, $2\frac{1}{4}\%$.
15. $17,250, $2\frac{1}{2}\%$.
16. $18,750, $2\frac{3}{4}\%$.
17. $5200, 2.1%.
18. $6500, 1.2%.
19. $3750, 1.6%.
20. $2550, 1.8%.
21. $2750, 2.2%.
22. $3500, 2.5%.
23. $4800, 2.8%.
24. $5500, 3.25%.

Find the faces of policies, given the premiums and rates:

25. $65, 1%.
26. $48, 2%.
27. $19, $\frac{1}{2}\%$.
28. $24, $\frac{3}{4}\%$.
29. $19.75, 1%.
30. $41.25, $2\frac{1}{2}\%$.

Find the rates, given the faces of policies and premiums:

31. \$1800, \$18. **33.** \$2100, \$31.50. **35.** \$2800, \$56.

32. \$1650, \$41.25. **34.** \$3200, \$56. **36.** \$3500, \$52.50.

Find the premiums on the following policies, given the premiums per \$100:

37. \$2750, \$1.25. **39.** \$4800, \$1.75. **41.** \$15,000, \$2.50.

38. \$3250, \$1.50. **40.** \$5600, \$2.25. **42.** \$27,500, \$2.75.

43. At \$1.10, what is the premium on a \$3750 policy?

44. At \$1.30, what is the premium on a \$5500 policy?

45. A building worth \$4500 is insured for $\frac{2}{3}$ of its value at $1\frac{3}{4}\%$. What is the premium?

46. The premium for insuring some property at \$1.75 is \$96.25. What is the face of the policy?

47. Some property worth \$2700 is insured for $\frac{3}{4}$ of its value, the annual premium being \$27. What is the rate?

48. Merchandise worth \$3600 is insured for 80% of its value at \$1.50 on \$100. What is the premium?

49. If a 3-year policy for \$2500 costs \$60, what is the rate of premium per year?

50. A building is insured at 60¢ per \$100, the annual premium being \$14.40. If the face of the policy is 80% of the value of the building, what is the value?

51. A dealer insured his stock of goods for 80% of its value at \$1.60 per \$100. The premium was \$57.60. What was the value of the stock?

52. A factory is insured for \$7000 in one company and \$5000 in another. The factory is partly destroyed by fire, the insurance adjusters fixing the damage at \$8000. How much should each company pay?

24. Life Insurance. Insurance whereby some person known as the beneficiary receives a certain sum on the death of the insured, or when the insured reaches a certain age, is called *life insurance.*

The beneficiary may be the estate of the insured, or one or more persons named in the policy.

There are various forms of life insurance, but for the purposes of this arithmetic and of explaining the general principles of the subject, the standard form known as *ordinary life* is sufficient.

The rate is always given as the cost of $1000 worth of insurance, the rate $27.75 meaning that the annual premium on a policy for $1000 is $27.75. This subject is not, therefore, an application of percentage, but is properly considered here in connection with the other insurance problems.

EXERCISE 16

Find the premiums on these policies at the given rates:

1. $5000, $21.75.
2. $7500, $22.65.
3. $3500, $28.45.
4. $4500, $26.36.
5. $7000, $27.75.
6. $4500, $22.35.
7. $3500, $24.65.
8. $12,000, $25.62.
9. $14,000, $26.38.
10. $15,500, $29.46.

11. If a man takes out a policy for $7500 at $26.36 per thousand, how much premium will he pay in 20 payments?

12. A man takes out a $4500 policy in one company at $24.30 per thousand and a $3500 policy in another company at $24.75 per thousand. What do the two premiums together amount to in a year?

13. A man takes out a $6000 policy at $26.65 per thousand. He dies just after eight annual premiums have been paid. How much does the beneficiary receive? How much does he receive in excess of the premiums paid?

25. Taxes. Money levied by a government for its support and for public purposes is called a *tax.*

26. Kinds of Taxes. There are two general kinds of taxes, direct and indirect. A *direct* tax is a tax levied on a person, or on the value of his property or business. An *indirect* tax is a tax levied in other ways, as on goods imported into the country, on tobacco, or on alcoholic liquors.

The expenses of the United States government are, in general, met by indirect taxes, including duties on imports, and excise duties on tobacco and liquor. There is also some revenue from the sale of public lands.

The expenses of the several states, counties, cities, towns, and villages are, in general, met by direct taxes, although some of these corporations levy a few indirect taxes.

27. Poll Tax. A tax levied upon a person is called a *poll tax.*

The old word for head was *poll;* hence this name. In some places the poll tax is no longer collected.

28. Property Tax. A tax levied upon property is called a *property tax.*

This may be upon land and buildings (real estate), or upon money, securities, and movable property generally (personal property).

29. Licenses. A permit to engage in some specified act or to enjoy some special privilege is called a *license.*

For example, there are licenses to run automobiles, to own dogs, to sell liquor, and so on, all of which are forms of taxes.

30. Assessing Taxes. Taxes are usually assessed against the individual by officers called *assessors.* They decide how much each person's property is worth and the rate of tax.

The law provides for methods of reviewing the action of assessors in case it is not considered fair.

The *tax rate* is sometimes expressed as a rate per cent, but more often as the number of mills on a dollar.

31. Collecting Taxes. Taxes are collected by an officer known as the *collector*.

The collector sometimes receives a fixed salary and sometimes a commission on the amount of tax collected.

After the tax collector has collected taxes he pays the money over to an officer known as the *treasurer*, and by him it is paid out for public services according to law.

For example, a tax of \$43,600 is to be raised by a town which contains 1200 polls, taxed at \$1 each, and which has taxable property assessed at \$3,200,000. The town receives from the state \$7200 as its share of the railroad tax, and other corporation taxes collected by the state. Find the rate of taxation, and the tax paid by Mr. Brown, if his property is assessed at \$5960, if he pays for 1 poll, and if the collector's commission is 1%.

Total tax		\$43,600
Deduct poll taxes	\$1200	
Amount received from state	7200	
Total to be deducted	\$8400	8,400
Net property tax		\$35,200

Tax on \$1 = \$35,200 ÷ 3,200,000 = \$0.011.

That is, the tax is 11 mills on \$1, or \$11 on \$1000, or 1.1%.

Therefore Mr. Brown will pay as follows:

Property tax, 1.1% of \$5960,	\$65.56
Poll tax	1.
Property and poll tax	\$66.56
Add the collector's commission, 1% of \$66.56,	.67
Total tax, including commission	\$67.23

In practice, in a case like that of the above example, the assessors would probably make the tax rate 12 mills, or 1.2%, in order to provide for contingencies such as reduction of assessments and abatement of taxes.

If the assessors make the tax rate a little too high there will be a little larger balance in the treasury at the end of the year.

In the examples in Exercise 17 consider the collector's commission only when told to do so.

32. Tax Table. Assessors usually prepare a table like the following, which is arranged for $5\frac{1}{2}$ mills on a dollar:

TAX TABLE. RATE $5\frac{1}{2}$ MILLS ON $1

	0	1	2	3	4	5	6	7	8	9
0	0000	0055	0110	0165	0220	0275	0330	0385	0440	0495
1	0550	0605	0660	0715	0770	0825	0880	0935	0990	1045
2	1100	1155	1210	1265	1320	1375	1430	1485	1540	1595
3	1650	1705	1760	1815	1870	1925	1980	2035	2090	2145
4	2200	2255	2310	2365	2420	2475	2530	2585	2640	2695
5	2750	2805	2860	2915	2970	3025	3080	3135	3190	3245
6	3300	3355	3410	3465	3520	3575	3630	3685	3740	3795
7	3850	3905	3960	4015	4070	4125	4180	4235	4290	4345
8	4400	4455	4510	4565	4620	4675	4730	4785	4840	4895
9	4950	5005	5060	5115	5170	5225	5280	5335	5390	5445

Here the first figure of the number of dollars assessed is given at the left, and the second one at the top. Thus, at $5\frac{1}{2}$ mills on $1, the tax on $100 is $0.55; on $140, $0.77; on $2500, $13.75.

For example, find by the above table the tax of James Johnson, who pays no poll tax and has his property assessed at $9765, the collector's commission being 1%.

Tax on $9700 (to the right of 9, and under 7)	$53.35
Tax on $65 (to the right of 6, and under 5)	.36 (.3575)
Property tax	$53.71
Collector's commission, 1% of $53.71,	.54
Total tax	$54.25

EXERCISE 17

Using the above tax table, find the tax on the following amounts, adding the collector's commission of 1%:

1. $250.	**4.** $4000.	**7.** $7550.	**10.** $11,500.
2. $850.	**5.** $3650.	**8.** $9000.	**11.** $11,250.
3. $900.	**6.** $4550.	**9.** $12,000.	**12.** $39,750.

Make out a tax table for the tax rate of 9 mills on a dollar. Then find the tax on the following amounts, adding the collector's commission of 1% :

13. $350.	**17.** $5000.	**21.** $5550.	**25.** $12,500.
14. $550.	**18.** $3550.	**22.** $8000.	**26.** $26,500.
15. $700.	**19.** $4750.	**23.** $13,000.	**27.** $48,750.
16. $3600.	**20.** $3750.	**24.** $35,000.	**28.** $82,350.

29. The tax rate is 11 mills. How much tax must be paid on property assessed at $4500 ?

30. The tax rate is 13 mills. How much tax must be paid on property assessed at $12,500 ?

31. If a man's tax is $97.50 and the rate is 13 mills on a dollar, what is the assessed valuation of his property ?

32. If a man's property is assessed at $6500, and his tax is $78, what is the rate of tax ?

33. If the assessed valuation of the property in a town is $486,500, what must be the tax rate to raise $5838 ?

34. The tax rate is 14 mills. A man pays a tax of $54.64, of which $2 is poll tax. What is the assessed valuation of his property ?

35. If the state tax is 1 mill, the county tax $3\frac{1}{2}$ mills, and the town tax 4 mills, how much tax must a man pay on a house assessed at $5000 ?

36. A man died, leaving $17,500, of which $17,000 was willed to his children and $500 to his brother. Under the laws of his state there is an inheritance tax of 1% to be paid by children and 4% by brothers or sisters. How much tax must be paid on these bequests ?

37. A tax collector receives $49,760.73 in taxes including his commission. How much is his commission at $1\frac{1}{4}$% ?

33. Indirect Taxes. Indirect taxes have already been defined in § 26. One of the most important is the tax on goods imported into this country. This tax is paid to the United States government.

34. Duties or Customs. Taxes levied by the government on imported goods are called *duties* or *customs.*

Duties are collected at customhouses situated in large cities or in important seaports or places on the border between different countries, as between the United States and Canada or Mexico.

35. Kinds of Duty. There are two kinds of duty, specific and ad valorem. A *specific duty* is a definite sum levied on each unit by which an article is measured or weighed. An *ad valorem* duty is a certain per cent on the value of the goods.

36. Tariff. A schedule of duties on different articles, such as are imposed by our Congress, is called a *tariff.*

Goods on which duty is not levied are placed on the *free list.*

EXERCISE 18

Find the ad valorem duty on each of the following invoices of goods at the rate specified:

1. \$475, 30%.
2. \$625, 35%.
3. \$750, 40%.
4. \$835, 45%.
5. \$975, 60%.
6. \$1500, 25%.
7. \$1650, 30%.
8. \$2700, 35%.
9. \$3650, 40%.
10. \$7575, 50%.
11. \$12,450, 20%.
12. \$42,375, 30%.
13. \$29,362, 35%.
14. \$32,275, 50%.
15. \$75,295, 60%.

16. Find the specific duty on a gross of articles at 17¢ each.

17. Find the specific duty on 275 articles at \$1.25 each.

18. The duty paid on a certain invoice of goods was \$4500, at 60% ad valorem. What was the valuation on which the duty was reckoned?

19. Find the specific duty on 756 lb. of a certain material at 55¢ a pound.

20. An importer pays $952.50 ad valorem duty on goods valued at $6350. What is the rate of duty?

21. Ad valorem duty is levied on goods valued at $2750, making the total cost $3850. What is the rate of duty?

22. If the duty at 45% is $3723.75, what is the valuation on which the duty is reckoned?

23. If a duty of $3237.50 ad valorem is levied on goods valued at $9250, what is the rate of duty?

24. The duty on certain farm products is $4 a ton. If a dealer imports $82\frac{3}{4}$ tons, what is the duty?

25. Some goods cost the importer $10,875, including the duty of 45%. How much was the duty?

26. Some goods cost the importer $3712.50, including the duty of 35%. What was the original cost?

27. The cost of certain goods plus the duty of $33\frac{1}{3}$% was $8800. Required to find the original cost.

28. The duty on certain goods is 22¢ a pound, plus 30% ad valorem. If the goods weigh 275 lb. and are worth $360, what is the total duty?

29. The duty on a certain product is 60¢ a pound, plus 45% ad valorem. If the product weighs 168 lb. and is worth $380, what is the total duty?

30. A man imported some goods on which he paid a specific duty of $385. If the duty is 22¢ a pound, how many pounds did he import?

31. A man imported 475 lb. of goods on which he paid a specific duty of 6¢ a pound and an ad valorem duty of 25%. The total duty was $216. What was the valuation on which the duty was reckoned?

EXERCISE 19

Review Problems

Find separately the following per cents:

1. 0.25%, $2\frac{1}{2}$%, 25%, and 250% of 4884.
2. $0.12\frac{1}{2}$%, $1\frac{1}{4}$%, $12\frac{1}{2}$%, and 125% of 9768.
3. $\frac{1}{3}$%, $3\frac{1}{3}$%, $33\frac{1}{3}$%, $333\frac{1}{3}$%, and $333.33\frac{1}{3}$% of 7365.
4. $\frac{1}{6}$%, $1\frac{2}{3}$%, $16\frac{2}{3}$%, $166\frac{2}{3}$%, and $166.66\frac{2}{3}$% of 9732.
5. $\frac{2}{3}$%, $6\frac{2}{3}$%, $66\frac{2}{3}$%, $666\frac{2}{3}$%, and $666.66\frac{2}{3}$% of 7596.
6. $\frac{3}{4}$%, $7\frac{1}{2}$%, 75%, 750%, and 7500% of 13,748.
7. $\frac{3}{8}$%, $3\frac{3}{4}$%, $37\frac{1}{2}$%, 375%, and 3750% of 11,168.
8. $\frac{5}{8}$%, $6\frac{1}{4}$%, $62\frac{1}{2}$%, 625%, and 6250% of 12,344.
9. $\frac{7}{8}$%, $8\frac{3}{4}$%, $87\frac{1}{2}$%, 875%, and 8750% of 37,072.
10. A man bought a horse for \$125 and sold it for \$147.50. What per cent did he gain?
11. A man bought a house for \$6800 and sold it for \$5780. What per cent did he lose?
12. A real estate agent sold a lot for \$1775 and received \$71 commission. What per cent did he receive?
13. A real estate agent sold a farm, his commission at 3% being \$145.50. What was the selling price?
14. A man sold a piece of land for \$1320, thereby gaining 10% on the cost. How much did he gain?
15. An agent received \$14 for selling some property on a commission of 2%. What was the selling price?
16. A dealer sold some fruit for $12\frac{1}{2}$% less than it cost, thereby losing \$70. What was his selling price?
17. An agent sold some property on a commission of 5%. After deducting his commission from the selling price he remitted \$2137.50. What was the selling price?

18. The premium for insuring a house at $1\frac{1}{4}\%$ was \$75. What was the face of the policy?

19. A man paid \$42 for insuring his house at $\frac{3}{4}\%$ on 80% of its value. What was its value?

20. A man sold his farm for \$975 less than it cost him, which was a loss of 15%. Find the cost.

21. A merchant bought hats at \$2.75 each, and sold them at \$3.50. Find his gain per cent.

22. A merchant's assets amount to \$4063.50, and this sum will pay 54% of his debts. How much does he owe?

23. A dealer sells cloth at \$2.53 a yard, gaining 15%. What per cent would he gain by selling it at \$2.64 a yard?

24. What was the amount of a bill upon which a collector received \$22.75 for collecting, his commission being $3\frac{1}{2}\%$?

25. A merchant sold cloth at \$1.40 a yard and gained 12%. What did the cloth cost him?

26. A merchant sold cloth that cost him \$1.23 a yard and gained $33\frac{1}{3}\%$. At what price did he sell it?

27. What must be the marked price of a hat that cost \$2.50, so as to make 12% after discounting the price 30%?

28. A man bought a farm at \$62.50 an acre and sold it at \$75 an acre. What per cent did he gain?

29. A workman's wages, amounting to \$1050 a year, was increased 10%. After a year it was decreased 10%. What was it then?

30. Two men own a mill together. The first paid 45% of the purchase price and the second paid the balance, \$9350. What was the cost of the mill?

31. A bank clerk started work at a salary of \$900 a year. The second year his salary was raised 20%, the third year 25%, and the fourth year $33\frac{1}{3}\%$. What was his salary then?

32. A merchant sold a hat for \$3.30, thereby gaining 25%. Find the cost.

33. A man sold a horse at a gain at \$32.50, which was $33\frac{1}{3}\%$ of the cost. Find the selling price.

34. At what price must you mark a hat, costing \$1.20, so as to discount the price 25% and still make 20%?

35. The premium for insuring a \$7000 house for 80% of its value was \$70. What was the rate of insurance?

36. Two men own a boat. One paid \$132 and the other paid 45% of the cost. How much did the boat cost?

37. What is the per cent of attendance in a school of 35 pupils, if there are 21 days of absence in 5 school weeks?

38. Two men are in partnership. One owns $47\frac{1}{2}\%$ of the business. If the business is worth \$5000, what is the value of the share of each?

39. A merchant's sales in October amounted to \$1552.50, which was 9% of the sales for the year. What were the total sales for the year?

40. A dry goods dealer sold a piece of cloth at \$1.40 a yard, thereby gaining $16\frac{2}{3}\%$. At what price should he have sold it in order to gain 20%?

41. A dry goods dealer sold a piece of cloth and gained $12\frac{1}{2}\%$. If he had sold it at 90¢ a yard, he would have gained 25%. What was his selling price?

42. An agent collected rents, charging 3% on all sums collected. The rents in one month amounted to \$675. How much did he remit to the owner?

43. A workman in a factory received \$1350 the first year. The second year his wages was advanced 10%, and the third year 10%. The fourth year it was reduced 10%. How much did he then receive?

44. The discount from the list price of a sewing machine, at $33\frac{1}{3}\%$, was \$13.50. What was the list price?

45. A man paid \$60 for insuring his \$6000 house at 80% of its value. Find the rate of insurance.

46. An agent collected rents, charging 3% on all sums collected. He remitted to the owner \$271.60. How much rent did he collect?

47. A dry goods dealer sold a piece of cloth at 72¢ a yard, thereby gaining 20%. What would have been his gain per cent if he had sold it at 75¢ a yard?

48. A man was unsuccessful in business and failed, owing \$2376.50. He was able to pay his creditors only 40¢ on a dollar. What was the total loss to his creditors?

49. A man paid \$5500 for a farm. He rents it for \$425 a year and pays \$60.50 for taxes, \$25 for insurance, and \$37 for repairs. What is the per cent of net income?

50. A merchant bought a bill of goods, and paid \$27.49 for freight, \$15 for insurance, and \$4.75 for cartage. These expenditures represented 4% of the purchase price. What was the purchase price? What was the total cost?

51. A sugar factory pays \$4.60 per ton for all beets testing 14% sugar, and 22¢ per ton for each additional 1%. A farmer grows $13\frac{1}{2}$ tons of beets per acre, from which 2.025 tons of sugar are extracted. How much per acre does he receive for his crop?

52. Bordeaux mixture for plant diseases consists of 4 lb. of unslaked lime, 6 lb. of copper sulphate, and 25 gal. of water. Taking the weight of a gallon of water as 8.4 lb., what per cent of the weight of the mixture is the weight of the lime? what per cent is the weight of the copper sulphate? what per cent is the weight of the water?

37. Interest. Money paid for the use of money is called *interest.*

38. Principal. Money loaned on which interest is paid is called the *principal.*

39. Rate of Interest. The rate per cent of the principal paid in interest for one year is called the *rate of interest.*

The sum of the principal and interest is called the *amount.*

40. Illustrative Problems.

(1) Find the interest on \$840 at 5% for 2 yr.

Interest for 1 yr. = 5% of \$840 = \$42.
Interest for 2 yr. = 2 × \$42 = \$84.

(2) Find the interest on \$750 at $5\frac{1}{2}\%$ for $3\frac{1}{2}$ yr.

Interest for 1 yr. = $5\frac{1}{2}\%$ of \$750 = \$41.25.
Interest for $3\frac{1}{2}$ yr. = $3\frac{1}{2}$ × \$41.25 = \$144.38.

Therefore, *to find the interest, given the principal, rate, and time, multiply the principal by the rate, and the product by the number that expresses the time in years.*

EXERCISE 20

Given the principal, rate, and time, find the interest:

1. \$275, 5%, 2 yr.
2. \$350, 4%, 3 yr.
3. \$460, 6%, 2 yr.
4. \$525, 5%, 3 yr.
5. \$265, 4%, 2 yr.
6. \$425, 5%, 3 yr.
7. \$635, 6%, 4 yr.
8. \$875, 6%, 2 yr.
9. \$925, 5%, 5 yr.
10. \$975, 4%, 2 yr.
11. \$975, $5\frac{1}{2}\%$, 2 yr.
12. \$725, $4\frac{1}{2}\%$, 3 yr.
13. \$835, $3\frac{1}{2}\%$, 2 yr.
14. \$425.50, 6%, $2\frac{1}{2}$ yr.
15. \$375.75, 6%, $3\frac{1}{2}$ yr.
16. \$420.50, 5%, $2\frac{1}{4}$ yr.
17. \$2450, 4%, $3\frac{3}{4}$ yr.
18. \$3575, 5%, $2\frac{3}{4}$ yr.

41. Interest when Time is expressed in Days. The case considered in § 40 involved time expressed in years. If the time involves days, we may first reduce this to a fraction of a year and proceed as before.

For example, find the interest on \$240 for 2 yr. 3 mo. 10 da. at 6%.

$$10 \text{ da.} = \tfrac{1}{3} \text{ mo.}$$

$$3\tfrac{1}{3} \text{ mo.} = \tfrac{10}{3} \text{ of } \tfrac{1}{12} \text{ yr.} = \tfrac{5}{18} \text{ yr.}$$

$$2\tfrac{5}{18} \times 6\% \text{ of } \$240 = \frac{41 \times 6 \times \$240}{18 \times 100} = \$32.80.$$

It is the custom in computing interest, when tables (see § 46) are not used, to take 30 da. to the month, which means 360 da. to the year.

EXERCISE 21

Given the principal, rate, and time, find the interest:

1. \$250, 5%, 4 mo. 10 da.
2. \$520, 6%, 2 yr. 9 mo. 25 da.
3. \$760, 5%, 4 yr. 6 mo. 15 da.
4. \$875, 6%, 3 yr. 7 mo. 16 da.
5. \$1250, 5%, 1 yr. 10 mo. 5 da.
6. \$2500, 5½%, 2 yr. 10 mo. 7 da.
7. \$2275, 5½%, 3 yr. 11 mo. 2 da.
8. \$3525, 4½%, 1 yr. 11 mo. 3 da.

Given the principal, rate, and time, find the amount:

9. \$175, 6%, 6 mo.
10. \$225, 6%, 8 mo. 3 da.
11. \$625, 5%, 4 mo. 3 da.
12. \$1250, 5%, 2 yr. 3 mo. 8 da.
13. \$2275, 5½%, 3 yr. 10 mo. 14 da.

42. Problems in Interest. Of the four elements used in computing interest,—principal, rate, time, and interest (or amount, which is only the sum of the principal and interest),—we can find any one if the other three are known.

For, since the interest is the product of three factors (principal, rate, and time), if it is divided by the product of any two of these factors the quotient is the third.

The following examples will illustrate:

(1) What principal will, in 3 yr. 6 mo., yield \$52.50 interest at 6%?

Since the interest for $3\frac{1}{2}$ yr. is \$52.50,
therefore the interest for 1 yr. is $\$52.50 \div 3\frac{1}{2}$, or \$15.

Since 6% of the principal is \$15,
therefore 1% of the principal is \$2.50,
and 100% of the principal is \$250.

(2) What principal will amount to \$570 in 2 yr. 4 mo. at 6%?

The amount of \$1 for 2 yr. 4 mo. at 6% is \$1.14.

Since \$1.14 is the amount of \$1,

\$570 is the amount of $\frac{\$570}{1.14}$, or \$500.

(3) In what time will \$540 yield \$109.80 interest at 6%?

The interest on \$540 at 6% for 1 yr. is \$32.40.

Since \$32.40 is the interest for 1 yr.,

\$109.80 is the interest for $\frac{109.80}{32.40}$ yr., or $3\frac{7}{18}$ yr.

$3\frac{7}{18}$ yr. = 3 yr. $4\frac{2}{3}$ mo. = 3 yr. 4 mo. 20 da.

(4) At what rate will \$600 yield \$81 interest in 3 yr.?

The interest on \$600 at 1% for 3 yr. is \$18.

Since \$18 is the interest at 1%,

\$81 is the interest at $\frac{4\frac{1}{2}}{1}$%, or $4\frac{1}{2}$%.

EXERCISE 22

Find the principal that will yield the following interest:

1. \$20, in 2 yr. 8 mo., at 6%.
2. \$93$\frac{1}{3}$, in 3 yr. 4 mo., at 5%.
3. \$9.59, in 3 yr. 6 mo., at 4%.
4. \$40.47, in 1 yr. 7 mo., at 6%.
5. \$3.64, in 5 mo. 18 da., at 6%.
6. \$45.90, in 4 yr. 3 mo., at 4$\frac{1}{2}$%.

Find the principal that will amount to the following:

7. \$482.40, in 3 yr. 4 mo., at 6%.
8. \$1151.41, in 2 yr. 4 mo., at 4$\frac{1}{2}$%.
9. \$1210.50, in 2 yr. 5 mo., at 5%.

Find the time, given the principal, rate, and interest:

10. \$840, 5%, \$147.
11. \$625, 4%, \$56.25.
12. \$350, 6%, \$49.
13. \$1250, 6%, \$187.50.

Find the rate, given the principal, time, and interest:

14. \$330, 1 yr. 2 mo., \$19.25.
15. \$68.50, 3 yr. 6 mo., \$9.59.
16. \$87.50, 2 yr. 8 mo. 24 da., \$14.13.
17. How long will it take \$1 to yield \$1 interest at 6% ?
18. How long will it take \$1 to double itself at 5% ?
19. What sum must be put at interest at 6% so that it shall amount to \$1000 in 16$\frac{2}{3}$ yr. ?
20. What sum must be put at interest at 5% so that it shall amount to \$1000 in 20 yr. ?

43. Difference between Dates. The time between two dates may be found as here shown. For example, required to find the time from April 16, 1909, to February 5, 1911.

yr.	mo.	da.
1911	2	5
1909	4	16
1	9	19

Since February is the second month of the year, and April the fourth, the work is arranged as here shown. We then subtract as with other compound numbers; $5 - 16$ is impossible, but $35 - 16 = 19$. Proceeding in the usual manner, the result is 1 yr. 9 mo. 19 da. In such cases allow 30 da. to the month.

EXERCISE 23

Find the difference in time between these dates:

1. Oct. 2, 1909, Nov. 15, 1911.
2. Sept. 5, 1909, Dec. 25, 1912.
3. Sept. 7, 1909, July 4, 1913.
4. Dec. 10, 1910, Feb. 5, 1914.
5. Aug. 20, 1909, Jan. 6, 1912.
6. What is the interest on \$375 from July 4, 1910, to May 1, 1913, at 6% ?
7. What is the interest on \$650 from June 20, 1910, to April 5, 1913, at 5% ?
8. What is the interest on \$825 from May 15, 1910, to Feb. 10, 1914, at $4\frac{1}{2}$% ?
9. The interest on \$360 from April 5, 1910, to Feb. 3, 1912, is \$39.48. What is the rate ?
10. The interest at 5% on \$480 from March 7, 1910, to a certain other date is \$68. Required to find the second date.
11. Upon what sum is the interest at 6%, from July 4, 1910, to Oct. 4, 1913, equal to \$39 ?
12. What is the amount of \$650 at interest at 6% from Oct. 27, 1911, to April 12, 1914 ?

44. Six Per Cent Method. There is a very convenient method of computing the interest at 6%, depending upon the fact that if the rate for 1 yr. is 6%, the rate for 2 mo. is $\frac{1}{6}$ of 6%, or 1%.

Required the interest on \$720 for 5 mo. 17 da. at 6%.

The interest for	2 mo. is 1% of \$720 =	\$7.20
The interest for	2 mo. more =	7.20
The interest for	1 mo. is $\frac{1}{2}$ of \$7.20 =	3.60
The interest for	15 da. is $\frac{1}{2}$ of \$3.60 =	1.80
The interest for	1 da. is $\frac{1}{15}$ of \$1.80 =	.12
The interest for	1 da. more =	.12
The interest for	5 mo. 17 da. =	\$20.04

Therefore, *to find the interest for 60 da., move the decimal point two places to the left; for 6 da., three places to the left. From these results find the interest for the required time.*

In most cases in which months and days are involved, this is the simplest of all methods. Thus, to find the interest on \$720 for 10 mo. 10 da. at 6%, we have \$7.20 for 2mo., 5 × \$7.20, or \$36, for 10 mo., $\frac{1}{6}$ of \$7.20, or \$1.20, for 10 da. Hence the total interest is \$37.20.

Of all the forms of the six per cent method this is the most easily applied. It is particularly convenient because most bank notes run for 30, 60, or 90 days.

EXERCISE 24

Find the interest at 6% on the following:

1. \$240, 4 mo. 6 da.
2. \$360, 3 mo. 3 da.
3. \$750, 3 mo. 3 da.
4. \$475, 3 mo. 6 da.
5. \$280, 8 mo. 6 da.
6. \$520, 5 mo. 12 da.
7. \$450, 2 mo. 15 da.
8. \$585, 2 mo. 20 da.
9. \$1275, 2 mo. 6 da.
10. \$3200, 3 mo. 7 da.
11. \$4500, 4 mo. 9 da.
12. \$3500, 2 mo. 15 da.
13. \$2700, 2 mo. 19 da.
14. \$3350, 8 mo. 17 da.
15. \$4950, 10 mo. 10 da.
16. \$6250, 10 mo. 18 da.

45. Six Per Cent Method for Other Rates. We may use this method to find interest at the other rates in common use.

Thus, since 5 is $\frac{1}{6}$ less than 6, the interest at 5% is $\frac{1}{6}$ less than the interest at 6%.

Similarly, the interest at $4\frac{1}{2}$% is $\frac{1}{4}$ less than the interest at 6%, the interest at 4% is $\frac{1}{3}$ less than the interest at 6%, and so on.

Find the interest on \$1240 for 3 mo. 3 da. at 5%.

Interest for 2 mo. at 6%	\$12.40
Interest for 1 mo. at 6%	6.20
Interest for 3 da. ($\frac{1}{10}$ mo.) at 6%	.62
Total interest at 6%	\$19.22
Deduct $\frac{1}{6}$	3.20
Interest at 5%	\$16.02

EXERCISE 25

Find the interest at 5% on the following:

1. \$780, 3 mo. 6 da.
2. \$860, 2 mo. 12 da.
3. \$940, 1 mo. 18 da.
4. \$1200, 2 mo. 3 da.
5. \$1500, 3 mo. 3 da.
6. \$2200, 4 mo. 15 da.

Find the interest at 4% on the following:

7. \$250, 2 mo.
8. \$320, 2 mo. 6 da.
9. \$420, 3 mo. 12 da.
10. \$1250, 4 mo.
11. \$1575, 3 mo. 5 da.
12. \$2500, 2 mo. 12 da.

Find the interest at $5\frac{1}{2}$% on the following:

13. \$275, 2 mo.
14. \$575, 4 mo. 3 da.
15. \$1575, 3 mo.
16. \$2550, 3 mo. 8 da.

Find the interest at $4\frac{1}{2}$% on the following:

17. \$150, 2 mo.
18. \$975, 3 mo. 10 da.
19. \$1650, 3 mo.
20. \$1850, 4 mo. 5 da.

46. Table of Difference of Time. Bankers always find the difference in time between two dates, and also the interest on any sum, by means of tables. The following is one form of the table of difference of time:

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
January . .	365	31	59	90	120	151	181	212	243	273	304	334
February . .	334	365	28	59	89	120	150	181	212	242	273	303
March . . .	306	337	365	31	61	92	122	153	184	214	245	275
April . . .	275	306	334	365	30	61	91	122	153	183	214	244
May	245	276	304	335	365	31	61	92	123	153	184	214
June	214	245	273	304	334	365	30	61	92	122	153	183
July	184	215	243	274	304	335	365	31	62	92	123	153
August . . .	153	184	212	243	273	304	334	365	31	61	92	122
September .	122	153	181	212	242	273	303	334	365	30	61	91
October . .	92	123	151	182	212	243	273	304	335	365	31	61
November .	61	92	120	151	181	212	242	273	304	334	365	30
December . .	31	62	90	121	151	182	212	243	274	304	335	365

The exact number of days from any day of any month to the corresponding day of any month within a year is found opposite the first month and under the second. For example, from August 7 to December 7 is 122 da.; from November 16 to April 23 is 158 da., since to April 16 it is 151 da., and to April 23 it is 7 da. more, or 158 da. in all.

EXERCISE 26

Find from the table the number of days from:

1. May 7 to Aug. 7.
2. Apr. 6 to Sept. 6.
3. Jan. 5 to Aug. 20.
4. Feb. 7 to Sept. 15.
5. July 4 to Dec. 25.
6. Apr. 15 to Oct. 20.
7. May 20 to Sept. 1.
8. Aug. 15 to Oct. 2.
9. Nov. 16 to July 17.
10. Sept. 20 to Mar. 25.
11. Oct. 21 to Feb. 20.
12. Nov. 25 to Apr. 15.
13. Aug. 27 to Feb. 5.
14. Aug. 19 to Jan. 7.
15. Oct. 7 to Apr. 16.
16. May 13 to Jan. 3.

47. Use of the Table of Time. In computing interest, the table of time (§ 46) is commonly used. We then allow 30 da. to the month and 360 da. to the year.

For example, required the interest on $420 from July 7 to Nov. 4 at 6%.

The difference of time (§ 46) is 123 da. − 3 da., or 120 da.

Interest at 6% for 60 da. (§ 44) = $4.20.
Interest at 6% for 120 da. = 2 × $4.20 = $8.40.

EXERCISE 27

Using the table on p. 44, find the interest at 6% on the following sums from the first date to the second:

1. $250, Apr. 6, Nov. 6.
2. $320, May 4, Nov. 10.
3. $220, Jan. 5, Sept. 2.
4. $625, June 20, Dec. 17.
5. $250, Aug. 16, Feb. 18.
6. $375, Sept. 25, Mar. 24.
7. $525, Oct. 17, Apr. 4.
8. $475, Feb. 4, May 5.
9. $240, Mar. 6, Nov. 1.
10. $560, Apr. 15, Jan. 10.
11. $355, May 1, July 5.
12. $750, Aug. 5, Oct. 1.
13. $800, Sept. 5, Jan. 2.
14. $725, May 7, Oct. 3.

Also on the following at 5%:

15. $125, Sept. 5, Feb. 10.
16. $326, Oct. 10, Apr. 3.
17. $450, July 7, Jan. 20.
18. $540, Aug. 15, Nov. 27.
19. $315, July 24, Apr. 3.
20. $430, Oct. 7, Jan. 16.
21. $585, Nov. 24, Mar. 7.
22. $695, Jan. 16, Aug. 10.
23. $843, Apr. 22, Oct. 7.
24. $925, Mar. 9, June 15.

Also on the following at 4%:

25. $250, Jan. 1, Sept. 15.
26. $375, Mar. 4, Nov. 18.
27. $840, May 7, Aug. 13.
28. $765, Apr. 12, Oct. 4.

48. Interest Tables. The most common interest tables are based on 360 days to the year, although the government and some banks use tables based on 365 days as being more fair, although yielding less interest. The following shows part of a page of an interest table:

3 MONTHS, 6%

Total Days	1000	2000	3000	4000	5000	6000	7000	8000	9000	Days over 3 Months
90	15.00	30.00	45.00	60.00	75.00	90.00	105.00	120.00	135.00	0
91	15.17	30.33	45.50	60.67	75.83	91.00	106.17	121.33	136.50	1
92	15.33	30.67	46.00	61.33	76.67	92.00	107.33	122.67	138.00	2
93	15.50	31.00	46.50	62.00	77.50	93.00	108.50	124.00	139.50	3
94	15.67	31.33	47.00	62.67	78.33	94.00	109.67	125.33	141.00	4
95	15.83	31.67	47.50	63.33	79.17	95.00	110.83	126.67	142.50	5
. . .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. . . .

For example, find from the table the interest on \$2750 for 94 da. at 6%.

Interest on \$2000 = \$31.33
Interest on 700 = 10.97
Interest on 50 = .78
Interest on \$2750 = \$43.08

EXERCISE 28

Using the above table, find the interest at 6%:

1. \$2670, 91 da.
2. \$3170, 93 da.
3. \$4250, 90 da.
4. \$2575, 92 da.
5. \$3250, 95 da.
6. \$4050, 92 da.
7. \$5075, 91 da.
8. \$3775, 93 da.
9. \$15,750, 90 da.

Using the tables of § 46, § 48, find the interest at 6%:

10. \$2300, from Mar. 7 to June 7.
11. \$3550, from Nov. 6 to Feb. 9.
12. \$4250, from Dec. 15 to Mar. 18.

49. Exact Interest. When interest is computed for exact days, and at 365 days to the year, it is called *exact interest.*

For example, required the exact interest on $1241 from Dec. 21 to Feb. 9 at 5%.

The time, found by the table (§ 46), is 50 da. Then $\frac{50}{365} \times 5\%$ of $1241 is required. Canceling,

$$\frac{\overset{\not 50}{} \times \overset{\not 5}{} \times \overset{17}{\$\not 1241}}{\underset{73}{\not 365} \times \underset{2}{\not 100}} = \$8.50.$$

The common interest is a little greater than the exact interest.

EXERCISE 29

Find the exact interest on the following:

1. $250 for 75 da. at 6%.
2. $275 for 85 da. at 5%.
3. $325 from Apr. 2 to July 1 at 5%.
4. $350 from May 7 to Sept. 9 at 5%.
5. $425 from Jan. 6 to Aug. 4 at 6%.
6. $460 from Feb. 9 to July 9 at 6%.
7. $500 from May 15 to Dec. 16 at 6%.
8. $219 from Aug. 14 to Jan. 11 at 5%.
9. $292 from Sept. 27 to Jan. 25 at 5%.
10. $438 from July 15 to June 15 at 5%.
11. $730 from Aug. 17 to Apr. 14 at 4%.
12. $1460 from May 23 to Mar. 19 at 4%.
13. $1533 from Feb. 1 to Dec. 28 at $5\frac{1}{2}$%.
14. $7300 from Mar. 3 to Oct. 4 at $5\frac{1}{2}$%.
15. $3650 from May 23 to Jan. 23 at $4\frac{1}{2}$%.
16. $1825 from Nov. 19 to June 17 at $4\frac{1}{2}$%.
17. $5475 from Dec. 21 to June 19 at $3\frac{1}{2}$%.

50. Periodic Interest. Simple interest on the principal and on each installment of interest from the time each interest is due until settlement is called *periodic interest.*

Periodic interest in which the installments are due annually is called *annual interest.*

For example, find the interest on \$400 for 4 yr. 7 mo. 20 da. at 5%, payable annually.

Simple interest on \$400 for 4 yr. 7 mo. 20 da. at 5% = \$92.78.

Interest due the 1st year, \$20, draws interest 3 yr. 7 mo. 20 da.
Interest due the 2d year, \$20, draws interest 2 yr. 7 mo. 20 da.
Interest due the 3d year, \$20, draws interest 1 yr. 7 mo. 20 da.
Interest due the 4th year, \$20, draws interest 7 mo. 20 da.
Interest upon the interest = interest on \$20 for 8 yr. 6 mo. 20 da.

Interest on \$20 for 8 yr. 6 mo. 20 da. at 5% = \$8.56.
The total interest = \$92.78 + \$8.56 = \$101.34.

The law does not generally allow periodic interest, but in some parts of the country it is common to give notes not only for the principal but for each interest installment, all bearing interest.

EXERCISE 30

Find the interest upon the following, payable annually:

1. \$500, 4 yr., 6%.
2. \$250, 3 yr., 6%.
3. \$475, 5 yr., 5%.
4. \$750, 6 yr., 5%.
5. \$850, $2\frac{1}{2}$ yr., 6%.
6. \$725, $3\frac{1}{2}$ yr., 5%.
7. \$650, $2\frac{1}{4}$ yr., 5%.
8. \$900, $2\frac{1}{3}$ yr., 5%.
9. \$350, 3 yr. 6 mo. 6 da., 6%.
10. \$1250, 4 yr. 8 mo. 10 da., $5\frac{1}{2}$%.

Find the amount of the following, interest due annually but remaining unpaid until settlement:

11. \$140, 3 yr., 6%
12. \$375, 4 yr., 6%.
13. \$1250, $2\frac{3}{4}$ yr., 6%.
14. \$3500, $2\frac{2}{3}$ yr., $5\frac{1}{2}$%.

51. Compound Interest. When interest is added to the principal and becomes a part of it at specified intervals, the total interest is called *compound interest.*

In compound interest, the interest draws interest every time it is added to the principal; in periodic interest it draws interest only once.

Interest is compounded annually, semiannually, or quarterly, according to agreement, but it cannot be enforced legally.

Most savings banks allow compound interest at a low rate, the interest usually being compounded quarterly or semiannually. Since the interest is deposited when it becomes due, the problem is merely one of computing simple interest each time.

For example, find the amount of \$60 at compound interest for 3 yr. at 5%, the interest being compounded annually. Find also the compound interest.

Interest for 1st year = 5% of \$60 = \$3. Amount = \$63.
Interest for 2d year = 5% of \$63 = \$3.15. Amount = \$66.15.
Interest for 3d year = 5% of \$66.15 = \$3.31. Amount = \$69.46.

\$69.46 (compound amt.) − \$60 (principal) = \$9.46 (compound int.).

If the time were $3\frac{1}{2}$ years, we should find the amount at compound interest for 3 years and add to it the interest upon itself for six months.

If the interest is 5% compounded semiannually for 3 years, it amounts to the same as $2\frac{1}{2}$% compounded annually for 6 years.

EXERCISE 31

Find the amount at 4%, interest compounded annually:

1. \$250, 3 yr.
2. \$375, 4 yr.
3. \$425, 3 yr.
4. \$650, 5 yr.
5. \$875, 6 yr.
6. \$1250, $2\frac{1}{2}$ yr.
7. \$1500, $1\frac{1}{2}$ yr.
8. \$2650, $3\frac{1}{2}$ yr.
9. \$2575, $4\frac{1}{4}$ yr.

Find the amount at 3%, compounded semiannually:

10. \$100, 4 yr.
11. \$250, 3 yr.
12. \$575, 2 yr.
13. \$650, 3 yr.
14. \$980, 5 yr.
15. \$1350, $2\frac{1}{2}$ yr.
16. \$2500, $3\frac{1}{2}$ yr.
17. \$1650, $4\frac{1}{2}$ yr.
18. \$1700, $4\frac{1}{2}$ yr.

52. Promissory Notes. A written promise to pay a specified sum of money on demand or at a specified time is called a *promissory note*, or simply a *note*.

53. Parties to a Note. The person who signs a note is called the *maker*. The person to whom a note is payable is called the *payee*. The lawful owner of a note is called the *holder*.

A note may be made payable to *bearer*, in which case it is lawful to pay it to any one who presents it to the maker.

It may be made payable to some person named in the note, in which case he or his legal representatives must present it. Such a note is said to be *non-negotiable*.

It may be made payable to the payee, *or order*, in which case the payee may transfer it to another person by writing his own name on the back, thus *indorsing* the note. Such a note is said to be, like one payable to bearer, *negotiable*.

An indorser of a note is responsible for its payment if the maker does not pay it, unless he writes the words "without recourse" above his signature.

54. Form of a Note. A common form of note is as follows:

$375.25. *Boston, Mass., June 1, 1910*

Six months after date, I promise to pay Frank Mills, or order, Three Hundred Seventy-five and $\frac{25}{100}$ Dollars, with interest at 5%, for value received.

James Lang

Here the maker is James Lang, and the payee is Frank Mills.

If the payee writes across the back,

Payable to the order of John B. Brown,
Frank Mills

he becomes an indorser, and John B. Brown becomes the holder.

If Frank Mills writes simply his name across the back, the note becomes payable to bearer, that is, to any one who may have it.

This note is due on Dec. 1, 1910, which is called the *day of maturity*.

The words "with interest," without specifying the rate, carry the legal rate of the state in which the note is made.

EXERCISE 32

Find the day of maturity and amount due, having given:

	Face of Note	*Date of Note*	*Time*	*Rate of Interest*
1.	$350	July 7, 1911	60 da.	6%
2.	$570	Jan. 4, 1910	6 mo.	5%
3.	$460	Feb. 8, 1910	1 yr.	$4\frac{1}{2}$%
4.	$328.45	Mar. 7, 1910	3 mo.	6%
5.	$536.25	Apr. 15, 1911	90 da.	6%
6.	$275.50	May 16, 1910	30 da.	5%

Write notes for the following, and compute the interest:

7.	$480	June 6, 1910	6 mo.	6%
8.	$640	Nov. 9, 1911	4 mo.	5%
9.	$750	Jan. 7, 1910	3 mo.	6%

Find the amount due at maturity on the following notes:

10. $250. CHICAGO, ILL., Oct. 20, 1910

Sixty days after date, I promise to pay George A. Wood, or order, Two Hundred Fifty Dollars, with interest at 5%. Value received. JAMES SINCLAIR

11. $1250. SPRINGFIELD, MO., Mar. 7, 1910

Ninety days after date, I promise to pay James Goodwin, or order, Twelve Hundred Fifty Dollars, with interest at 6%. Value received. JAMES HILTON

12. $275.50. CLEVELAND, OHIO, Apr. 6, 1910

One year after date, I promise to pay Francis Warren, or order, Two Hundred Seventy-five and $\frac{50}{100}$ Dollars, with interest at 5%. Value received. ALFRED GIBSON

55. Partial Payments. Payments of a part of a note are called *partial payments.*

There are several methods of computing interest upon such notes, all recognizing the principle that interest should stop upon the amount paid.

56. Merchants' Rule. This is a convenient rule, although one not generally recognized in law, and is commonly used when settlement is made within a year. It is as follows:

(1) *Find the amount of the note at the date of settlement without regarding payments.*

(2) *Find the amount of each payment with interest from the date of payment to the date of settlement.*

(3) *Subtract the sum of the payment amounts from the total amount.*

For example, a man holds a note of $380, dated Aug. 16, 1913, on which the following payments are indorsed: Nov. 4, 1913, $120; Mar. 18, 1914, $70; May 1, 1914, $145. Settlement is made June 25, 1914. Find the balance due, interest at 6%.

Time from Aug. 16 to June 25 is 10 mo. 9 da.	Int. on $1 = $0.0515.
Time from Nov. 4 to June 25 is 7 mo. 21 da.	Int. on $1 = $0.0385.
Time from Mar. 18 to June 25 is 3 mo. 7 da.	Int. on $1 = $0.016⅙.
Time from May 1 to June 25 is 1 mo. 24 da.	Int. on $1 = $0.009.

Int. on $380 = 380 × $0.0515 = $19.57.	Amount is	$399.57
Int. on $120 = 120 × $0.0385 = $4.62.	Amount is $124.62	
Int. on $70 = 70 × $0.016⅙ = $1.13.	Amount is 71.13	
Int. on $145 = 145 × $0.009 = $1.31.	Amount is 146.31	
Total payment amounts		342.06
Balance due June 25, 1914		$57.51

The Merchants' Rule is used by bankers and business men on notes running only a few months, or what are called *short-time notes.*

In the following examples find the difference in time in each case by subtraction of compound numbers, as above, and solve by the Merchants' Rule.

EXERCISE 33

Find the balance due:

1. Note of $230 given May 9, 1910, bearing interest at 6%. Payments: July 1, 1910, $40; Sept. 16, 1910, $75; Jan. 2, 1911, $50. Settlement Feb. 24, 1911.

2. Note of $375 given Mar. 3, 1911, bearing interest at 5%. Payments: May 8, 1911, $30; Aug. 16, 1911, $65; Nov. 20, 1911, $110. Settlement Jan. 1, 1912.

3. Note of $600 given May 16, 1912, bearing interest at 5%. Payments: June 1, $50; July 3, $25; July 10, $50. Settlement Nov. 12, 1912.

4. Note of $1000 given July 18, 1910, bearing interest at 6%. Payments: Sept. 10, $200; Dec. 20, $140; April 21, 1911, $350. Settlement June 2, 1911.

5. Note of $2760 given Oct. 1, 1909, bearing interest at 5%. Payments: Nov. 1, $250; Jan. 1, 1910, $300; Mar. 1, 1910, $750. Settlement July 16, 1910.

6. Note of $1000 given Aug. 4, 1909, bearing interest at 6%. Payments: Sept. 10, $200; Dec. 8, $200; Feb. 2, 1910, $250. Settlement May 3, 1910.

7. Note of $1500 given April 5, 1910, bearing interest at 5%. Payments: June 1, $500; Aug. 2, $300; Dec. 1, $200. Settlement Jan. 4, 1911.

8. Note of $1250 given July 5, 1911, bearing interest at $5\frac{1}{2}$%. Payments: Sept. 1, $275; Dec. 14, $325; Feb. 8, 1912, $280. Settlement May 17, 1912.

9. Note of $80 given Nov. 1, 1912, bearing interest at 6%. Payments: $10 on the first day of each month following. How much interest must be paid with the last payment?

57. United States Rule. The legal rule for partial payments in most of our states is that laid down by the Supreme Court of the United States. It is as follows:

(1) *Find the amount of the principal to the time when the payment, or sum of the payments, is equal to or greater than the interest.*

(2) *From this amount deduct the payment, or sum of the payments.*

(3) *Consider the remainder as a new principal, and proceed as before.*

For example, consider the following promissory note on which partial payments have been made:

$760. BOSTON, MASS., Oct. 16, 1911

Three months after date, I promise to pay Henry W. Street, or order, Seven Hundred Sixty Dollars, with interest at 6%. Value received. JAMES JOHNSON

Payments indorsed on the back of the note: Jan. 10, 1912, $200; Aug. 4, 1914, $75; May 1, 1915, $568. What is due Oct. 7, 1916?

Face of note	$760.00
Int., Oct. 16, 1911, to Jan. 10, 1912, 2 mo. 24 da.	10.64
Amount due Jan. 10, 1912	$770.64
Deduct payment	200.00
New principal	$570.64
Int., Jan. 10, 1912, to Aug. 4, 1914, 2 yr. 6 mo. 24 da., is $87.88, exceeding the payment.	
Int. Jan. 10, 1912, to May 1, 1915, 3 yr. 3 mo. 21 da.	113.27
Amount due May 1, 1915	$683.91
Deduct sum of payments, $75 + $568, . . .	643.00
New principal	$40.91
Int. May 1, 1915, to Oct. 7, 1916, 1 yr. 5 mo. 6 da.	3.52
Amount due Oct. 7, 1916	$44.43

EXERCISE 34

1. Note of $425. Date, Oct. 10, 1910. Interest at 6%. Payments: Mar. 14, 1911, $100; July 8, 1911, $85; Feb. 24, 1912, $125. What was due Oct. 10, 1912?

2. Note of $360. Date, Jan. 10, 1911. Interest at 6%. Payments: Sept. 16, 1911, $75; Oct. 8, 1912, $20; Dec. 2, 1912, $160. What was due Jan. 10, 1913?

3. Note of $350. Date, May 1, 1911. Interest at 6%. Payments: Dec. 25, 1911, $50; June 29, 1912, $5; Aug. 22, 1912, $15; June 4, 1913, $100. What was due Apr. 5, 1914?

4. $375. INDIANAPOLIS, IND., May 20, 1910

Six months after date, I promise to pay Oliver Higgins Three Hundred Seventy-five Dollars, with interest at 5%. Value received.

WILLIAM JULIAN

Indorsements: Nov. 20, 1910, $25; Apr. 6, 1911, $75; Aug. 23, 1911, $140. What was due Mar. 12, 1912?

5. $250. OMAHA, NEBR., Aug. 24, 1910

One year after date, I promise to pay, for value received, Ira Hoyt, or order, Two Hundred Fifty Dollars, with interest at 6%.

JAMES PATTERSON

Payments: Aug. 24, 1911, $100; Nov. 15, 1911, $40; Feb. 3, 1912, $80; May 10, 1912, $25. Paid in full, Apr. 16, 1913. What was the last payment?

6. $620. AUSTIN, TEX., Nov. 1, 1910

Six months after date, I promise to pay J. R. Roberts, or order, Six Hundred Twenty Dollars, with interest at 6%. Value received.

W. J. CAMPBELL

Indorsements: Oct. 6, 1911, $61.07; Mar. 4, 1912, $89.03; Dec. 11, 1912, $107.77; July 23, 1913, $200.50. What was due Oct. 15, 1913?

EXERCISE 35

Review of Interest

1. Find the interest on \$725 for 187 da. at 5%.

2. A man has \$14,600 at interest at 6%. What is his average daily income from this investment?

3. Find the interest on \$475 from Aug. 14, 1913, to Feb. 2, 1915, at 4%.

4. Find the interest on \$7550 at 6% for 60 da.; for 30 da.; for 90 da.; for 93 da.

In Exs. 5, 6, 7, find the difference in time by § 43.

5. Find the interest on \$660 from Oct. 14 to the following July 1, at 5%.

6. Find the interest on \$720 from Aug. 17 to the following April 15, at $5\frac{1}{2}$%.

7. Find the amount of principal and interest on \$1440 from Sept. 20 to the following July 1, at 4%.

In Exs. 8, 9, 10, find the difference in time by the table in § 46.

8. Find the interest on \$960 from Nov. 16 to the following Aug. 27, at 6%.

9. Find the interest on \$7200 from July 20 to the following April 7, at 5%.

10. Find the amount of principal and interest on \$420 from June 7 to the following Dec. 1, at 6%.

11. Find the exact interest at 6% on \$650 from Sept. 21, 1911, to Jan. 1, 1912.

12. Find the exact interest at 5% on \$730 from Oct. 15 to the following Aug. 10.

13. Find the exact interest at 4% on \$9125 from Nov. 1 to the following Aug. 5.

14. Find the amount of principal and exact interest on \$1095 from Aug. 9 to the following June 17, at 6%.

15. The interest at 6% for two years on a certain sum is \$93. What is the sum at interest?

16. The interest at 5% for 1 yr. 6 mo. on a certain sum is \$18. What is the sum at interest?

17. The interest at 4% for 2 yr. 3 mo. on a certain sum is \$31.50. What is the sum at interest?

18. What is the sum that will amount, with interest at 6%, to \$517.50 in 2 yr. 6 mo.?

19. What is the sum that will amount, with interest at 5%, to \$793.75 in 1 yr. 2 mo.?

20. What is the sum that will amount, with interest at $5\frac{1}{2}$%, to \$1006.32 in 3 yr. 7 mo. 6 da.?

21. At $3\frac{1}{2}$% interest for a certain time, \$240 amounts to \$281.44. Find the time.

22. At $4\frac{1}{2}$% interest for a certain time, \$850 amounts to \$977.50. Find the time.

23. At $5\frac{1}{2}$% interest for a certain time, \$940 amounts to \$1022.72. Find the time.

24. At $3\frac{1}{2}$% interest for a certain time, \$480 amounts to \$610.90. Find the time.

25. How long will it take \$1200 to earn \$370.15 interest at $5\frac{1}{2}$%?

26. At what rate will \$1500 yield \$84 interest in 1 yr. 10 mo. 12 da.?

27. At what rate will \$5400 yield \$344.25 interest in 1 yr. 5 mo.?

28. At what rate will \$4200 yield \$784 interest in 3 yr. 1 mo. 10 da.?

EXERCISE 36

Problems without Numbers

1. How do you find the discount on the list price of some goods, given the rate of discount?

2. If there is a discount series, how do you find the net price of some goods?

3. If you know the net price of some goods and the single rate of discount, how do you find the list price?

4. If you know the net price of some goods and the two rates of discount in a series, how do you find the list price?

5. If a merchant buys a bill of goods and wishes to mark the goods so as to realize a certain per cent of profit, how does he find the marked price?

6. Explain how a merchant may sell goods at a certain per cent below the marked price and still make a profit.

7. If you know the marked price of some goods and the per cent of profit, how do you find the cost?

8. How do you find a commission merchant's commissions on the sale of produce sent him to sell?

9. If you know the rate and amount of a commission merchant's commission, how do you find the selling price?

10. If you know the price at which a commission merchant sells some goods, and the amount of his commission, how do you find the rate?

11. On what is an insurance premium reckoned? How is the rate stated?

12. If you know the face of an insurance policy, and the premium, how do you find the rate?

13. If you know the premium on an insurance policy, and the rate, how do you find the face of the policy?

14. What is a tax table, and how would you prepare one on the basis of 12 mills on a dollar?

15. If you know the assessed valuation of a man's property, and the rate of taxation, how do you find his tax?

16. If you know the assessed valuation of a man's property, and his tax, how do you find the rate?

17. If you know the tax paid by a man, and the rate of taxation, how do you find the assessed valuation of his property?

18. If you know the amount of tax to be raised and the total assessed valuation, how do you find the tax rate?

19. If you know the number of units of some imported goods, and the rate of specific duty, how do you find the amount of the duty?

20. If you know the value of some imported goods, and the rate of duty ad valorem, how do you find the amount of duty?

21. Given the principal, rate, and time, how do you find the interest?

22. Given the principal, rate, and interest, how do you find the time?

23. Given the principal, interest, and time, how do you find the rate?

24. Given the rate, time, and interest, how do you find the principal?

25. How would you proceed to compute an interest table, given the rate?

26. If you have an example in partial payments, all the dates within a single year, how do you proceed to solve?

27. If you have an example in partial payments extending beyond a year, how do you proceed to solve?

28. How do you express a given per cent as a common fraction?

29. If you are to find a certain fractional part of a number, how do you express this as a per cent?

30. If you have a certain rate per cent expressed with the per cent sign, how do you express it as a decimal fraction?

31. If you have a decimal fraction and wish to express the same number with a per cent sign, how do you proceed?

32. If you know what a given per cent of a number is, how do you find the number?

33. How do you find what per cent one number is of another? Illustrate.

34. A man's salary two years ago was increased a certain per cent. Last year it was decreased the same per cent. Is his salary at present greater than or less than it was two years ago?

35. A merchant marks his goods a certain per cent above cost. Owing to hard times, he sells them at the same per cent below the marked price. Does he sell them for more than or less than cost?

36. Which is the greater, the common interest on a certain sum or the exact interest? Why is this?

37. What are the common methods of finding the difference between two given dates? Which one is the more exact?

38. State the easiest way of finding the interest on a given sum of money for sixty days at 6%.

39. How would you find the compound interest on a given sum of money for a certain number of years at a given rate?

CHAPTER II

RATIO AND PROPORTION

58. Ratio. The relative magnitude of two numbers, as expressed by the fraction which has the first number for the numerator and the second for the denominator, is called the *ratio* of the first number to the second.

The ratio of 2 to 3, or $\frac{2}{3}$, is commonly written 2 : 3.

59. Antecedent and Consequent. The first term of a ratio is called the *antecedent*, and the second term the *consequent*.

For example, $\frac{5 \text{ ft.}}{6 \text{ ft.}} = \frac{5}{6} = \frac{\text{numerator}}{\text{denominator}} = \frac{\text{antecedent}}{\text{consequent}}$.

60. Ratios always Abstract. The two terms of a ratio always being like numbers, as in 2 : 3, \$4 : \$5, 6 ft. : 7 ft., the quotient is always abstract.

Therefore, *a ratio is always abstract, and its terms may be written as abstract numbers.*

Instead of writing $\frac{2 \text{ ft.}}{3 \text{ ft.}}$ we may therefore write simply $\frac{2}{3}$.

It is better to use the fractional form at first, and then to use the other form, 2 : 3.

61. Reduction of Ratios. Since a ratio may be expressed as a fraction, therefore

If the terms of a ratio are both multiplied by or both divided by the same number, the value of the ratio is not altered.

Thus, if both terms of the ratio $2\frac{1}{2} : 3\frac{1}{3}$ are multiplied by 6, the resulting ratio is 15 : 20, and these two ratios are equal.

Again, since $\frac{15}{20} = \frac{3}{4}$, the simplest expression for $2\frac{1}{2} : 3\frac{1}{3}$ is 3 : 4.

62. Separating a Number in a Given Ratio. Required to separate \$63 in the ratio of 3 to 4.

Since there must be \$3 in the first part to every \$4 in the second, there must be \$7 every time two such amounts are taken out. Therefore the first part must contain $\frac{3}{7}$ of the total and the second $\frac{4}{7}$.

But $\frac{3}{7}$ of \$63 is \$27, and $\frac{4}{7}$ of \$63 is \$36.

These are the results, because $\$27 : \$36 = \frac{27}{36} = \frac{3}{4}$.

EXERCISE 37

Express the following ratios in simplest form:

1. $\frac{34}{51}$.
2. $\frac{57}{76}$.
3. $\frac{46}{115}$.
4. $\frac{2}{\frac{3}{4}}$.
5. $\frac{\frac{4}{5}}{6}$.
6. $\frac{\frac{1}{2}}{\frac{7}{8}}$.
7. $\frac{13}{3\frac{1}{4}}$.
8. $\frac{2\frac{1}{2}}{10}$.
9. 58 : 145.
10. 93 : 124.

Find the missing term in each of the following ratios:

11. $\frac{(?)}{4} = 2$.
12. $\frac{6}{(?)} = 2$.
13. $\frac{(?)}{9} = \frac{1}{3}$.
14. $\frac{5}{(?)} = \frac{1}{4}$.
15. $\frac{(?)}{10} = \frac{3}{5}$.
16. $\frac{7}{(?)} = \frac{1}{5}$.
17. $(?) : 9 = 2$.
18. $7 : (?) = \frac{1}{2}$.

Separate the following numbers in the given ratios:

19. 28, 3 : 4.
20. 45, 4 : 5.
21. 260, 5 : 8.
22. $31\frac{1}{2}$, $2\frac{1}{2}$: 5.
23. \$72, 1 : 8.
24. \$96, 3 : 5.
25. \$78, 3 : 10.
26. 341, 15 : 16.
27. 492, $5\frac{1}{2}$: 15.

28. Two farmers pay \$15 together for some threshing, one having 350 bu. and the other 400 bu. of wheat. What is the share of each?

29. A man leaves an estate of \$13,470, giving \$1 to his widow for every \$2 to his children. How much did the children receive?

EXERCISE 38

Practical Uses of Ratio

1. The ratio of water to solid matter in apples is 423 : 77. How many pounds of water in 250 lb. of apples?

2. In a sack of rough rice, containing 162 lb., the ratio of hulls to cleaned rice is 1 : 4. How many pounds of cleaned rice in a sack?

3. A pineapple grower in Florida received in one year \$15 for plants to every \$7.50 for fruit. If his total receipts were \$3375, how much did he receive for the fruit?

4. In fertilizing land for growing peanuts a Virginia farmer used 30 lb. of cotton-seed meal to 13 lb. of cotton-hull ashes. How many pounds of each in 215 lb. of fertilizer?

5. Two partners invest respectively \$2750 and \$3500. They divide their profits, \$3750, in the ratio of their investments. What is the share of each?

6. A recipe for fertilizer for oats requires $12\frac{1}{2}$ lb. of nitrate of soda to 15 lb. of other ingredients. How many pounds of nitrate of soda in $412\frac{1}{2}$ lb. of fertilizer?

7. A recipe for grafting wax calls for 4 parts of resin to $1\frac{1}{2}$ parts of beeswax and 1 part of linseed oil. How many pounds of resin in 26 lb. of the wax?

8. Two rice planters expended \$2240 on an irrigating plant. One owned 80 acres of rice and the other 120 acres. If they paid in the ratio of their acreage, what was the share of each?

9. A New Jersey gardener estimated that the ratio of the cost of planting and caring for asparagus, to the cost of cutting and bunching, was 1 : 2. If the cost of both for his crop was \$84, what was the cost of each?

10. Two men rent a pasture for \$115. One puts in 9 cattle and the other 14. How much rent should each pay?

11. If the ratio of a man's income to his expenses is 7 : 6, and his expenses are \$1800 a year, how much is his income?

12. Taking the ratio of the diagonal to the side of a square as 7 : 5, how long is the diagonal of a square 35 ft. on a side?

13. Taking the ratio of the circumference of a circle to the diameter as 22 : 7, how long is the circumference of a circle whose diameter is 4 ft.?

14. If the ratio of cream to the rest of the milk of a certain quality is 1 : 5, how many pounds of cream in 375 lb. of milk of that quality?

15. If the ratio of butter fat to the rest of the milk of a certain quality is 1 : 24, how many pounds of butter fat in 350 lb. of milk of that quality?

16. If the ratio of solid matter to the rest of the milk of a certain quality is 33 : 217, how many pounds of solid matter in 750 lb. of milk of that quality?

17. Two shippers charter a canal boat for \$84 to carry some freight to a certain city. One ships 75 tons and the other 135 tons. How much should each pay?

18. Two partners having the same amount of money in their business divide the profits in the ratio of the time they devote to it. One gives 5 months in the year to the business and the other 7 months, and the profits are \$5400. What is the share of each?

19. The ratio of copper sulphate and unslaked lime to water in Bordeaux spraying mixture is 1 : 39. How much copper sulphate and unslaked lime in 160 lb. of the mixture? How much of each, if equal amounts are used?

63. Proportion. An expression of equality between two ratios is called a *proportion.*

Thus $\frac{2}{3} = \frac{10}{15}$ and $2 : 3 = 10 : 15$ are proportions, and are read "2 is to 3 as 10 is to 15," or "the ratio of 2 to 3 equals the ratio of 10 to 15."

64. Terms of a Proportion. The first and last numbers of a proportion are called the *extremes*, and the two middle numbers are called the *means.* The extremes and means together are called the *terms* of the proportion.

Thus in the proportion $2 : 3 = 10 : 15$, the extremes are 2 and 15, and the means are 3 and 10.

65. Test of a Proportion. In the proportion $\frac{2}{3} = \frac{10}{15}$ we shall still have an equality if we multiply these equals by the same number. If we multiply by 3×15 we have

$$\frac{\cancel{3} \times 15 \times 2}{\cancel{3}} = \frac{3 \times \cancel{15} \times 10}{\cancel{15}}, \text{ or } 15 \times 2 = 3 \times 10.$$

Therefore, *in any proportion the product of the extremes equals the product of the means.*

66. Finding a Missing Term in a Proportion. The product of the extremes equals the product of the means (§ 65).

Therefore, *either extreme equals the product of the means divided by the other extreme;*

Either mean equals the product of the extremes divided by the other mean.

Hence if three terms are given, the fourth may be found.

(1) Find the missing term of the proportion $(?) : 6 = 9 : 27$.

Dividing the product of the means by the given extreme, we have

$$\frac{9 \times 6}{27} = 2.$$

(2) Find the missing term of the proportion $3 : 7 = (?) : 35$.

Dividing the product of the extremes by the given mean, we have

$$\frac{3 \times 35}{7} = 15.$$

EXERCISE 39

Find the missing term:

1. $\frac{(?)}{12} = \frac{24}{16}$.
2. $\frac{(?)}{15} = \frac{21}{35}$.
3. $(?) : 15 = 32 : 6$.
4. $(?) : 8 = 15 : 20$.
5. $15 : (?) = 10 : 8$.
6. $55 : (?) = 22 : 10$.
7. $12 : (?) = 18 : 10$.
8. $18 : (?) = 27 : 45$.
9. $12 : 18 = (?) : 27$.
10. $25 : 15 = (?) : 21$.
11. $21 : 49 = (?) : 63$.
12. $18 : 45 = (?) : 35$.
13. $10 : 45 = 14 : (?)$.
14. $24 : 54 = 28 : (?)$.
15. $35 : 49 = 45 : (?)$.
16. $\$5 : \$7 = (?) : 63$.
17. $\$9 : (?) = 189 : 231$.
18. $(?) : \$6 = 85 : 102$.
19. $\$15 : \$17 = 75 : (?)$.
20. $21 \text{ ft.} : 5 \text{ ft.} = 147 : (?)$.
21. $35 \text{ ft.} : (?) = 315 : 99$.
22. $2\frac{1}{2} : 7 = 100 : (?)$.
23. $3\frac{1}{3} : 2\frac{1}{2} = (?) : 30$.
24. $12\frac{1}{2} : 16\frac{2}{3} = (?) : 80$.
25. $12\frac{1}{2} : (?) = 33\frac{1}{3} : 160$.
26. $37.5 : (?) = 250 : 80$.
27. $62.5 : 12.5 = 75 : (?)$.
28. $(?) : 66\frac{2}{3} = 90 : 600$.
29. $(?) : 87\frac{1}{2} = 33\frac{1}{3} : 2\frac{1}{3}$.
30. $(?) : 1.6 = 3.1416 : 1$.

31. Show that 29, 435, 17, and 255 are in proportion.

32. Show that 217, 2821, 311, and 3421 are not in proportion.

33. What number has the same ratio to 21 that 16 has to 35?

34. If the ratio of 7 to 16 equals the ratio of 63 to some number, what is that number?

35. Show that 401 and 5287 are the extremes and 311 and 6817 are the means of a proportion. Write the proportion in three different ways.

67. Directly Proportional. If one ratio equals another, the terms of the first are said to be *directly proportional* to those of the second.

Since 2 : 3 and 4 : 6 are equal ratios, 2 and 3 are said to be directly proportional to 4 and 6.

In general, the following are among the cases of directly proportional quantities :

Cost of goods is directly proportional to the quantity.
Weight of substances is directly proportional to the volume.
Income from labor is directly proportional to time given.
Distance traveled is directly proportional to time.

68. Inverse Ratio. The result of interchanging the terms of a ratio is called the *inverse ratio* of the given ratio.

Thus 3 : 2 is the inverse of 2 : 3, just as $\frac{3}{2}$ is the inverse of $\frac{2}{3}$.

69. Inversely Proportional. If one ratio equals the inverse of another, the terms of the first are said to be *inversely proportional* to those of the second.

Since 2 : 3 equals the inverse of 6 : 4, 2 and 3 are said to be inversely proportional to 6 and 4 ; that is, $2 : 3 = 4 : 6$.

As an example of inverse proportion, the time required for some work is inversely proportional to the number of laborers. That is, if we take twice as many workmen, it will take half as long for the work.

70. Commercial Applications. Consider the following problem : If 5 T. of hay cost \$87.50, what will 21 T. cost ?

Since the ratio of cost is evidently equal to the ratio of quantity, we have $\$ (?) : \$87.50 = 21 \text{ T.} : 5 \text{ T.}$

Since we cannot multiply dollars by tons in getting the product of the means, and since we wish to preserve the dollars for the result, we write the second ratio as 21 : 5 (§ 60).

Then (§ 66), $$\$ (?) = \frac{21 \times \$87.50}{5} = \$367.50.$$

We may write the proportion so that the unknown number will come in any term we wish, but the result is the same. Teachers formerly preferred to put it in the fourth term, and this may be done if desired.

If 8 men can do a piece of work in 9 days, how long will it take 12 men to do it?

Since it takes correspondingly less time as we increase the number of workmen, the ratio of the number of days equals the inverse ratio of the number of men.

Therefore (?) da. : 9 da. = 8 men : 12 men,

or (?) da. : 9 da. = 8 : 12 (§ 60).

Therefore $$(?)\ \text{da.} = \frac{8 \times 9\ \text{da.}}{12} = 6\ \text{da.}$$

In proportion the words "at the same rate" are always understood.

EXERCISE 40

1. If 75 bu. of wheat cost \$72, what will 260 bu. cost?

2. If 36 yd. of cretonne cost \$9.72, what will 56 yd. cost?

3. If 42 yd. of ribbon cost \$9.24, what will 75 yd. cost?

4. If 18 yd. of braid cost \$2.25, what will 62 yd. cost?

5. If $2\frac{1}{2}$ M feet of lumber cost \$70, what will 7 M feet cost?

6. If a man earns \$16.50 in 6 da., how much will he earn in 25 da.?

7. A manufacturer used 71 yd. of braid on 4 sailor suits. How much would he need for 15 such suits?

8. A merchant bought 640 yd. of muslin for \$36.80. How much did 360 yd. cost?

9. For 10 aprons a manufacturer needs 15 yd. of goods. How many yards will he need for 75 aprons?

10. How long should it take 16 men to do some work that 52 men can do in 12 da.?

11. If 8 men require 75 da. to do a piece of work, how many men should it take to do it in 40 da.?

12. How far can 36 tons of freight be carried for the money paid for carrying 54 tons 144 miles?

71. Similar Figures. Figures that are of exactly the same shape are called *similar figures.*

For example, these two triangles are similar.



The corresponding sides of similar figures are proportional.

In these figures, $AB : BC = XY : YZ$. Also, $ZX : XY = CA : AB$.

This principle can be used in measuring the height of trees or buildings, as shown in Exs. 3–6 below. It is the principle involved in all map drawing.

EXERCISE 41

1. If $\frac{3}{4}$ in. on a map represents a distance of 375 mi., how many miles will $1\frac{1}{4}$ in. represent?

2. If a distance of 325 mi. is represented on a map by $1\frac{5}{8}$ in., how many inches will represent a distance of 340 mi.?

3. If a tree casts a shadow 50 ft. long when a post 4 ft. high casts a shadow 5 ft. long, how high is the tree?

4. If a spire casts a shadow 200 ft. long when a post $4\frac{1}{2}$ ft. high casts a shadow 5 ft. long, how high is the spire?

5. A class wishing to find the height of the school building, one of the boys stood a yard measure upright and another lay on the ground where he could just see the top of the building in line with the top of the stick. The distance from his eye to the foot of the stick was 4 ft. 6 in., and to the building 45 ft. How high was the building?

6. A man whose eye is 5 ft. 6 in. above the ground sights over the top of a 12-foot pole and just sees the top of a tree. If he is 7 ft. from the pole and 63 ft. from the tree, how high is the tree?

72. The Lever. If we have a lever as shown in this illustration, where F represents the fulcrum on which it rests, we may lift a weight placed at W by applying power enough at P. It has been found that

Power and weight are inversely proportional to their distances from the fulcrum.

Thus, if $WF = 8$ in., $PF = 16$ in., and weight $= 7$ lb., we have

$$\text{Power} : 7 \text{ lb.} = 8 \text{ in.} : 16 \text{ in.}$$

Therefore
$$\text{Power} = \frac{8 \times 7 \text{ lb.}}{16} = 3\tfrac{1}{2} \text{ lb.}$$

That is, it would take only $3\frac{1}{2}$ lb. at P to lift 7 lb. at W.
Other simple forms of the lever may be considered if desired.

EXERCISE 42

Given the following distances from the fulcrum, find the power necessary to raise the weight specified:

	PF	*WF*	*Weight*		*PF*	*WF*	*Weight*
1.	2 ft.	6 in.	17 oz.	**6.**	6 ft.	1 ft.	360 lb.
2.	13 in.	5 in.	23 oz.	**7.**	5 ft.	6 in.	375 lb.
3.	17 in.	8 in.	12 lb.	**8.**	4 ft.	8 in.	900 lb.
4.	32 in.	9 in.	25 lb.	**9.**	5 ft.	4 in.	750 lb.
5.	48 in.	8 in.	100 lb.	**10.**	$5\frac{1}{2}$ ft.	6 in.	1 T.

Given the following distances from the fulcrum, find the greatest weight that can be raised by the power specified:

	PF	*WF*	*Power*		*PF*	*WF*	*Power*
11.	3 ft.	6 in.	10 lb.	**14.**	$4\frac{1}{2}$ ft.	6 in.	25 lb.
12.	4 ft.	4 in.	30 lb.	**15.**	$5\frac{1}{2}$ ft.	8 in.	125 lb.
13.	5 ft.	8 in.	100 lb.	**16.**	$6\frac{1}{2}$ ft.	8 in.	150 lb.

EXERCISE 43

Vocational Problems

1. If a shipment of 5100 lb. of cattle, live weight, sold for $225.42, what would 3500 lb. sell for at the same rate?

2. If a Louisiana farmer paid $75 for 3 T. 1500 lb. of cotton-seed meal for fodder, how much would he have to pay for 5000 lb.?

3. If in 225 lb. of milk there are 8.1 lb. of butter fat, how many pounds of milk will be required to produce 27 lb. of butter fat?

4. A farmer had 26 acres planted to potatoes. The crop from 7 acres amounted to 1260 bu. At the same rate how many bushels did he receive from the whole field?

5. To irrigate a farm at the rate of $\frac{1}{5}$ in. in depth every day requires the flow of 210 gal. an hour through a certain ditch. What flow would be necessary to irrigate it at the rate of 0.3 in. a day?

6. A Wisconsin farmer built a cylindrical silo 20 ft. in diameter and 32 ft. high, and found that it had a capacity of 200 tons. What must be the height of one of the same diameter that it may have a capacity of 125 tons?

7. If a certain kind of bird eats wild berries and also insects that harm fruit trees, and if out of 14 oz. of food eaten by this bird only $1\frac{2}{5}$ oz. is wild berries, what per cent of the bird's food is insects that would harm fruit trees?

8. An Arkansas farmer sprayed an apple tree and the crop numbered 1656 sound apples and 186 diseased ones. From a tree not sprayed he obtained 142 sound apples and 1278 diseased ones. Are these numbers inversely proportional or not?

9. If a farmer needs 108 lb. of seed for a 2-acre lot, how much will he need for $26\frac{1}{2}$ acres?

10. If the cost of 35 ft. of sidewalk is \$31.50, what will 75 ft. cost, the width being the same?

11. If 2.8 bbl. of lime are required for 75 sq. yd. of plastering, how many barrels will be needed for 275 sq. yd.?

12. A stretch of railway track runs 437 ft. on the same grade, $6\frac{1}{2}$ in. per 100 ft. What is the total difference in level?

13. A storage warehouse stored 675 bbl. of apples for 90 days at the rate of \$6 per 100 bbl. for 30 da. How much was the charge?

14. If a contractor agrees to build a sidewalk 4 ft. 6 in. wide in front of a lot for \$36, how much should he charge if it were 5 ft. wide?

15. A man builds a coal bin 6 ft. wide and finds that it holds $11\frac{1}{2}$ tons. How much would it hold if it had been made a foot wider?

16. An ice dealer can gather 2900 tons of ice from a pond when the ice has frozen 12 in. thick. How many tons can he gather when the ice is 15 in. thick?

17. An excavation has been half completed, 35 men having been employed for 16 days. How long should it take to complete the other half if 5 more men are added?

18. Gun metal is composed of 1 part of tin to $5\frac{1}{2}$ parts of copper by weight. How many pounds of tin must be added to 210 lb. 6 oz. of copper to make gun metal?

19. How many pounds of tin are there in 232 lb. 6 oz. of gun metal such as described in Ex. 18?

20. On January 1 a gas meter registers 42,500 cu. ft., and on January 8 it registers 43,400 cu. ft. If this rate is exactly maintained, how much will it register on January 29?

73. Proportional Parts. Just as we have learned (§ 62) how to separate a number into two parts having a given ratio, so we may separate a number into several parts proportional to given numbers.

For example, separate \$1230 into parts proportional to 2, 3, and 5.

The whole quantity may be represented by $2 + 3 + 5$, or 10.

Therefore the respective parts are $\frac{2}{10}$, $\frac{3}{10}$, and $\frac{5}{10}$ of \$1230. These parts are \$246, \$369, and \$615.

Separate 527 ft. into parts proportional to $\frac{1}{2}$, $\frac{1}{3}$, and $\frac{1}{5}$.

Multiply the fractions by 30, the L.C.M. of their denominators. The results are 15, 10, and 6. These numbers may therefore represent the parts, and their sum, 31, will represent the whole.

Therefore the respective parts are $\frac{15}{31}$, $\frac{10}{31}$, and $\frac{6}{31}$ of 527 ft., or 255 ft., 170 ft., and 102 ft.

Two farmers rent a pasture for \$2.55. The first puts in 4 cattle for 2 weeks, and the second 3 cattle for 3 weeks. How much should each farmer pay?

Since 4 cattle in 2 weeks eat as much as 8 cattle in 1 week, and 3 cattle in 3 weeks eat as much as 9 cattle in 1 week, one should pay $\frac{8}{17}$ of \$2.55, or \$1.20, and the other should pay $\frac{9}{17}$ of \$2.55, or \$1.35.

EXERCISE 44

1. Separate 297 into parts proportional to 7, 9, and 11.

2. Separate 253 into parts proportional to $\frac{1}{6}$, $\frac{1}{2}$, and $\frac{1}{4}$.

3. Divide \$2646 between two partners in the ratio of 4 to 5.

4. Divide \$3744 among three partners so that their shares shall be proportional to 3, 4, and 5.

5. Four men invested \$2700, \$3300, \$3500, and \$4000 respectively in a joint business. They gained \$6750. What was each one's share of the profit?

6. Three farmers together pay $225 for irrigation taxes. The first owns 225 acres, the second 190 acres, and the third 335 acres. What is the tax of each?

7. Three men deliver milk at a creamery. The first delivers 776 lb., the second 938 lb., and the third 870 lb. They receive $38.76. What is the share of each?

8. Three men pay $848 for some water power. The first uses 28 horse power, the second 36 horse power, and the third 42 horse power. How much should each pay?

9. Three men rent a yacht for the summer for $540. The first uses it for 4 weeks, the second 5 weeks, and the third $4\frac{1}{2}$ weeks. How much should each pay?

10. Two farmers pasture cattle in a field, the first putting in 24 head for 6 weeks, and the second 36 head for 4 weeks. The bill being $43.20, what is the share of each?

11. Two hotel proprietors arrange to transport their employees from Florida to New York at the end of the season for $2793. The first has 65 employees and the second 82. How much should each proprietor pay?

12. Four boys arrange a three weeks' camping trip. The first stays 18 days; the second comes late and stays 12 days; the third is in camp the last two weeks; the fourth stays all through. The total expense is $32.50. What is the share of each?

13. A contractor employs 16 men 15 days on one job, and 14 men 12 days on another job. The total expense is $1020. How much should be charged to each job?

14. A manufacturer ships 1200 lb. of goods 300 miles, and 900 lb. 400 miles. If he pays according to weight and distance, and the total bill is $24, how much does each shipment cost?

EXERCISE 45

Review Problems

1. These boys find that this post is 3 ft. 6 in. high and casts a shadow 3 ft. 2 in. long. They find that the shadow of the tree is 34 ft. 10 in. long at the same time. Required the height of the tree.

2. If a building casts a shadow 75 ft. long when a post 6 ft. 2 in. high casts a shadow 12 ft. 6 in. long, how high is the building?

3. If the railway fare for a journey of 75 mi. is \$1.50, what will be the fare for 275 mi.?

4. Two boys weighing respectively 100 lb. and 80 lb. sit 9 ft. apart on the ends of a plank. Not counting the weight of the plank, how far from the heavier boy must the fulcrum be placed so that they will just balance?

5. How much pressure will you have to exert on the handles of a pair of shears just 3 in. from the fulcrum (screw or bolt), in order to exert a pressure of 5 lb. at a point 5 in. from the fulcrum?

EXERCISE 46

Problems without Numbers

1. If you double the consequent of a ratio, what else must you do so as not to change the value of the ratio?

2. How do you proceed to separate a number into parts having a given ratio?

3. How do you ascertain whether four quantities are in proportion?

4. Given the extremes and one mean of a proportion, how do you find the other mean?

5. Given the means and one extreme of a proportion, how do you find the other extreme?

6. If you know all of the terms of a proportion except the first, how is that found?

7. If you know all of the terms of a proportion except the antecedent of the second ratio, how is that found?

8. If you know the weight of two volumes of a substance, and one of the volumes, how do you state the proportion?

9. Knowing the number of men required to do a piece of work in a given number of days, how do you find how many men are required to do it in another given number of days?

10. How may you find the height of your school building by means of shadows and the height of a pole?

11. How may you proceed to find the height of a tree by sighting over the top of a pole of known length?

12. How may you tell where to place the fulcrum under a lever so as to lift a given weight by pressing your full weight on one end of the lever?

13. How do you proceed to separate a number into parts proportional to four given numbers?

CHAPTER III

POWERS AND ROOTS

74. Powers. The result of taking a number any number of times as a factor is called a *power* of the number.

75. Square. The result of taking a number twice as a factor is called the *second power* or *square* of the number.

Thus the squares of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
are 1, 4, 9, 16, 25, 36, 49, 64, 81, 100.

76. Square Root. One of the two equal factors of a number is called the *square root* of the number.

Thus the square roots of 1, 4, 9, 16, 25, 36, 49, 64, 81, 100,
are 1, 2, 3, 4, 5, 6, 7, 8, 9, 10.

Some numbers are *perfect squares.* We also speak of the square root of 5 as 2.236 + because the square of 2.236 is nearly 5.

77. Symbols. The square of 5 is written 5^2; the square root of 5 is written $\sqrt{5}$. The symbol $\sqrt{\ }$ is called a *radical sign.* The small figure 2 in 5^2 is called an *exponent.*

78. Square Roots and Areas. If this square is 4 units long, the area is 16 square units. Therefore, considering all the numbers as abstract,

The side of a square equals the square root of its area.

79. Square Roots by Factoring. In the case of perfect squares we may find the square roots if we can factor.

For example, since $144 = 2 \times 2 \times 2 \times 2 \times 3 \times 3 = (2 \times 2 \times 3) \times (2 \times 2 \times 3)$, therefore $\sqrt{144} = 2 \times 2 \times 3 = 12$.

EXERCISE 47

Find the areas of squares whose sides are as follows:

1. 17 ft.	**4.** 2.9 in.	**7.** 0.62 yd.	**10.** $\frac{4}{5}$ mi.
2. 19 ft.	**5.** 3.7 in.	**8.** 1.27 yd.	**11.** $\frac{7}{8}$ in.
3. 23 ft.	**6.** 4.3 in.	**9.** 4.93 yd.	**12.** $\frac{9}{32}$ ft.

By factoring, find the square roots of the following:

13. 196.	**16.** 400.	**19.** 625.	**22.** 900.	**25.** 1225.
14. 225.	**17.** 324.	**20.** 441.	**23.** 729.	**26.** 1089.
15. 256.	**18.** 484.	**21.** 784.	**24.** 1024.	**27.** 1296.

Find the sides of squares whose areas are as follows:

28. 1.44 sq. in.	**31.** 2500 sq. ft.	**34.** 0.09 sq. mi.
29. 1.21 sq. in.	**32.** 3600 sq. yd.	**35.** 0.81 sq. ft.
30. 5.76 sq. in.	**33.** 6400 sq. rd.	**36.** 0.0144 sq. ft.

Find the perimeters of squares whose areas are as follows:

37. 576 sq. in.	**39.** 23.04 sq. in.	**41.** 65.61 sq. ft.
38. 5184 sq. in.	**40.** 40.96 sq. in.	**42.** 110.25 sq. ft.

43. A square field is 40 rd. on a side. How many acres does it contain?

44. A square field contains 40 acres. Express the length of the field in rods.

45. A square lot has an area of 169 sq. rd. How many rods of fence will be needed to inclose it?

46. What is the area of the cross section of a square pillar that is $11\frac{7}{8}$ in. on a side?

47. The area of the cross section of a square pillar is 2.89 sq. ft. What is the width of the pillar?

80. Square of the Sum of Two Numbers. Since $47 = 40 + 7$, the square of 47 may be obtained as follows:

$$\begin{array}{r} 40 + 7 \\ 40 + 7 \\ \hline (40 \times 7) + 7^2 \\ 40^2 + \quad (40 \times 7) \\ \hline 40^2 + 2 \times (40 \times 7) + 7^2 \end{array}$$

$$\begin{aligned} &= 1600 + 2 \times 280 \quad + 49 \\ &= 1600 + 560 \quad + 49 \\ &= 2209. \end{aligned}$$

280	49
1600	280
40	7
t	$+ u$

This relationship is seen in the annexed figure where the side of the square is $40 + 7$.

Every number consisting of two or more figures may be regarded as composed of tens and units.

Therefore, *the square of a number contains the square of the tens, plus twice the product of the tens and units, plus the square of the units.*

This is the most important principle in square root, and should be clearly understood, both from the multiplication and from the illustration, before proceeding.

81. Separating into Periods. The first step in extracting the square root of a number is to separate the figures of the number into groups of two figures each, called *periods.*

Since $1 = 1^2$, $100 = 10^2$, $10{,}000 = 100^2$, and so on, it is evident that the square root of any number between 1 and 100 lies between 1 and 10; of any number between 100 and 10,000 lies between 10 and 100. In other words, the square root of any integral number expressed by *one* or *two* figures is a number of *one* figure; expressed by *three* or *four* figures is a number of *two* figures; and so on.

If, therefore, an integral number is separated into periods of two figures each, from the right to the left, the number of figures in the square root will be equal to the number of the periods of figures. The last period at the left may have one figure or two figures; for example, 22 09, and 7 89 04 81.

82. Extracting the Square Root. The process of extracting the square root of a number not readily factored will now be considered.

For example, required the square root of 2209.

Separating into periods (§ 81), we see that there will be two integral places in the root.

```
 22 09 (47
 16
-----
80  6 09
87  6 09
-----
```

The first period, 22, contains the square of the tens' number of the root. And since the greatest square in 22 is 16, therefore $\sqrt{16}$, or 4, is the tens' figure of the root.

Subtracting the square of the tens, the remainder contains twice the tens $\times$ the units, plus the square of the units (§ 80). Therefore if we divide by twice the tens (that is, by 80, which is 2×4 tens), we shall find approximately the units. Dividing 609 by 80 (or 60 by 8), we have 7 as the units' figure.

Since twice the tens $\times$ the units, plus the square of the units, is equal to (twice the tens + the units) $\times$ the units, i.e. $2 \times 40 \times 7 + 7^2 = (2 \times 40 + 7) \times 7$, therefore we add 7 to 80 and multiply the sum by 7. The product is 609, thus completing the square of 47.

To check the work, $47^2 = 2209$.

EXERCISE 48

Extract the square root of:

1. 841.	**4.** 1369.	**7.** 3249.	**10.** 8281.
2. 961.	**5.** 1681.	**8.** 3721.	**11.** 9801.
3. 529.	**6.** 1521.	**9.** 1849.	**12.** 6241.

13. A square lot has an area of 6889 sq. ft. How many feet has it on a side?

14. A square piece of linoleum has an area of 37 sq. ft. 1 sq. in. How many inches has it on a side?

15. The bottom of a square box has an area of 484 sq. in. How long is it?

16. A square lot has an area of 6889 sq. ft. How many feet has it on a side?

83. Explanation by Diagram. It sometimes makes the reasoning in square root more clear if we consider a diagram.

FIG. 1

FIG. 2

FIG. 3

We have seen (§ 80) a figure showing the square on the lines $40 + 7$. In the explanation in § 82 we first took away from the whole square (as in Fig. 3) the square of the tens, or 1600, which is the square of 40 (represented by Fig. 1).

There then remained the two rectangles and the small square as seen in Fig. 3, the combined area being 609 square units. But these rectangles are as long as Fig. 1, and therefore 40 units long. Dividing their area, plus the area of the small square, by their length, we have approximately their width. (We would get their exact width if it were not for the small square.) This gives the units.

If we now add twice the tens to the units, we shall have the length of the two rectangles and the small square ($80 + 7 = 87$). Multiplying this by the units, the width of the rectangles, we have the area of the two rectangles and the small square ($87 \times 7 = 609$).

We see from the figures that the square is now entirely used; that is, the square of tens (Fig. 1) + twice the product of tens and units (making Fig. 2) + the square of the units (making Fig. 3) uses all the area. Therefore the square root is 47.

84. Square Root of Larger Numbers. The method of § 82 will apply to numbers of more than two periods, by considering *the part of the root already found as so many tens* with respect to the next figure. For example, required the square root of 7,890,481.

```
      7 89 04 81 (2809
      4
 ---------------------
40    3 89
48    3 84
 ---------------------
5600      5 04 81
5609      5 04 81
```

When the third period, 04, is brought down, and the divisor, 56, formed, the next figure of the root is 0, because 560 is not contained in 504. Therefore 0 is placed both in the root and in the divisor, and the next two figures, 81, are brought down.

85. Square Roots of Decimals. If the square root of a number has decimal places, the number itself will have twice as many.

Thus, if 0.25 is the square root of some number, the number will be 0.25^2, or 0.25×0.25, or 0.0625. Hence, if a given number contains a decimal, we separate it into periods of two figures each, beginning at the decimal point and proceeding toward the left for the integral part, and toward the right for the decimal. The last period of the decimal must have two figures, a zero being annexed if necessary.

Extract the square root of 52.2729.

We see at once that the root will have one integral place. Furthermore, if it is a perfect square it can have only two decimal places, since the square of thousandths would be millionths.

```
52.27 29 (7.23
   49
------
140   3 27
142   2 84
------------
1440    43 29
1443    43 29
-------------
```

EXERCISE 49

Extract the square root of:

1. 190,969.	**6.** 804,609.	**11.** 1036.84.	**16.** 3.9204.
2. 743,044.	**7.** 194,481.	**12.** 82.2649.	**17.** 462.25.
3. 401,956.	**8.** 173,056.	**13.** 0.063001.	**18.** 0.003969.
4. 758,641.	**9.** 174,724.	**14.** 1.5129.	**19.** 0.182329.
5. 117,649.	**10.** 509,796.	**15.** 2.6244.	**20.** 0.054756.

Find the side of a square whose area is:

21. 12,321 sq. ft. **22.** 8046.09 sq. in.

23. What is the perimeter of a square whose area is 1944.81 sq. in.?

24 The total area of the sides of a certain cube is found to be 355.74 sq. in. What is the length of an edge? What is the volume of the cube?

86. Approximate Square Roots. If a number is not a perfect square, zeros may be annexed and an approximate value of the root found.

For example, required to extract to three places of decimals the square root of 19.

	19.00 00 00 (4.3588+
	16
80	3 00
83	2 49
860	51 00
865	43 25
8700	7 75 00
8708	6 96 64
87160	78 3600

In this example we proceed in the usual way, annexing pairs of zeros for each decimal place in the root. We carry the work to four decimal places, so as to find the nearest approximation for three places. The result is, therefore, 4.359−; that is, it is nearer 4.359 than 4.358.

87. Summary of Square Root. We may summarize the process of square root as follows:

Separate the number into periods of two figures each, beginning at the decimal point.

Find the greatest square in the left-hand period and write its root for the first figure of the required root.

Square this root, subtract the result from the left-hand period, and to the remainder annex the next period for a dividend.

For a partial divisor double the root already found, considered as tens, and divide the dividend by it. The quotient (or the quotient diminished slightly if necessary) will be the next figure of the root.

To this partial divisor add this next figure of the root for a complete divisor. Multiply the complete divisor by this next figure of the root, subtract the product from the dividend, and to the remainder annex the next period for a new dividend.

Proceed in this manner until all the periods have been thus annexed. The result will be the square root required.

88. Square Roots of Common Fractions. To find the square root of a common fraction we may extract the square roots of the numerator and denominator.

If the denominator is not a perfect square, it is better to multiply both terms of the fraction by such a number as shall make it such, or else to reduce to a decimal and then extract the square root. For example, instead of saying $\sqrt{\frac{1}{2}} = \frac{\sqrt{1}}{\sqrt{2}} = \frac{1}{1.414+}$, which requires us to divide by a long divisor, it is better to say $\sqrt{\frac{1}{2}} = \sqrt{\frac{2}{4}} = \frac{\sqrt{2}}{2} = \frac{1}{2}\sqrt{2} = \frac{1}{2}$ of $1.414+ = 0.707+$, or else to extract the square root of 0.5.

89. Right Triangle. A triangle that contains a right angle is called a *right triangle.* It is sometimes called a *right-angled triangle.*

90. Hypotenuse. In a right triangle the side opposite the right angle is called the *hypotenuse.*



In the triangle ABC the hypotenuse is AC, the base is AB, and the perpendicular (or altitude) is BC.

91. Square on the Hypotenuse. By counting the small squares in this figure we see that the square on AC equals the sum of the squares on AB and BC. It is proved in geometry that this is true for all right triangles.

Therefore, *in a right triangle the square of the hypotenuse equals the sum of the squares of the other two sides.*

The hypotenuse equals the square root of the sum of the squares of the other two sides.

The base or the perpendicular equals the square root of the difference of the squares of the hypotenuse and the other side.

EXERCISE 50

Extract the square root of:

1. $\frac{49}{144}$. 3. $\frac{225}{361}$. 5. $\frac{529}{729}$. 7. $\frac{1369}{1681}$. 9. $\frac{2209}{2601}$.
2. $\frac{121}{169}$. 4. $\frac{441}{625}$. 6. $\frac{961}{1089}$. 8. $\frac{841}{1849}$. 10. $\frac{2809}{3025}$.

Extract the square root, to two decimal places:

11. 2. 13. 11. 15. 30. 17. 125. 19. $\frac{5}{9}$.
12. 7. 14. 15. 16. 50. 18. 650. 20. $\frac{7}{12}$.

Reduce to fractions with denominators perfect squares and extract the square root, to two decimal places:

21. $\frac{1}{3}$. 22. $\frac{2}{5}$. 23. $\frac{2}{3}$. 24. $\frac{3}{8}$. 25. $\frac{7}{8}$.

Reduce to decimals and extract the square root, to two decimal places:

26. $\frac{5}{8}$. 27. $\frac{4}{7}$. 28. $\frac{3}{5}$. 29. $\frac{5}{12}$. 30. $\frac{11}{12}$.

Find the hypotenuse, given the other sides as follows:

31. 39 ft., 52 ft. 32. 21 ft., 72 ft. 33. 51 ft., 68 ft.

Also as follows, carrying the results to three decimals:

34. 82 ft., 35 ft. 35. 31 ft., 23 ft. 36. 27 ft., 43 ft.

Given the hypotenuse and one side, find the other side:

37. 10 ft., 6 ft. 38. 17 in., 15 in. 39. 26 in., 10 in.

Also as follows, carrying the results to three decimals:

40. 15 ft., 6 ft. 41. 18 ft., 12 ft. 42. 23 in., 12 in.

Find the diagonal of the square whose side is:

43. 20″. 44. 32″. 45. 45″. 46. 70″. 47. 75″.

92. Area of a Triangle in Terms of the Sides. It is proved in geometry that

To find the area of any triangle given the sides, multiply half the sum of the sides in succession by the three remainders obtained by subtracting each side separately from the half sum of the sides, and take the square root of this product.

For example, find the area of a triangle whose sides are respectively 5 in., 6 in., and 7 in.

The half sum of the sides is $\frac{1}{2}$ of $(5 + 6 + 7)$, or 9. Then $9 - 5 = 4$, $9 - 6 = 3$, and $9 - 7 = 2$. Therefore the area $= \sqrt{9 \times 4 \times 3 \times 2} = \sqrt{216} = 14.696+$. That is, the area is 14.696 sq. in.

93. Similar Figures. It is also proved in geometry that

The areas of similar figures are to each other as the squares of their corresponding dimensions.

The corresponding dimensions of similar figures are to each other as the square roots of their areas.

That is, if a side of one square is 5 times as long as a side of another, the area is 25 times as much. If one circle has 16 times the area of another, the radius is 4 times as long.

EXERCISE 51

Find the areas (to two decimal places) of the triangles whose sides are:

1. 5″, 7″, 8″.
2. 6″, 8″, 9″.
3. 4″, 3″, 6″.
4. 9″, 10″, 11″.
5. 12″, 13″, 15″.
6. 17″, 21″, 25″.

7. A triangle has an area of 275 sq. ft. What is the area of a similar triangle whose base is only half as long?

8. A rectangular lot has a front of 160 ft. and is worth $1000. Find the value, at the same rate per square foot, of a similar lot which has twice the front and twice the depth.

94. Finding the Radius. Since the area of a circle equals 3.1416 times the square of the radius, therefore

The radius of a circle equals the square root of the quotient of the area divided by 3.1416.

For example, if the area is 78.54 sq. in., the number of inches in the radius is $\sqrt{\frac{78.54}{3.1416}} = \sqrt{25} = 5$. Therefore the radius is 5 in.

In Exercise 52 carry the square roots to two decimal places.

EXERCISE 52

Find the area of the circle whose radius is:

1. 17″. **2.** 29″. **3.** 37″. **4.** 5.27″. **5.** 6.07′.

Find the area of the circle whose diameter is:

6. 38″. **7.** 46″. **8.** 29″. **9.** 7.54″. **10.** 9.72′.

Find the radius of the circle whose area is:

11. 314.16 sq. in. **12.** 113.0976 sq. in. **13.** 250 sq. in.

14. What must be the diameter of a water pipe in order that the area of a cross section shall be 2 sq. in.?

15. What must be the diameter of a water main in order that the area of a cross section shall be 3 sq. ft.?

16. What must be the diameter of the piston head of an engine in order that the area may be 100 sq. in.?

17. A cylindrical water tank is 20 ft. high and will contain 28,000 cu. ft. of water. What is the diameter?

18. A horse tethered by a rope can graze over 1570.8 sq. ft. of ground. How long is the rope? If the rope was twice as long, over how much ground could he graze?

19. A tinsmith wishes to make some cylindrical gallon cans. They are to be 10 in. high. What must be the area of the base? What radius must he use to draw the circle?

95. Cube. The result of taking a number three times as a factor is called the *third power* or the *cube* of the number.

Thus the cubes of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, are 1, 8, 27, 64, 125, 216, 343, 512, 729, 1000.

96. Cube Root. One of the three equal factors of a number is called the *cube root* of the number.

Thus the cube roots of 1, 8, 27, 64, 125, 216, 343, 512, 729, 1000, are 1, 2, 3, 4, 5, 6, 7, 8, 9, 10.

97. Symbols. The cube of 5 is written 5^3; the cube root of 125 is written $\sqrt[3]{125}$.

98. Cube Roots and Volumes. If this cube is 3 units on an edge, we can see that there will be 3×3, or 9, cubic units in the front layer of cubes and that there will be 3 of these layers. The volume is therefore $3 \times 3 \times 3$ cubic units, or 27 cubic units.



Therefore, *the volume of a cube equals the cube of the edge.*

The edge of a cube equals the cube root of the volume.

99. Cube Roots by Factoring. In the case of perfect cubes we may find the cube roots if we can factor.

For example, since $1728 = 2 \times 2 \times 2 \times 2 \times 2 \times 2 \times 3 \times 3 \times 3 = (2 \times 2 \times 3) \times (2 \times 2 \times 3) \times (2 \times 2 \times 3)$, therefore $\sqrt[3]{1728} = 2 \times 2 \times 3 = 12$.

EXERCISE 53

Find the value of the following:

1. 37^3.	**4.** 7.5^3.	**7.** $\sqrt[3]{1331}$.	**10.** $\sqrt[3]{5832}$.
2. 49^3.	**5.** 4.8^3.	**8.** $\sqrt[3]{3375}$.	**11.** $\sqrt[3]{9261}$.
3. 59^3.	**6.** 0.69^3.	**9.** $\sqrt[3]{4096}$.	**12.** $\sqrt[3]{10648}$.

13. Find the edge of a cube containing 13,824 cu. in.

100. Cube of the Sum of Two Numbers. Since $47 = 40 + 7$, the cube of 47 may be obtained by multiplying the square of $40 + 7$ (as found in § 80) by $40 + 7$, thus:

$$(40 + 7)^2 = 40^2 + 2 \times (40 \times 7) + 7^2$$

$$40 + 7$$

$$(40^2 \times 7) + 2 \times (40 \times 7^2) + 7^3 \quad \text{product by } 7$$

$$40^3 + 2 \times (40^2 \times 7) + (40 \times 7^2) \quad \text{product by } 40$$

$$40^3 + 3 \times (40^2 \times 7) + 3 \times (40 \times 7^2) + 7^3$$

We therefore see that

The cube of any number composed of tens and units contains four parts:

(1) *The cube of the tens.*

(2) *Three times the product of the square of the tens by the units.*

(3) *Three times the product of the tens by the square of the units.*

(4) *The cube of the units.*

101. Separating into Periods. The first step in extracting the cube root of a number is to separate the figures of the number into groups of three figures each, called *periods.*

Since $1 = 1^3$, $1000 = 10^3$, $1{,}000{,}000 = 100^3$, and so on, it follows that the cube root of any integral number between 1 and 1000, that is, the cube root of any integral number that has *one*, *two*, or *three* figures, is a number of *one* figure; that the cube root of any integral number between 1000 and 1,000,000, that is, the cube root of any integral number that has *four*, *five*, or *six* figures, is a number of *two* figures; and so on.

If, therefore, an integral number is separated into periods of three figures each, from right to left, the number of figures in the root will be equal to the number of periods. The last period to the left may consist of one figure, two figures, or three figures.

For example, the cube root of 42,875 will have two integral places, and the cube root of 34,645,976 will have three.

102. Extracting the Cube Root. The process of extracting the cube root of a number not readily factored will now be considered. For example, required the cube root of 42,875.

We see that there will be two integral places in the root (§ 101). The first period, 42, contains the cube of the tens' number. The greatest cube in 42 is 27, and the cube root of 27 is 3. Hence 3 is the tens' figure of the root.

$$\begin{array}{rl|l} & & 42\,875(35 \\ & & 27 \\ \hline 3 \times 30^2 = & 2700 & 15\,875 \\ 3 \times (30 \times 5) = & 450 & \\ 5^2 = & 25 & \\ \hline & 3175 & 15\,875 \end{array}$$

The remainder, 15,875, resulting from subtracting the cube of the tens, will contain three times the product of the square of the tens by the units + three times the product of the tens by the square of the units + the cube of the units.

Each of these three parts contains the units' number as a factor.

Hence the 15,875 consists of two factors, one of which is the units' number of the root; and the other factor is three times the square of the tens + three times the product of the tens by the units + the square of the units. The largest part of this second factor is three times the square of the tens.

If the 158 hundreds of the remainder is divided by 3×30^2, or 27 hundreds, the quotient will be approximately the units' number of the root. The second factor can now be completed by adding to the 2700 the sum of $3 \times (30 \times 5)$, or 450, and 5^2, or 25.

If this factor, 3175, is now multiplied by 5, the result is 15,875, which completes the cube of 35. There being no remainder, $\sqrt[3]{42875} = 35$.

To check the work, $35^3 = 42{,}875$.

EXERCISE 54

Extract the cube root of:

1. 2197.	4. 13,824.	7. 226,981.	10. 857,375.
2. 4913.	5. 29,791.	8. 132,651.	11. 884,736.
3. 6859.	6. 110,592.	9. 373,248.	12. 941,192.

13. Find the edge of a cube whose volume is 778,688 cu. in.

14. Find the edge of a cube whose volume is 205,379 cu. in.

103. Explanation by Blocks. It sometimes makes the reasoning in cube root more clear if we consider the building up of a cube by blocks.

We have learned that the cube of $35 = 30^3 + 3 \times (30^2 \times 5) + 3 \times (30 \times 5^2) + 5^3$ (§ 100).

The 30^3 may be represented by a cube whose edge is 30 in. (Fig. 1).

The $3 \times (30^2 \times 5)$ may be represented by three equal rectangular solids, each 30 in. long, 30 in. wide, and 5 in. thick, to be added to three adjacent faces of Fig. 1.

The $3 \times (30 \times 5^2)$ may be represented by three equal rectangular solids, 30 in. long, 5 in. wide, and 5 in. thick, to be added to Fig. 2.

The 5^3 may be represented by the small cube required to complete the cube of Fig. 3.



FIG. 1



FIG. 2



FIG. 3



FIG. 4

In extracting the cube root of 42,875, the large cube (Fig. 1) whose edge is 30 in. is first removed.

There remains 42,875 cu. in. — 27,000 cu. in., or 15,875 cu. in.

The greatest part of this is contained in the three rectangular solids, each 30 in. long and 30 in. wide, which are added to Fig. 1.

The thickness of these solids is found by dividing the 15,875 cu. in. by the sum of the three faces, each of which is 30 in. square; that is, by 2700 sq. in. The result is 5 in.

There are also the three rectangular solids which are added to Fig. 2, and which are 30 in. long and 5 in. wide; and a cube which is added to Fig. 3, and which is 5 in. long and 5 in. wide.

Hence the sum of the products of two dimensions of all these solids is

For the larger rectangular solids, $3 \times (30 \times 30)$ sq. in. $= 2700$ sq. in.
For the smaller rectangular solids, $3 \times (30 \times 5)$ sq. in. $= 450$ sq. in.
For the small cube, (5×5) sq. in. $= 25$ sq. in.
3175 sq. in.

The number 3175 multiplied by the third dimension, 5, gives 5×3175 cu. in., or 15,875 cu. in., as found in § 102.

104. Cube Roots of Larger Numbers. The method of § 102 will apply to numbers of more than two periods, by considering *the part of the root already found as so many tens* with respect to the next figure of the root.

For example, required the cube root of 57,512,456.

		57 512 456 (386
		27
$3 \times 30^2 =$	2700	30 512
$3 \times (30 \times 8) =$	720	
$8^2 =$	64	
	3484	27 872
$3 \times 380^2 =$	433200	2 640 456
$3 \times (380 \times 6) =$	6840	
$6^2 =$	36	
	440076	2 640 456

105. Cube Roots of Decimals. If a cube root has decimal places, the cube will have *three times* as many.

Thus, if 0.11 is the cube root of a number, the number is $0.11 \times 0.11 \times 0.11 = 0.001331$. Hence, if a given number contains a decimal, we separate it into periods of three figures each, beginning at the decimal point and proceeding toward the left for the integral part, and toward the right for the decimal. The last period of the decimal must contain *three* figures, zeros being annexed when necessary.

Extract the cube root of 187.149248.

		187.149 248 (5.72
		125
$3 \times 50^2 =$	7500	62 149
$3 \times (50 \times 7) =$	1050	
$7^2 =$	49	
	8599	60 193
$3 \times 570^2 =$	974700	1 956 248
$3 \times (570 \times 2) =$	3420	
$2^2 =$	4	
	978124	1 956 248

Since there can be only one integral place, the decimal point is placed after the 5.

106. Approximate Cube Roots. If the given number is not a perfect cube, zeros may be annexed, and a value of the root may be found as near to the true value as we please.

Extract the cube root of 1250.6894.

$$
\begin{array}{rrl}
 & & 1\ 250.689\ 400\,(10.77 \\
 & & 1 \\
\hline
3 \times 10^2 = & 300 & 250 \\
\end{array}
$$

Since 300 is not contained in 250, the next figure of the root is 0.

$$
\begin{array}{rrl}
3 \times 100^2 = & 30000 & 250\ 689 \\
3 \times (100 \times 7) = & 2100 & \\
7^2 = & 49 & \\
\hline
 & 32149 & 225\ 043 \\
\hline
3 \times 1070^2 = & 3434700 & 25\ 646\ 400 \\
3 \times (1070 \times 7) = & 22470 & \\
7^2 = & 49 & \\
\hline
 & 3457219 & 24\ 200\ 533 \\
\hline
 & & 1\ 445\ 867
\end{array}
$$

107. Cube Roots of Common Fractions. The cube root of a common fraction is found by extracting the cube roots of the numerator and denominator; but, if the denominator is not a perfect cube, it is generally best to reduce the fraction to a decimal, and then extract the root.

EXERCISE 55

Extract the cube root, to two decimal places:

1. 71.296.	3. 7.1296.	5. 21.782.	7. 37.487.
2. 643.25.	4. 0.75475.	6. 0.1234.	8. 81.492.

Extract the cube root of the following fractions:

9. $7\frac{8}{29}$. 10. $\frac{1331}{1728}$. 11. $\frac{4913}{6859}$. 12. $\frac{2197}{3261}$. 13. $\frac{3375}{4096}$.

Extract the cube root, to three decimal places:

14. 2. 15. 3. 16. 5. 17. $\frac{1}{4}$. 18. $\frac{2}{3}$.

108. Summary of Cube Root. We may summarize the process of cube root as follows:

Separate the number into periods of three figures each, beginning at the decimal point.

Find the greatest cube in the left-hand period and write its root for the first figure of the required root.

Cube this root, subtract the result from the left-hand period, and to the remainder annex the next period for a dividend.

For a partial divisor, take three times the square of the root already found, considered as tens, and divide the dividend by it. The quotient (or the quotient diminished slightly if necessary) will be the second figure of the root.

To this partial divisor add three times the product of the first figure of the root, considered as tens, by the second figure, and also the square of the second figure. This sum will be the complete divisor.

Multiply the complete divisor by the second figure of the root, subtract the product from the dividend, and to the remainder annex the next period for a new dividend.

Proceed in this manner until all the periods have been annexed. The result will be the cube root required.

If a given number contains a decimal, the last group on the right of the decimal point must be made to contain three figures, by annexing one zero or two zeros if necessary. In the examples of Exercise 56 carry the result to two decimal places in case the given number is not an exact cube.

109. Similar Solids. Solids that have exactly the same shape are called *similar solids.*

It is proved in geometry that

The volumes of similar solids are to each other as the cubes of corresponding dimensions.

The corresponding dimensions of similar solids are to each other as the cube roots of the volumes.

EXERCISE 56

Extract the cube root of:

1. 1,771,561.	4. 47,832,147.	7. 4826.809.
2. 1,295,029.	5. 11,390,625.	8. 0.000912673.
3. 2,048,383.	6. 87,528,384.	9. 0.114791256.

Find the edges of cubes of the following volumes:

10. 75 cu. in. 11. 830 cu. ft. 12. 92.5 cu. in. 13. $7\frac{1}{2}$ cu. in.

14. Find the diameter of an iron ball that will weigh 27 times as much as an iron ball 2 in. in diameter.

15. The weights of two iron cylinders of the same shape are as 2197 to 4913. Find the ratio of their heights.

16. Find the edge of a cube whose volume is equal to the volume of a rectangular solid $81'' \times 3'' \times 3''$.

17. Find the edge of a cubical cistern that holds as many gallons as a rectangular cistern $12' \times 8' \times 5\frac{1}{3}'$.

18. Find the edge of a cubical cistern that holds as many gallons as a rectangular cistern $18' \times 9' \times 4\frac{1}{2}'$.

19. The edge of a cube is 2 in., and the edge of another is 4 in. How many times the total surface of the smaller is the total surface of the larger? How many times the volume of the smaller is the volume of the larger?

20. The volume of a rectangular solid is 2197 cu. in., and the volume of a similar solid is 17,576 cu. in. How many times a dimension of the smaller solid is the corresponding dimension of the larger?

21. How many spheres 1 inch in diameter are equivalent in volume to a sphere 2 inches in diameter? to a sphere 5 inches in diameter? to a sphere 10 inches in diameter? to a sphere $15\frac{1}{2}$ inches in diameter?

EXERCISE 57

Problems without Numbers

1. How do you find the square of a number? the cube?

2. If you know the side of a square, how do you find the area?

3. If you know the area of a square, how do you find the side?

4. How do you find the square root of a number by factoring? also the cube root by factoring?

5. To what is the square of the sum of two numbers equal? How would you show it?

6. What is the object of separating a number into periods in extracting square root?

7. How do you proceed to extract the square root of an integer that is a perfect square?

8. How do you proceed to extract the square root of a number that contains decimal places?

9. How do you proceed to extract the square root of a common fraction?

10. How do you find the hypotenuse of a right triangle when the other sides are given?

11. How do you find the base of a right triangle, given the hypotenuse and the perpendicular?

12. How do you find the area of a triangle when the three sides are given?

13. What is the relation between the corresponding dimensions of similar figures?

14. Given the area of a circle, how do you find the radius?

15. How do you extract the cube root of a number?

CHAPTER IV

METRIC MEASURES

110. The Metric System. The metric system is now used in several European countries, and in scientific work elsewhere. Since it is on the decimal scale it is much simpler than our system.

111. Meter. The unit of length is the *meter*.

112. Liter. The unit of capacity is the *liter* (pronounced lee'ter), a cube 0.1 of a meter on an edge.

113. Gram. The unit of weight is the *gram*. It is the weight of a cube of water 0.01 of a meter on an edge at the greatest density of water, a little above freezing.

114. The Prefixes. The system is understood as soon as the prefixes are known.

Just as 1 mill = $\frac{1}{1000}$ of a dollar,
so 1 millimeter = 0.001 of a meter.
Just as 1 cent = $\frac{1}{100}$ of a dollar,
so 1 centimeter = 0.01 of a meter.
Just as decimal means tenths,
so 1 decimeter = 0.1 of a meter.

	THE PREFIX	MEANS	AS IN	WHICH MEANS	
From the Greek	myria-	10,000	myriameter	10,000	meters.
	kilo-	1,000	kilogram	1,000	grams.
	hekto-	100	hektoliter	100	liters.
	deka-	10	dekameter	10	meters.
		1		1	
From the Latin	deci-	0.1	decimeter	0.1	of a meter.
	centi-	0.01	centigram	0.01	of a gram.
	milli-	0.001	millimeter	0.001	of a meter.

115. Important Names. As in United States money we seldom speak of anything except dollars and cents, so in metric measures only those measures printed in black letters in the tables of this chapter are in common use.

All the units of the system are derived from the meter. Every compound name is accented on the first syllable ; thus, *mil'limeter.* The teacher should be supplied with a meter stick, a liter, and a cubic centimeter, and these can easily be made in school if necessary. The work should be made as practical as possible by actual measurements.

116. Measures of Length. The table of measures of length is as follows:

A myriameter	=	10,000 meters
A kilometer (km.)	=	1,000 meters
A hektometer	=	100 meters
A dekameter	=	10 meters
Meter (m.)		
A decimeter (dm.)	=	0.1 of a meter
A centimeter (cm.)	=	0.01 of a meter
A millimeter (mm.)	=	0.001 of a meter

The meter is about 39.37 in., or $3\frac{1}{4}$ ft., or a little over a yard; the kilometer is about 0.62 of a mile. When the metric system was invented in France over a century ago, the meter was intended to be one ten-millionth of the distance on the surface of the earth from the equator to the pole, but it varies slightly from this standard.

The abbreviations in this book are in common use. Some, however, use Km., Dm., dm., for kilometer, dekameter, and decimeter. We do not need abbreviations for the units not commonly used, such as the myriameter.

117. Reduction. Any one of these measures may be expressed in terms of another measure by *simply moving the decimal point to the right or left.*

Thus, as 245¢ = 24.5 d. = \$2.45,
so 2475 mm. = 247.5 cm. = 24.75 dm. = 2.475 m.,
and 35.25 km. = 35,250 m. = 35,250,000 mm.

EXERCISE 58

Express as meters and decimals:

1. 25 km.	**6.** 237 dm.	**11.** 2965 cm.
2. 3.7 km.	**7.** 47.5 dm.	**12.** 48,750 cm.
3. 0.7 km.	**8.** 2.75 dm.	**13.** 29,375 mm.
4. $62\frac{1}{2}$ km.	**9.** 725 cm.	**14.** 96,400 mm.
5. $57\frac{3}{4}$ km.	**10.** 68.5 cm.	**15.** 250,000 mm.

Allowing 39.37 in. to a meter, express as meters:

16. 19.685 in.	**19.** 25 ft.	**22.** 3 ft. 3 in.
17. 78.74 in.	**20.** 4.8 ft.	**23.** 3 ft. 3.37 in.
18. 118.11 in.	**21.** 0.6 ft.	**24.** 29 ft. 6.33 in.

Express as feet:

25. 75 m.	**28.** 35 dm.	**31.** 4500 cm.
26. $48\frac{1}{2}$ m.	**29.** 7.5 dm.	**32.** 6875 mm.
27. $2.7\frac{1}{2}$ m.	**30.** 685 cm.	**33.** 21,475 mm.

Allowing 0.62 mi. to a kilometer, express as miles:

34. 5 km.	**36.** $2\frac{1}{2}$ km.	**38.** 272 km.
35. 75 km.	**37.** 4.75 km.	**39.** 48.9 km.

Express as kilometers:

40. 325 mi.	**41.** 42.7 mi.	**42.** 0.75 mi.

43. If sound travels 340.5 m. a second, how many kilometers will it travel in 17 sec.?

44. If the distance from Paris to Brussels is 313 km., how many miles is it?

45. If the distance from Lyons to Marseilles is 218 mi., how many kilometers is it?

118. Square Measure. In square measure the scale is by hundreds instead of by tens. If the square here shown represents a square meter, it is evident that each of the ten equal horizontal bands is one tenth of a square meter, and each of the ten small squares therefore represents $\frac{1}{10}$ of $\frac{1}{10}$, or $\frac{1}{100}$, of a square meter. That is, 100 square decimeters = 1 square meter.

The table is as follows:

A square myriameter	= 100,000,000	square meters	
A square kilometer (sq. km.)	= 1,000,000	square meters	
A square hektometer	= 10,000	square meters	
A square dekameter	= 100	square meters	
Square meter (sq. m.)			
A square decimeter	= 0.01		of a square meter
A square centimeter (sq. cm.)	= 0.0001		of a square meter
A square millimeter (sq. mm.)	= 0.000001		of a square meter

119. Land Measure. In the measurement of land the square dekameter is called an *are* (pronounced är); the square hektometer is called a hektare (ha.). The hektare equals 2.47 acres, or nearly $2\frac{1}{2}$ acres.

EXERCISE 59

Express as square meters:

1. 275 sq. km.
2. 3.45 sq. km.
3. 0.75 sq. km.
4. 4875 sq. cm.
5. 9235 sq. cm.
6. 64,275 sq. cm.
7. 123,450 sq. mm.
8. 2,250,000 sq. mm.
9. 37,375,000 sq. mm.

Express as hektares:

10. 10,000 sq. m.
11. 45,000 sq. m.
12. 175,000 sq. m.
13. 325,500 sq. m.
14. 24.7 acres.
15. 1482 acres.
16. How long is a square field that contains 0.81 ha.?

120. Cubic Measure. In cubic measure the scale is by thousands. If the cube here shown represents a cubic meter, it is evident that each of the ten equal layers represents one tenth of a cubic meter; that each of the rectangular solids, DC, represents $\frac{1}{10}$ of $\frac{1}{10}$ of a cubic meter, and that each of the small cubes represents $\frac{1}{10}$ of $\frac{1}{10}$ of $\frac{1}{10}$, or $\frac{1}{1000}$, of a cubic meter. That is, 1000 cubic decimeters = 1 cubic meter.



The table is as follows:

A cubic hektometer	= 1,000,000 cubic meters	
A cubic dekameter	= 1,000 cubic meters	
Cubic meter (cu. m.)		
A cubic decimeter (cu. dm.)	= 0.001	of a cubic meter
A cubic centimeter (cu. cm.)	= 0.000001	of a cubic meter
A cubic millimeter (cu. mm.)	= 0.000000001	of a cubic meter

We may also have cubic kilometers and cubic myriameters. The terms above the cubic meter are seldom used.

121. Wood Measure. In measuring wood the cubic meter is called a *stere* (st.). Stere is pronounced stair.

EXERCISE 60

Express as cubic meters:

1. 725.25 st.
2. 2,750,000 cu. dm.
3. 4,625,750 cu. dm.
4. 9,125,000 cu. dm.
5. 8,125,000,000 cu. mm.
6. 9,275,000,000 cu. mm.
7. 25,325,000,000 cu. mm.
8. 37,250,000,000 cu. mm.

9. A pile of wood is 2.5 m. high, 1 m. wide, and 28.7 m. long. How many steres are there?

122. Measures of Capacity. The table of capacity is as follows:

A **hektoliter** (hl.)	=	100 liters
A dekaliter	=	10 liters
Liter (l.)		
A deciliter (dl.)	=	0.1 of a liter
A centiliter (cl.)	=	0.01 of a liter
A milliliter (ml.)	=	0.001 of a liter

A liter is a cubic decimeter. It is practically the same as a quart.

EXERCISE 61

Express as liters:

1. 750 hl.
2. 275 hl.
3. 92.75 hl.
4. 9.375 hl.
5. 750 dl.
6. 975 cl.
7. 7500 ml.
8. 6250 ml.

Express as hektoliters:

9. 3750 l.
10. 4875 l.
11. 978.5 l.
12. 25.75 l.
13. $97\frac{1}{2}$ qt.
14. $38\frac{3}{4}$ qt.
15. 65 gal.
16. $31\frac{1}{2}$ gal.

Express as quarts:

17. 37 hl.
18. 9.5 hl.
19. 750 dl.
20. 8250 cl.

21. How many liters are there in a cubic meter?

22. How many hektoliters of air are there in a room 7 m. long, 6 m. wide, and 3 m. high?

23. A cubical tank in a zoölogical garden is 2.25 m. on an edge. How many liters will it hold?

24. A bin is 11.25 m. long, 4.8 m. wide, and 1.6 m. deep. How many hektoliters will it hold? How many liters?

25. The average depth of a pond is 1.75 m., and its area is 3.5 ha. How many hektoliters of water does it contain?

26. The height of a cylindrical tank is 12 m., and the diameter of the base is 9 m. How many liters will it hold?

123. Measures of Weight. The table of weight is as follows:

A metric ton (t.)	=	1,000,000 grams
A quintal (q.)	=	100,000 grams
A myriagram	=	10,000 grams
A kilogram (kg.)	=	1,000 grams
A hektogram	=	100 grams
A dekagram	=	10 grams
Gram (g.)		
A decigram	=	0.1 of a gram
A centigram (cg.)	=	0.01 of a gram
A milligram (mg.)	=	0.001 of a gram

124. Relation of Weight to Capacity.

1 cu. cm. of water weighs 1 g.
1 l. of water weighs 1 kg.
1 cu. m. of water weighs 1 t.

Cubic Centimeter

Gram Weight

The standard units vary slightly from these theoretical units.

A kilogram is about 2.2 lb.; and a metric ton is about 2204.6 lb.

EXERCISE 62

Express as grams:

1. 1.7 kg.	3. 0.25 kg.	5. 700 cg.	7. 7500 mg.
2. 0.9 kg.	4. 3.75 kg.	6. 950 cg.	8. 8125 mg.

Express as milligrams:

9. 7 g.	11. 0.27 g.	13. 15 kg.	15. 75 cg.
10. 8.7 g.	12. 4.25 g.	14. 2.7 kg.	16. 9.8 cg.

Express as kilograms:

17. 27 t.	18. 0.5 t.	19. 250 g.	20. 4400 lb.

Express as pounds:

21. 3 kg.	22. 75 kg.	23. 300 g.	24. 9000 mg.

125. Specific Gravity. The ratio of the weight of a given substance to the weight of an equal volume of water is called the *specific gravity* of the substance.

Thus, if a cubic decimeter of copper weighs 8.9 kg., the specific gravity of copper is 8.9, because 1 cu. dm. = 1 l., and 1 l. of water weighs 1 kg. Therefore copper is 8.9 times as heavy as water.

It is usually easy to find the volume of any substance by immersing it in a vessel full of water and measuring the amount that runs over.

By means of specific gravity the purity of metals and other substances may be determined.

In the case of gases the weight of the gas is usually compared with that of air or hydrogen instead of water.

EXERCISE 63

1. If 2 l. of alcohol weigh 1.58 kg., what is the specific gravity of alcohol?

2. If 5 l. of petroleum weigh $3\frac{1}{2}$ kg., what is the specific gravity of petroleum?

3. If 7 cu. cm. of cork weigh 1.68 g., what is the specific gravity of cork?

4. If 6.5 l. of milk weigh $6.69\frac{1}{2}$ kg., what is the specific gravity of milk?

5. The specific gravity of silver is 10.5. Some spoons weighing 371.7 g., thought to be silver, are immersed in a jar full of water and 35.4 cu. cm. of water overflow. Do the spoons stand the specific-gravity test?

6. A body immersed in a liquid always weighs less than it does in air by the weight of the liquid that it displaces. If a piece of gold weighs 9.65 g. in air and 9.15 g. in water, what is its specific gravity?

7. If the specific gravity of steel is 7.8, what is the weight of a cylindrical steel rod 1 m. long and 5 cm. in diameter?

126. Measures of Temperature. The thermometer commonly used in the United States is known as the Fahrenheit. By this thermometer water freezes at 32° and boils at 212°.

The metric system uses the *Centigrade* thermometer. By this thermometer water freezes at 0° and boils at 100°.



127. Reduction from Fahrenheit to Centigrade. If we indicate Fahrenheit by Fah., and Centigrade by C., we have

$212° - 32°$ Fah. $= 180°$ Fah. above freezing $= 100°$ C.;

$1°$ Fah. above freezing $= \frac{100}{180}° = \frac{5}{9}°$ C.

Therefore $98°$ Fah. $= 98° - 32° = 66°$ Fah. above freezing, and $66 \times \frac{5}{9}°$ C. $= 36\frac{2}{3}°$ C. That is, $98°$ Fah. $= 36\frac{2}{3}°$ C.

128. Reduction from Centigrade to Fahrenheit. Since

$100°$ C. $= 180°$ Fah. above freezing,

$1°$ C. $= 1.8°$ Fah. above freezing.

Hence $36\frac{2}{3}°$ C. $= 36\frac{2}{3} \times 1.8°$ Fah. above freezing $= 66°$ Fah. above freezing $= 66° + 32°$, or $98°$, Fah. above zero.

EXERCISE 64

Express in Centigrade these temperatures Fahrenheit:

1. 59°. **3.** 75°. **5.** 108°. **7.** 150°. **9.** 5°.

2. 42°. **4.** 86°. **6.** 112°. **8.** 200°. **10.** 10°.

11. 10° below zero. **12.** 15° below zero. **13.** 25° below zero.

Express in Fahrenheit these temperatures Centigrade:

14. 40°. **15.** 75°. **16.** 10°. **17.** 150°. **18.** 200°.

19. 10° below zero. **20.** 15° below zero. **21.** 25° below zero.

EXERCISE 65

Review Problems

1. Find the area of a square 1.37 m. on a side.

2. Find the area of a rectangle 3.95 m. by 1.36 m.

3. Find the area of a circle whose radius is 75 cm.

4. Find the area of a circle whose diameter is 324 mm.

5. Find the area of a parallelogram whose base is 2.75 m. and whose altitude is 1.65 m.

6. Find the area of a triangle whose base is 325 cm. and whose altitude is 76 cm.

7. Find the altitude of a parallelogram whose area is 3.75 sq. m. and whose base is 1.875 m.

8. Find the base of a triangle whose area is 9.106 sq. m., and whose altitude is 2.9 m.

9. Find the weight of the water required to fill a tank 2.3 m. long, 0.98 m. wide, and 0.56 m. deep.

10. A liter of air weighs 1.292 g. Find the weight of air in a schoolroom 6.8 m. long, 5.2 m. wide, and 3 m. high.

11. How many liters of water will a tank hold that is 2.7 m. long, 1.4 m. wide, and 0.75 m. deep?

12. If a barrel full of water weighs 123 kg., and when empty weighs 10 kg., how many liters will it hold?

13. What part of a hektare is there in a piece of land 125 m. long and 65 m. wide?

14. If a 40-liter keg of olive oil weighs 40.5 kg., and the empty keg weighs 3.9 kg., what does a liter of oil weigh?

15. In a shop where machines are made for foreign trade an order is received to make some wheels 1.34 m. in diameter. How would the workmen express the diameter in inches?

16. A wheel is 0.85 m. in diameter. Express its circumference in inches.

17. What part of a hektare is there in a rectangular field 75 m. long and 65 m. wide?

18. An importer bought a quantity of goods weighing 347.5 kg. How many pounds did they weigh?

19. Taking the distance from Buffalo to Cleveland as 183 miles, how many kilometers is it?

20. Find the side of a square whose area is 2 ha. (2 decimal places).

21. Find the radius of a circle whose area is 62.832 sq. cm. (3 decimal places).

22. Find the diameter of a circle whose area is 125.664 sq. cm. (3 decimal places).

23. A lady shopping in Paris finds that some cloth costs her 7 francs a meter. Taking a franc as 19.3 cents, how much (to the nearest cent) does it cost a yard?

24. A lady bought some cloth in Paris at $8\frac{1}{2}$ francs a meter. How many dollars did it cost per yard?

25. Find the volume of a cylinder whose altitude is 3.5 m., and whose diameter is 2.2 m.

26. How many metric tons of water will it take to fill a cylindrical tank 13 m. in diameter to a depth of 5 m.?

27. A workman finds that the capacity of a cylinder on an imported engine is given as 11,200 cu. cm. He wishes to find what it is in cubic inches. Taking 1 m. as 39.37 in., express the capacity to 2 decimal places.

28. A mechanic wishes to find the weight of a steel bar that he cannot easily remove from a machine. The bar is 1.3 m. long and has a diameter of 3 cm. The specific gravity of steel being 7.8, what is the weight of the bar?

EXERCISE 66

Problems without Numbers

1. Give the metric table of length.

2. How do you reduce millimeters to meters? kilometers to meters? meters to kilometers?

3. How do you reduce inches to meters? meters to inches? kilometers to miles?

4. Give the metric table of square measure.

5. How do you reduce square millimeters to square meters? square meters to square kilometers?

6. How do you reduce hektares to acres?

7. Give the metric table of cubic measure.

8. How do you reduce cubic meters to cubic centimeters? cubic millimeters to cubic centimeters?

9. If you know the metric dimensions of a pile of wood, how do you find the number of steres?

10. Give the metric table of capacity.

11. How do you reduce liters to hektoliters? hektoliters to liters? liters to quarts?

12. If you know the dimensions of a rectangular tank, how do you find its contents in liters?

13. Give the metric table of weight.

14. How do you reduce milligrams to grams? centigrams to kilograms? grams to kilograms?

15. How do you reduce kilograms to grams? to pounds?

16. How would you find the specific gravity of a rectangular block of stone?

17. How would you find the specific gravity of an irregular piece of copper?

CHAPTER V

STOCKS AND BONDS

129. Corporations. A company composed of a number of persons authorized by law to do business of a certain nature is called a *corporation.*

A *municipal corporation* is a corporation organized for local government, such as a state, a county, a city, or a town.

A corporation organized to transact private business is called a *stock company.*

This is an age of stock companies. Almost all extensive business operations are carried on by such companies. Money is invested more frequently through or in stock companies than in any other way, and it is one of the necessities of business training that we know the general features of such corporations.

130. Capital Stock. The amount contributed by the members of a corporation to carry on the business is called the *capital stock, capital,* or simply *stock* of the company.

One of the equal parts into which the stock of a company is divided is called a *share* of stock.

The most common amount for a share of stock is $100, although shares of $10, $25, $50, and other amounts are issued.

131. Stock Certificates. A statement issued by a corporation specifying the number of shares of stock owned by the holder is called a *stock certificate.*

This certificate is usually signed by the president and either the secretary or the treasurer. Certificates of bank stock are usually signed by the president and the cashier.

A person who owns one or more shares of stock is called a *stockholder.*

132. Organization of Corporations. The stockholders of a company select a few of their number to manage the business. These members are called *directors*. The directors elect the president, secretary, treasurer, and other officers.

133. Dividends. A sum paid to the stockholders out of the earnings of a company is called a *dividend*.

The directors pay the expenses of running a company from all the earnings (the *gross earnings*), and from the remainder (*net earnings*) they usually lay aside a portion (*undivided profits*) for emergencies, and divide the rest among the stockholders as dividends.

Dividends are a certain per cent of the face value of the stock. Thus a 5% dividend on 80 shares of stock of $100 each is $400.

If a company is losing instead of earning money, stockholders are often required to pay *assessments* on their stock to make up the loss, although the company usually borrows money to help in a temporary emergency.

134. Par Value. The face value of stocks is called the *par value*.

The par value of one share (§ 130) is commonly $100, and should be so taken in all examples in this chapter.

135. Market Value. The price at which stocks sell is called their *market value*. If stocks sell for more than their face value, they are said to be *above par*, or at a *premium;* if for less than their face value, they are said to be *below par*, or at a *discount*.

If a company is prosperous and pays higher dividends, say 10%, than the money would earn in other ways, the stock will be sought by investors, and therefore a share of $100 may sell for a larger sum than the par value, perhaps $150 or more. This is because $10 (10% of $100) is $6\frac{2}{3}\%$ of $150, so that if a man pays $150 for the stock he is still getting $6\frac{2}{3}\%$ on his investment.

On the other hand, if a company is not prosperous and pays low dividends or none at all, then the stock will be below par.

The market value of stocks varies from day to day and often from minute to minute, depending upon the demand and supply.

136. Kinds of Stock. There are two leading kinds of stock, *preferred* and *common.*

Preferred stock is stock that has a fixed rate of dividend that must be paid before any other dividends can be paid.

The dividend on preferred stock is usually 5% to 7%. Investors who wish good security and a definite rate of income from year to year are inclined to buy preferred stock.

Common stock is stock that is entitled to share in the net earnings of a company after the dividends on the preferred stock have been paid.

If the net earnings of a company are very large, common stock may be worth more than preferred stock. For example, if the preferred stock of a company is entitled to 5%, and if the earnings are such as steadily to pay the common stockholders 10%, the common stock will be worth about twice as much as the preferred.

137. Buying Stock. A purchaser usually buys stock through a *broker,* and the broker obtains it through some other broker who has it for sale. The transaction between the brokers is usually carried on in a place called a *stock exchange.*

A stock exchange is merely a large auction room where brokers having stocks to sell may dispose of them to the highest bidder among the brokers who have orders to buy.

Brokers usually charge *brokerage* of $\frac{1}{8}\%$ for buying and $\frac{1}{8}\%$ for selling stock, computed on the par value. If stock is quoted in the newspaper at $96\frac{1}{2}$, it means that a \$100 share will cost the purchaser $\$96\frac{1}{2} + \$\frac{1}{8}$, or $\$96\frac{5}{8}$. It also means that the man who sells the stock receives $\$96\frac{1}{2} - \$\frac{1}{8}$, or $\$96\frac{3}{8}$, since he also has to pay brokerage.

The only fractions used in stock quotations are halves, quarters, and eighths. Fractional parts of a share are not sold. Stock purchased by speculators is usually in 100-share lots, although investors often purchase smaller amounts.

Stocks form a legitimate and common investment of earnings, in spite of the fact that many persons buy them on credit, hoping to make a profit by some sudden rise in value.

EXERCISE 67

Find the cost of the following stocks, adding $\frac{1}{8}\%$ brokerage in each case:

1. 100 shares @ $106\frac{3}{8}$.
2. 125 shares @ $112\frac{5}{8}$.
3. 140 shares @ $115\frac{1}{2}$.
4. 275 shares @ $127\frac{1}{4}$.
5. 350 shares @ $142\frac{3}{4}$.
6. 75 shares @ 62.
7. 80 shares @ $75\frac{1}{4}$.
8. 65 shares @ $98\frac{1}{2}$.
9. 125 shares @ $99\frac{1}{8}$.
10. 25 shares @ $127\frac{1}{2}$.

Find the amount received from the sale of the following stocks, deducting $\frac{1}{8}\%$ brokerage in each case:

11. 75 shares @ 82.
12. 25 shares @ $79\frac{1}{8}$.
13. 50 shares @ $96\frac{7}{8}$.
14. 120 shares @ $98\frac{1}{2}$.
15. 250 shares @ 125.
16. 125 shares @ 110.
17. 150 shares @ $112\frac{1}{2}$.
18. 175 shares @ $121\frac{1}{4}$.
19. 250 shares @ $142\frac{7}{8}$.
20. 275 shares @ par.

21. A man bought 50 shares of stock when it was quoted at $96\frac{7}{8}$, and sold it when quoted at par. Allowing, as usual, $\frac{1}{8}\%$ brokerage on each transaction, how much did he gain?

22. A man bought 75 shares of stock when the market price was 120, and sold it when the market price was 115. Allowing the usual brokerage, how much did he lose?

23. A man bought 125 shares of stock when the market price was $102\frac{7}{8}$, and sold it when the market price was still the same. Allowing the usual brokerage, how much did he lose on the transaction?

24. A man has \$3875 to invest. He decides that he will buy a certain stock quoted at $96\frac{3}{8}$. Allowing the usual brokerage, how many shares can he buy, and how much money will he have left?

138. Newspaper Quotations. In the daily newspapers may be found quotations showing the prices at which leading stocks were sold in the last session of the stock exchange.

The great center for trading in railway stocks is the New York Stock Exchange, on Wall Street. Many large cities have stock exchanges in which local stocks are bought and sold. Stocks of manufacturing and industrial corporations are known as *industrial stocks.*

The following are specimens of newspaper quotations:

American Express Co.	$208\frac{7}{8}$	Iowa Central	$31\frac{5}{8}$
Atchison, Topeka, & S. F.	$101\frac{7}{8}$	Louisville & Nashville	$127\frac{3}{8}$
Baltimore & Ohio	$111\frac{3}{4}$	Missouri Pacific	$68\frac{3}{8}$
Central of N.J.	231	N.Y. Central	$131\frac{1}{8}$
Chicago & Alton	$68\frac{1}{4}$	Northern Pacific	$132\frac{7}{8}$
Illinois Central	$149\frac{7}{8}$	Union Pacific	$184\frac{1}{8}$

In all cases remember to take into account the brokerage of $\frac{1}{8}\%$.

EXERCISE 68

Using the above quotations, find the cost of:

1. 150 shares of Iowa Central.
2. 125 shares of Illinois Central.
3. 75 shares of Baltimore & Ohio.
4. 110 shares of Chicago & Alton.
5. 25 shares of American Express Co.
6. 175 shares of Louisville & Nashville.
7. 180 shares of Central of New Jersey.
8. 50 shares of Atchison, Topeka, & Santa Fe.

Find the amount received from the sale of:

9. 25 shares of Missouri Pacific.
10. 35 shares of New York Central.
11. 75 shares of Northern Pacific.

Find the gain or loss in buying 25 shares of the following stocks as quoted on page 113, and selling at the price given below:

12. American Exp., 210.
13. Atchison, 103½.
14. Balt. & Ohio, 109⅞.
15. Central of N.J., 225½.
16. Chic. & Alton, 68¾.
17. Ill. Cent., 151⅛.
18. Iowa Cent., 33½.
19. Louisv. & N., 129.
20. Missouri Pac., 71.
21. N.Y. Cent., 137½.
22. Northern Pac., 135.
23. Union Pacific, 180½.

24. A man bought 250 shares of American Express at the price quoted on page 113, and sold 100 shares at 207 and the rest at 209½. Did he gain or lose on the lot, and how much?

25. A man bought 250 shares of Baltimore & Ohio at the quotation in Example 14. He kept it a year, receiving meantime a dividend of 6%, and sold it at 112. Money being worth 5%, did he gain or lose, and how much?

26. A man bought 25 shares of New York Central at 138, 125 shares of Iowa Central at 29, and 50 shares of Illinois Central at 150. He sold them at the quotations given on page 113. Did he gain or lose, and how much?

27. A man bought 150 shares of Atchison at 101⅞. He borrowed the money to pay for it, at 5% interest. He kept the stock 6 months and sold it at the quotation given on page 113, having meantime received a dividend of 3%. Did he gain or lose, and how much?

28. A man bought 75 shares of American Express, 25 shares of Iowa Central, 50 shares of Chicago & Alton, and 150 shares of New York Central, at the quotations given on page 113, and sold them at the quotations given at the top of this page. Did he gain or lose, and how much?

139. Declaring Dividends. If the capital of a company is \$150,000, and the net earnings for six months amount to \$4875, the directors might declare a dividend of $3\frac{1}{4}\%$, since \$4875 is $3\frac{1}{4}\%$ of \$150,000. They will probably, however, declare a dividend not exceeding 3% (\$4500) and carry the balance as undivided profits to the surplus fund to meet an emergency.

EXERCISE 69

1. If the capital is \$125,000, and \$3125 is distributed as dividends, what is the rate of dividend?

2. If the capital is \$75,000, and a dividend of $3\frac{1}{2}\%$ is declared, what is the amount of the dividend?

3. If a company declares a dividend of $4\frac{1}{2}\%$, and this amounts to \$4050, what is the capital?

4. If a company declares a dividend of $5\frac{1}{2}\%$, and this amounts to \$4,152,500, what is the capital?

5. If a company declares a dividend of 4% on its capital stock, how much dividend will a man receive who owns 75 shares?

6. A company having a capital of \$75,000 loses \$1875. If an assessment is made to pay this loss, what per cent of his stock must each stockholder be assessed?

7. The net earnings of a company having a capital of \$150,000 amounted to \$7677.56 in 6 months. The company carried \$927.56 to its surplus fund and divided the remainder in dividends. What was the rate of dividend?

8. A railroad company having a capital of \$178,632,000 earns \$98,369,059 in one year. Its operating expenses are \$75,803,333, and it pays interest on its debt and carries to surplus a total of \$11,847,806, dividing the remainder in dividends. What is the rate of dividend for the year?

140. Rate of Income. If stock paying a 6% dividend is bought at 149⅞, or 150 including the brokerage, the owner receives \$6 on every \$150 invested. He therefore receives \$6 ÷ \$150, or 4% on his investment.

Always add the brokerage to the market price.

EXERCISE 70

Given the rate of dividend and the market price, find the rate of income on the investment:

1. 5%, 124⅞.
2. 8%, 199⅞.
3. 7%, 174⅞.
4. 7%, 139⅞.
5. 9%, 149⅞.
6. 10%, 124⅞.
7. 4½%, 112⅜.
8. 8%, 159⅞.
9. 7%, 87⅜.
10. 4½%, 74⅞.
11. 4%, 94⅞.
12. 4½%, 82⅜.
13. 5%, 109⅞.
14. 4%, 98⅞.
15. 6%, 120⅜.
16. 7%, 130⅛.
17. 10%, 190.
18. 15%, 299⅞.

19. Which will bring the better income, a 5% promissory note or a 6% stock quoted @ 119⅞?

20. Which will bring the better income, a 5% promissory note or a 7% stock quoted @ 150? How much better?

21. Which will bring the better income, a 5% promissory note or an 8% stock quoted @ 149⅞? How much better?

22. Which will bring the better income, a 6% stock quoted @ 139⅞ or a 5% stock quoted @ 119⅞? How much better?

23. If an investor receives \$6 on each share of stock he owns, and this is 5% on what he paid for the stock, how much did it cost him? What was the quoted market price?

24. If an investor receives 6% on his investment in a stock that pays 9% dividends, how much did the stock cost him? What was the quoted market price?

141. Bonds. A written or printed promise to pay a specified sum at a given time, signed by the maker and often bearing his seal, is called a *bond.*

Bonds are usually secured by *mortgages* on the property of the maker, these being agreements by which the holders of the bonds may sell the property if either the interest or principal is unpaid.

142. Kinds of Bonds. Bonds are called *coupon bonds* if they have small promissory notes (coupons) annexed, which are cut off and presented for payment when the interest is due. They are called *registered bonds* if the owner's name is registered on the books of the company.

143. Illustrative Problems. How much is the income on \$7000 worth of 4% bonds?

The income is 4% of \$7000, or \$280.

Three-year bonds, paying 5%, are quoted at $102\frac{7}{8}$. What rate of income would an investor receive on the cost?

They cost $\$102\frac{7}{8} + \$\frac{1}{8}$, or \$103, for every \$100 face value.

They pay \$5 for every \$100 face value, but at the end of 3 years the investor receives only \$100 instead of \$103, or an average loss of \$1 a year (not counting interest on this amount). Therefore the net income is only \$5 − \$1, or \$4, a year on the \$103 invested.

Then \$4 ÷ \$103 = 0.03883+, the approximate rate of income.

EXERCISE 71

Find the income on the following bonds:

1. 4%, \$9000.
2. 5%, \$7000.
3. 6%, \$6000.
4. 3%, \$8500.
5. 4%, \$6500.
6. $3\frac{1}{2}$%, \$13,500.
7. $4\frac{1}{2}$%, \$17,000.
8. $5\frac{1}{2}$%, \$12,000.
9. $6\frac{1}{2}$%, \$17,000.
10. 6%, due in 2 years, quoted at $101\frac{7}{8}$.
11. 7%, due in 4 years, quoted at $101\frac{7}{8}$.
12. 5%, due in 10 years, quoted at $112\frac{3}{8}$.

EXERCISE 72

Problems without Numbers

1. If you know the newspaper quotation on a certain stock, how do you find the cost of a share?

2. If a certain stock is quoted at a specified amount above par, how do you find the cost of a share?

3. About what would have to be the rate of dividend on a railroad stock to have it at par? to have it below par?

4. If you own some railroad stock and should sell it through a broker and buy it back at the same quoted price, how would you compute your loss?

5. If you own some stock and wish to sell it, and know the market price, how much will you receive for the stock?

6. Knowing the capital and the net earnings of a company, and the amount to be carried to surplus, how do you find the rate of dividend?

7. Knowing the quotation on a certain stock, and the rate of dividend, how do you find the rate of income on the amount invested?

8. How do you find the income on a certain number of bonds of a given par value, the rate being known?

9. How do you find the income on a certain number of bonds of a given par value, the time they have to run and the rate being known?

10. If the rate of interest on some bonds is known, and also the amount of income, how do you find the par value of the bonds?

11. What is the difference between preferred stock and common stock? between common stock and a bond? How do you decide which is best for an investment?

CHAPTER VI

BANKING

144. Banks. A corporation authorized by law to receive and loan money and to perform certain other financial operations is called a *bank.*

Formerly there were many private banks, but now banks are usually corporations.



This picture represents the interior of a city bank. The clerk who receives money is called the *receiving teller;* the clerk who pays out money is called the *paying teller.*

145. Savings Banks. The banks where people keep their savings, receiving a low rate of interest, are carefully guarded by the laws of most of the states. These banks are called *savings banks.*

Nearly 9,000,000 persons in the United States have deposits in savings banks. These deposits amount in all to nearly $4,000,000,000.

146. Interest in Savings Banks. Usually savings banks pay interest semiannually, adding this to the principal on deposit. This is, therefore, a case of compound interest. The following is a specimen account at a bank paying 2% every six months (4% a year, payable semiannually), on the smallest balance on deposit during the period.

Date		Deposits		Interest		Payments		Balance	
1910									
July	1	$600	50					$600	50
July	20	75						675	50
Sept.	6					$120		555	50
Dec.	7	60						615	50
Dec.	20					65		550	50
1911									
Jan.	1			$11				561	50
May	9	200						761	50
July	1			11	22			772	72

Here the smallest balance during the first interest period was $550.50. Interest is computed on the dollars only, the cents being neglected. At 2% the interest on $550 is $11. In the second period the smallest balance is $561.50, the interest being $11.22.

Some banks allow interest from the first of each month; others from the first of each quarter; others, as above, from the first of each half year. The interest is computed on the smallest balance on hand between this day and the next interest day, and is usually added to the principal every half year.

In the above example, if the interest period had been 3 months and the interest had been credited every 6 months, then the interest would have been:

First quarter, 1% of $555 = $5.55.
Second quarter, 1% of $550 = 5.50. Credit $11.05.
Third quarter, 1% of $561 = 5.61.
Fourth quarter, 1% of $561 = 5.61. Credit $11.22.

In this case, therefore, the difference in interest would have been only five cents.

EXERCISE 73

In the following, find the balance due on the last date, interest 2% every six months on the smallest balance on deposit during six months preceding Jan. 1 and July 1:

1. Deposits: Jan. 1, 1910, $750; Feb. 3, $425; June 1, $37.50. Payments: Mar. 7, $230; May 6, $26.75. Balance, July 1, 1910.

2. Deposits: Jan. 1, 1910, $675.50; Mar. 2, $923.75; Sept. 5, $327.60. Payments: Feb. 7, $327.40; Oct. 10, $750. Balance, Jan. 1, 1911.

3. Deposits: Dec. 31, 1910, $500; Feb. 2, 1911, $300; Mar. 16, $250; Aug. 1, $50; Oct. 5, $125. Payments: Mar. 6, 1911, $325; May 11, $275; Sept. 12, $25; Nov. 15, $100. Balance, Jan. 1, 1912.

In the following, find the balance due on the last date, interest being 1% every three months on the smallest balance on deposit during the three months preceding Jan. 1, Apr. 1, July 1, and Oct. 1, and all interest being payable on Jan. 1 and July 1.

4. Deposits: Mar. 1, 1910, $200; June 3, $675; July 1, $350. Payments: Mar. 8, $50; May 17, $60; July 8, $50. Balance, Jan. 1, 1911.

5. Deposits: Apr. 1, 1911, $375; May 25, $460; June 14, $380; Aug. 8, $750. Payments: May 3, $75; Sept. 6, $50; Nov. 8, $130; Feb. 1, 1912, $200. Balance, July 1, 1912.

6. A man on July 1 deposited $2500 in a savings bank and left it for 3 years. The rate of interest was 4% a year and the interest was added to the principal semiannually. How much less interest did he receive than he would have received had he loaned the money at 5% simple interest?

147. Commercial Banks. Most banks receive money on deposit and pay it out on written orders, allowing no interest. Such banks are called *commercial banks.*

They are also known as *banks of deposit.* They afford a safe place for keeping money. They make their profit by loaning money. Savings banks are usually allowed to loan only on real estate or certain specified bonds of high grade as security, but commercial banks loan on promissory notes. Commercial banks also transmit money from one place to another, and make collections, as described later.

148. Depositing Money. When a reliable person wishes to open an account with a bank he begins by depositing some money. In depositing money a *deposit slip* is filled out each time, as here shown.

SECOND NATIONAL BANK
SPRINGFIELD, ILL.

Deposited for the account of
J. S. Roberts

Date *Feb. 3* 19*12*

Bills	*75*	
Gold	*10*	
Silver and small coin	*20*	
Check on *1st Nat.* Bank	*126*	*75*
Check on *Chicago Nat.* Bank	*37*	*60*
Total	*269*	*35*

The money and deposit slip are then presented to the *receiving teller* or to the *cashier*, together with a bank book in which the teller or cashier enters the amount deposited.

Many banks do not insist on having inserted in a deposit slip the name of the bank on which a check is drawn.

EXERCISE 74

Make out deposit slips for the following deposits, naming some bank in your vicinity:

1. Bills, $478; gold, $20; silver, $12; check on First National Bank, $93.75.

2. Bills, $295; silver, $27; checks on Farmers Bank, $275.50; Second National, $127.62.

3. Bills, $427; gold, $25; silver, $65; checks on Union Trust, $92.50; Manufacturers Bank, $326.75.

4. Bills, $396; gold, $75; silver, etc., $73.75; checks, $72, $40, $127.50, $345.75.

5. Bills, $426; silver, etc., $63.30; checks, $32.75, $16.50, $48.90, $123.45, $63.50.

6. Bills, $275; silver, etc., $50.75; checks, $27.62, $48.35, $62.90, $91.75, $126.30.

7. Bills, $300; silver, etc., $40; checks, $37.75, $52.50, $46.75, $75, $31.90, $43.

8. Bills, $250; silver, etc., $20; checks, $48, $70, $13.62, $19.83, $76.75, $49.32.

9. Bills, $420; gold, $75; silver, etc., $40; checks, $39.50, $42.75, $61.80, $120.35.

10. Bills, $37; checks, $14.75, $35.20, $48, $29.30, $62.75, $81.50, $8.15, $7.80.

11. Checks, $48.50, $16.90, $17.30, $21.25, $48.02, $37.70, $42.72, $30.96, $48.70, $9.20.

12. Checks, $148.62, $7.90, $4.08, $39.70, $62.80, $47, $106.05, $32.75, $81.22, $62.75, $38.40.

13. Bills, $428; gold, $80; silver, etc., $45.75; checks, $272.75, $121.62, $396.80, $92.75, $38.75, $326.42.

149. Drawing Money. When a person opens an account at a bank he is given a *check book*. Each page has one or more *checks* and *stubs*. On the presentation of a check properly filled out, signed, and indorsed the bank will pay the amount specified, if the drawer's account is sufficient, and the holder is properly identified.

Stub	*Check*
No *575*	No. *575* MADISON, WIS., *Feb. 1*, 19*12*
Date *Feb. 1, 1912*	FIRST NATIONAL BANK OF MADISON
To *B. H. Roberts*	Pay to the order of
For *Bal. acct.*	*B. H. Roberts* $*75.*$\frac{75}{}$
Amt. $*75.*$\frac{75}{}$	*Seventy-five and* $\frac{75}{100}$ ~~~~ Dollars
	Rufus J. Perkins

In this case Rufus J. Perkins is the *drawer* and B. H. Roberts is the *payee*. The stub is kept by the drawer as a memorandum.

A check is usually payable to "self", in which case only the drawer can collect it; or to the order of the payee, in which case he must write his name across the back (*indorse* it); or to the payee or bearer, in which case any one can collect it; or to "cash", in which case any one can collect it. Of these forms, the one to the order of the payee, as above shown, is the most common.

In the above case, if B. H. Roberts draws the money he writes simply his name across the back. This is called a *blank indorsement*, or *indorsement in blank*. If he wishes to use it in paying some other person, for instance, Jacob C. Sturgess, he would write:

Pay to the order of
Jacob C. Sturgess
B. H. Roberts

This is called a *full indorsement*, and only Jacob C. Sturgess could collect it, unless he should indorse it in favor of some one else.

EXERCISE 75

1. Make out a check for $75.60, payable to the order of J. P. Flint. Indorse the check in blank.

2. Make out a check for $62.75, payable to the order of M. G. Thompson. Write the stub. Indorse the check to the order of R. P. Hull.

3. If a man had a balance of $273.75 at the beginning of last month, and has since given checks for $15.63, $28.96, $14.60, $5.75, $12.30, and $38.09, and made no deposits, what is his balance now?

4. If a merchant had a balance of $496.75 on the first of last month, and has since deposited $39.80, $126.70, and $98.90, and given checks for $72.83, $48.65, and $271.96, what is his balance now?

5. If a merchant had a balance of $592.80 on the fifteenth of last month, and has since deposited $98.60, $48.90, $5.70, $19.68, $72.75, $37.63, and $100, and has given checks for $38.40, $125.75, $30.42, and $75, what is his balance now?

6. A merchant's balance on the first of last week was $575.72. He has since deposited $162.75, $380.96, $401.75, $25.60, $75, and $129.80. He has given checks for $272.70, $92.35, $178.62, $325.25, and $68.70. What is his balance now?

7. A merchant's balance on the first of last week was $298.72. He has since deposited $42.80, $121.62, $148.90, $275.26, $72.50, $69.75, $14.02, and $9.70. He has given checks for $38.72, $129.40, $42.60, $25.80, $206.07, and $42.96. He has also paid by check a bill of $82.50 less 10% and 5%, and one of $48.75 less 3%. What is his balance now?

150. Borrowing from Banks. Banks make a business of lending money on short terms to reliable borrowers, taking promissory notes as evidence of the debt. Such a note is made more secure in one of three ways:

1. It is made payable to some responsible person who *indorses* it; that is, he signs his name across the *back*. This makes him responsible to the bank if the maker does not pay it, and if he is promptly notified.

2. It is signed by two or more makers, and is made payable to the bank. Such notes usually read, "We jointly and severally promise to pay," so that the bank may hold all the makers together responsible, or any one of them separately.

3. It is made payable to the order of the bank and is secured by the deposit of stocks, bonds, or other securities. These are called *collateral securities*.

151. Form of a Bank Note. The first of the above forms is as follows:

INDIANAPOLIS, IND., *May 15,* 19*13*

Sixty days after date, *I* promise to pay to the order of

P. M. Stockwell ..... $*2000.*^{00}

Two Thousand ..... Dollars

at **The First National Bank, Indianapolis, Ind.**

Value received

John Wilson

Due *July 14, 1913*

This note is due, or it *matures*, on July 14. Formerly three *days of grace* were allowed on a note, so that the above note would mature on July 17, but this custom has been abolished in most states and is not considered in this book.

Bank notes are usually made for 30, 60, or 90 days.

When the time of a note is expressed in months, calendar months are used in computing the date of maturity; when the time is expressed in days, the exact number of days is used.

152. Bank Discount. The note given in § 151 does not mention any interest. This is because banks generally require the interest to be paid in advance.

Interest paid on a note in advance is called *bank discount*, and such a note is said to be *discounted*.

The rate of discount is understood to be by the year, as in the case of interest, unless there is a statement to the contrary.

153. Proceeds. The balance after deducting the discount from the face of a note is called the *proceeds*.

For example, what are the discount and the proceeds on the note given in § 151, the rate being 6%?

Face of note	$2000
Discount on $2000, 60 da., @ 6% .	20
Proceeds	$1980

EXERCISE 76

Find the discount and the proceeds on the following:

1. $250, 30 days, 6%.
2. $575, 30 days, 6%.
3. $625, 60 days, 6%.
4. $1250, 60 days, 5%.
5. $2250, 60 days, 5%.
6. $175, 30 days, 5%.
7. $1275, 60 days, 5½%.
8. $2350, 60 days, 5½%.
9. $275.50, 90 days, 6%.
10. $527.50, 90 days, 6%.

11. Make out a 60-day note for $1250, dated to-day, payable to R. H. Dodge, or order, at some bank in your vicinity. Discount it at 6% and find the proceeds.

12. Make out a 90-day note for $725, dated to-day, payable to P. M. Milton, or order, at some bank in your vicinity. Discount it at 6% and find the proceeds.

13. A cattle dealer needs $1700 for 30 days. He puts up collateral at a bank and borrows this amount. How much discount must he pay, the rate being 5%?

154. Discounting Interest-bearing Notes. It frequently happens that a manufacturer or dealer holds notes of his customers and wishes to get the money on them before they are due. In this case he may indorse the notes and sell them to a bank for the sum due at maturity, less the discount.

For example, a manufacturer has a note of one of his customers for $350, dated October 15 and due 3 months after date, with interest at 5%. He discounts this note at a bank at 6% on Nov. 16. What are the proceeds?

Face of the note	$350.00
Interest for 3 mo., 5%	4.38
Amount due at maturity . . .	$354.38
Discount, 60 da., 6%	3.54
Proceeds	$350.84

Here the time from November 16 to January 15, 60 days, is the *term of discount.*

Bankers compute the discount for the exact number of days in the term of discount. It should be noticed that *interest is computed on the face of the note at the beginning of the term, discount on the amount of the note at maturity.*

EXERCISE 77

Find the discount and the proceeds:

	Face	*Date*	*Due*	*Interest*	*Date of Discount*	*Rate of Discount*
1.	$250	Jan. 1	July 1	5%	Jan. 15	6%
2.	$375	Oct. 7	Jan. 7	5%	Oct. 7	6%
3.	$425	Oct. 18	Feb. 18	6%	Oct. 18	6%
4.	$550	Sept. 20	Jan. 20	5%	Nov. 1	6%
5.	$675	Nov. 16	May 16	6%	Dec. 1	5%
6.	$1250	Aug. 7	Feb. 7	5%	Nov. 15	5%
7.	$375.50	May 16	Sept. 16	6%	July 1	6%
8.	$827.25	July 1	Feb. 1	6%	Oct. 1	6%

9. A 60-day note for \$1225, without interest, dated June 20, was discounted the day of its date at 6%. Find the discount.

10. A 60-day note for \$1225, with interest at 5%, dated June 20, was discounted the day of its date at 6%. Find the discount.

11. A 60-day note for \$1225, with interest at 6%, dated June 20, was discounted the day of its date at 5%. Find the discount.

12. A 60-day note for \$1225, with interest at 6%, dated June 20, was discounted on July 20 at 6%. Find the discount.

13. A 30-day note for \$2500, without interest, dated April 1, was discounted 15 days later at 6%. Find the discount and the proceeds.

14. A 90-day note for \$1650, with interest at 5%, is discounted 30 days after date at 6%. Find the proceeds.

15. A 90-day note for \$1650, with interest at 6%, is discounted 30 days after date at 5%. Find the proceeds.

16. A 90-day note for \$1650, with interest at 6%, is discounted the day of its date at 6%. Find the proceeds.

17. A 90-day note for \$1650, without interest, is discounted the day of its date at 6%. Find the proceeds.

18. How much greater are the proceeds on a note for \$675 due 30 days hence, than on one for the same amount due 90 days hence, there being no interest in either case, and the rate of discount being 6% ?

19. On which can a man realize the more at a bank where the discount rate is 6%, a 6-months note for \$2550 with interest at 6%, or a 4-months note for \$2600 without interest? How much more?

155. Drafts. A written order by which one person directs another to pay a certain sum of money is called a *draft.*

A check is therefore a kind of draft. Usually the word *check* is used for an order on a bank, signed by a private individual; *draft* is used for an order other than a check, on one private individual or corporation signed by another. A draft may therefore be made by an individual on a company, by one bank on another, by a company on a private individual or firm, and so on.

156. Commercial Drafts. A draft made by one business house on another to secure the payment of a debt is called a *commercial draft.*

The following is a common form of commercial draft:

Cleveland, Ohio, *Aug. 8,* 19*12*

At *thirty* days sight pay to the order of

myself

$*975.*^{00}

Nine Hundred Seventy-five and $\frac{00}{100}$ Dollars

To *Robert J. Clements*

Louisville, Ky. *J. M. Simons*

Accepted Aug. 10, 1912
Robert J. Clements

In this case J. M. Simons has sold Robert J. Clements $975 worth of goods on 30 days' credit. When he sends the bill he also sends this draft. Mr. Clements writes "Accepted, Aug. 10, 1912, Robert J. Clements" across the face, and returns it to Mr. Simons. This becomes thereby a promise to pay $975 "at 30 days sight," that is, on Sept. 9, or 30 days after the acceptance on Aug. 10. Mr. Simons may now discount this at a bank, just as he would a promissory note.

This is coming to be a common way of borrowing money at a bank, replacing the older method by a promissory note. A general name for such evidences of debt as can be sold to banks is *negotiable paper.*

In this draft Mr. Simons is the *drawer*, Mr. Clements the *drawee*, and as the draft is payable to him, Mr. Simons is also the *payee.*

EXERCISE 78

1. A draft dated Aug. 8, at 30 days sight, for $975, is accepted on Aug. 10, and is discounted on Aug. 16 at 6%. What are the proceeds?

2. A draft dated Sept. 1, at 30 days sight, for $350, is accepted on Sept. 4, and is discounted on Sept. 7 at 6%. What are the proceeds?

3. A draft dated April 2, at 60 days sight, for $725, is accepted on April 7, and is discounted on April 12 at 6%. What are the proceeds?

4. A draft dated Oct. 15, at 60 days sight, for $1225.75, is accepted on Oct. 19, and is discounted on Oct. 25 at 6%. What are the proceeds?

5. A draft dated Feb. 7, at 90 days sight, for $1675.50, is accepted on Feb. 14, and is discounted on Feb. 22 at 5%. What are the proceeds?

6. A draft dated Aug. 6, at 90 days sight, for $2170.60, is accepted and discounted on the day of its date. The rate of discount being $5\frac{1}{2}\%$, find the proceeds.

7. A manufacturer sells goods listed at $725.50, discounted at 10% and 5%, and draws on the buyer at 60 days sight. The buyer accepts the draft and it is discounted 10 days later at 6%. Write the draft and find the proceeds.

8. A manufacturer sells goods listed at $1672.25, discounted at 8% and 3%, and draws on the buyer at 60 days sight. The buyer accepts the draft and it is discounted 5 days later at 5%. Write the draft and find the proceeds.

9. A wholesale house sells goods listed at $2737.50, discounted at 15%, 8%, and 3%, and draws on the buyer at 90 days sight. The buyer accepts the draft and it is discounted 30 days later at 5%. Write the draft and find the proceeds.

157. Finding the Face. If it is desired to borrow exactly \$1000 on a 60-day note that is to be discounted at a bank at 6%, the face of the note must evidently be such a sum as discounted will leave \$1000 as the proceeds.

First consider the face of the note as	\$1.00
Then the discount, @ 6% for 60 da., is	0.01
Therefore the proceeds are	\$0.99

Hence \$1000 must be the proceeds of as many times \$1 as \$1000 ÷ \$0.99, or \$1010.10.

That is, the face of the note must be \$1010.10.

EXERCISE 79

1. What must be the face of a 60-day note in order that when discounted the day of its date at 6% the proceeds shall be \$497.50?

2. What must be the face of a 90-day note in order that when discounted the day of its date at 5% the proceeds shall be \$1777.50?

3. What must be the face of a 30-day note in order that when discounted the day of its date at 6% the proceeds shall be \$500?

4. A manufacturer sold some goods for \$1950 less 10% discount. He took the purchaser's note for 60 days for an amount such that when it was discounted at 6% the proceeds just paid the bill. What was the face of the note?

5. A manufacturer sold some goods for \$2400 less 10% and 5%. He took the purchaser's note for 30 days for an amount such that when it was discounted at 6% the proceeds just paid the bill. What was the face of the note?

6. A wholesale dealer sold some goods for \$3200 less 10% and 3%, due in 90 days. He took the purchaser's note for an amount such that when it was discounted at 6% the proceeds just paid the bill. What was the face of the note?

EXERCISE 80

Review Problems

1. Find the amount of \$500, compounded semiannually, at the rate of 4% a year, for 5 years.

2. A man deposits \$750 in a savings bank on July 1, 1910. His further deposits are as follows: Aug. 1, 1910, \$300; Sept. 15, 1910, \$250; Dec. 31, 1910, \$1000; June 15, 1911, \$500. He draws out as follows: Oct. 12, 1910, \$400; June 20, 1911, \$375; Aug. 2, 1911, \$200. The savings bank pays 1% every three months on the smallest balance for the preceding quarter, on Jan. 1, Apr. 1, July 1, and Oct. 1. Find the balance on Jan. 1, 1912.

3. Make out a deposit slip for the following deposits, naming some bank in your vicinity: bills, \$575; gold, \$35; silver, \$72.25; checks, \$48.25, \$72.50, \$61.30, \$227.52, and \$86.95. If your balance was \$326.42 before, what was it after the deposit?

4. A merchant's balance on the first of the month was \$1725.60. He has since deposited \$37.50, \$296.75, \$21.30, \$572.32, and \$217.65. He has given checks for \$128.92, \$27.36, \$18.92, \$78.76, and \$273.96. How much is his present balance?

5. Make out a 90-day note for \$1250, dated to-day, payable to R. P. Foster, or order, at some bank in your vicinity. Discount it at 6%. If with the proceeds you buy 10 shares of stock when quoted at $108\frac{3}{8}$, how much money will you have left?

6. Which is the greater, the proceeds of a note for \$750 for one year, drawing interest at 6%, and discounted on the day of its date at 5%, or the amount of a note for \$700 for one year at 6%? How much greater?

EXERCISE 81

Problems without Numbers

1. How is the interest due on the first of the year on a savings-bank account ascertained?

2. Which pays the better interest, if the money is left undisturbed for five years, a 4% promissory note or a savings-bank deposit at 4%? Why?

3. How do you fill out a deposit slip? After entering the items what operation do you perform? How do you make sure of the result?

4. If you know a man's balance in a bank a week ago and his deposits and checks since, how do you proceed to find his balance now?

5. How do you find the discount on a promissory note? How do you find the proceeds?

6. If a note drawing a certain rate of interest is discounted on the day it is made, at the same rate, are the proceeds greater than the face, or equal to it, or less? Why is this?

7. How can a manufacturer discount a claim against a purchaser, the claim not being yet due? How is the discount found?

8. If you know the proceeds and rate of discount, how do you find the face of a note?

9. If you know the face of a note and the proceeds, how do you find the discount? the rate of discount?

10. If a dealer buys some produce and agrees to pay for it in 90 days, with interest at 6%, and the seller takes a note and at once discounts it at 5%, will he receive more than the selling price, or the same amount, or less? Why?

CHAPTER VII

EXCHANGE

158. Paying Bills at a Distance. If a man owes money at a distance, he may pay it in any one of several ways :

(1) He may send or carry the money.

(2) He may send a money order.

(3) He may send his check.

(4) He may send a bank draft.

(5) He may wait until the one whom he owes draws upon him, as mentioned in § 156.

159. Exchange. The payment of money by means of checks, money orders, or drafts is called *exchange.*

160. Paying by Money Order. A man who owes money at a distance may purchase a postal money order at a post office, an express money order at an express office, or a telegraphic money order at a telegraph office.

The cost of postal money orders is as follows: For sums not exceeding $2.50, 3 cents ; over $2.50 to $5, 5 cents ; over $5 to $10, 8 cents ; over $10 to $20, 10 cents ; over $20 to $30, 12 cents ; over $30 to $40, 15 cents ; over $40 to $50, 18 cents ; over $50 to $60, 20 cents ; over $60 to $75, 25 cents ; over $75 to $100, 30 cents. Express money orders cost about the same. Postal money order rates to foreign countries vary with the country and the amount, — from 8 cents for sums not exceeding $10 to some countries, to $1 for sums over $90, but not exceeding $100, to other countries.

The rate for telegraphic money orders is double the cost of a ten-word message, plus 25 cents if the sum does not exceed $25, and plus 1% of the amount of the order for larger sums.

161. Paying by Check. Usually local bills are paid by check. A check sent to pay a bill at a distance is deposited by the payee in the bank where he keeps his account, and this bank sends it to the debtor's bank for collection, often making a slight charge for the trouble.

In some cities the banks agree to charge for collecting all out-of-town checks. This costs the payee of the check from ten cents upward, according to the amount involved.

A bank may guarantee that a check is good. This is done by the cashier writing the word "Certified" across the face, with the date and his signature.

EXERCISE 82

Find the cost of postal money orders for:

1. \$1.75.	4. \$9.92.	7. \$29.88.	10. \$47.50.
2. \$2.75.	5. \$19.20.	8. \$31.75.	11. \$65.90.
3. \$7.50.	6. \$25.50.	9. \$39.95.	12. \$96.75.

13. A man owing \$250 sent his check in payment. The creditor deposited the check and the bank charged him 0.1% for collecting. What was the net amount received by the creditor?

14. A manufacturer received checks for \$1200, \$650, \$2250, and \$1750. His bank charged him 0.1% for collecting. How much in all did he pay for the collecting of the four checks?

15. A man wishes to send a check to a friend for an amount such that after the bank has deducted 0.1% for collecting there will remain exactly \$3246.75. What shall he make the face of the check?

16. A man deposited a check for \$1500 in a bank, and the net proceeds after the bank had deducted its charge for collecting was \$1497. What was the rate that the bank charged for collecting?

162. Bank Drafts. A check drawn by one bank on another is called a *bank draft*, or simply a *draft*.

Banks usually charge from 0.1% to $\frac{1}{4}$% on the face of a draft to pay for their trouble and expense.

No. *2796*

FIRST NATIONAL BANK OF SALEM

SALEM, OREGON, *April 16*, 19*12*

Pay to the order of ..... *Robert Stevens* ..... $*95.*$\frac{50}{}$

Ninety-five and $\frac{50}{100}$ ~~~~~~~~~~~~~~~~~~~~ Dollars

To the Second National Bank,
New York City

D. B. Roberts
Cashier

If Robert Stevens of Salem, Oregon, owed Tiffany & Co. of New York $95.50, he might purchase a draft like the above and indorse it:

Pay to the order of Tiffany & Co., New York
Robert Stevens

He would then send the draft to Tiffany & Co., who would indorse it and deposit it in their bank for collection.

If Robert Stevens had an account at the First National Bank of Salem, he might not be charged any exchange. Otherwise he would probably be charged about 0.1% *premium*, or ten cents in this case.

Sometimes the premiums on drafts are quoted at a number of cents per thousand dollars.

EXERCISE 83

Find the cost of drafts for the following amounts at the premiums stated:

1. $2500, 0.1%.
2. $3750, 0.1%.
3. $4850, 0.1%.
4. $4800, 0.2%.
5. $5600, 0.2%.
6. $250, $\frac{1}{8}$%.
7. $750, $\frac{1}{8}$%.
8. $640, $\frac{1}{4}$%.
9. $1280, $\frac{1}{4}$%.

163. Commercial Drafts. The fifth method mentioned in § 158 is that in which a commercial draft is used. These drafts have already been described (§ 156) and their use in connection with borrowing money has been explained.

For purposes of exchange, if J. M. Simons of Cleveland has sold to Robert J. Clements of Louisville $975 worth of goods on 30 days' credit, he may *draw upon* Mr. Clements by such a draft as that described in § 156. Instead, however, of sending the draft by mail and having it accepted, he may deposit it at once in his bank at Cleveland. This bank will then send it to some bank in Louisville, and that bank will present it to Mr. Clements for acceptance. If accepted it will hold the draft for 30 days, and then collect it and remit the money to Cleveland, charging the Cleveland bank a slight amount for collection, which will be charged finally to Mr. Simons.

EXERCISE 84

1. R. J. Lewis draws on J. P. Greene for $1750. The bank charges 0.1% for collection. What are the proceeds?

2. P. F. Brooks draws on M. R. Cook for $2150. The bank charges $\frac{1}{8}$% for collection. What are the proceeds?

3. M. J. Lange draws on F. P. Dow for $3600. The bank charges $\frac{1}{8}$% for collection. What are the proceeds? Write the draft.

4. F. P. Devoe collects a debt of $1950 against R. J. Stone by drawing upon him for the amount. The proceeds are $1948.05. What is the bank's rate for collection?

5. M. M. Miller draws upon R. D. St. Clair for $2150 and the bank charges $4.30 for making the collection. What rate does the bank charge? Write the draft.

6. R. R. Stewart sells F. M. Nixon 6 dressers @ $15.50, 4 bedsteads @ $12.50, and 4 doz. chairs @ $30 a dozen, all less 10% and 5%. He draws upon him for the amount and the bank charges 25¢ for collecting. What are the proceeds?

164. Variation in Rates. A postal or express money order always costs more than its face, the extra cost constituting a fixed rate of exchange for various amounts. This is not so with drafts, however, for they often can be bought at their face value, and occasionally even below the face value.

If the cost of a draft is more than the face, exchange is said to be *at a premium*; if the cost equals the face, exchange is said to be *at par*; if the cost is less than the face, exchange is said to be *at a discount*.

For small sums, say less than $500, drafts on New York, Chicago, and other commercial centers usually sell at a premium of about 0.1%, and they are usually cashed at par in any place for a customer of a bank; that is, a depositor receives their face value anywhere.

For large sums, like $500,000, the premium is about what it would cost to send the money by express, unless the bank that draws the draft already has such an amount in the bank on which it draws. For example, if a company in St. Louis wishes a draft on New York for $500,000, and if New York banks owe St. Louis banks a large amount just at that time, then the St. Louis bank might be glad to give such a draft, and might even give it for $100 less than the face in order to save the expense and loss of time in shipping the money that New York was just then owing it.

EXERCISE 85

Find the cost of drafts for the following amounts, the premiums per $1000 being given:

1. $27,500, $1.80.
2. $36,500, $2.20.
3. $37,250, $2.40.
4. $48,125, $1.60.
5. $26,500, $1.75.
6. $125,000, $1.85.

Find the cost of drafts for the following amounts at the discounts stated:

7. $48,250, $\frac{1}{10}\%$.
8. $75,000, $\frac{1}{5}\%$.
9. $64,800, $\frac{1}{4}\%$.
10. $327,500, $\frac{1}{20}\%$.
11. $775,250, $\frac{1}{20}\%$.
12. $1,750,275, $\frac{1}{10}\%$.

EXERCISE 86

Review Problems

Find the cost of the following drafts:

1. \$1250, at par.
2. \$1750, 0.2% premium.
3. \$2760, 0.1% premium.
4. \$4500, $\frac{1}{4}$% discount.
5. \$2700, 0.2% discount.
6. \$25,750, 0.2% premium.

7. A draft for \$27,500 was bought for \$27,486.25. Was exchange at a premium or a discount? Find the rate.

8. The Lion Construction Co. of Bloomington, Ind., draws at sight on R. B. James of Memphis, Tenn., for \$1760.75 through the First National Bank of Bloomington. Write the draft and find the charge for collection at 0.1%, to the nearest 5 cents.

9. The Acme Manufacturing Co. of Guthrie, Okla., draws at 30 days sight on J. B. Martin of Kansas City, Mo., for \$275.60 through the First National Bank of Guthrie. Write the draft and acceptance and find the charge for collection at 0.1%, to the nearest 5 cents.

10. Roberts Bros. of Louisville, Ky., sell to M. R. Freeman of Ashland, Ky., goods to the value of \$1257.60, subject to discounts of 10% and 6% if paid within 10 days. Mr. Freeman pays at once by check. Write the check and find the cost of collection at 0.1%, to the nearest 5 cents.

11. Ashland & Co. of Mobile, Ala., sell to F. P. Prentice of Bessemer, Ala., goods to the value of \$1425.50, subject to a discount of 6%. They draw for this amount on June 3, at 90 days sight. The draft is accepted on June 5 and discounted at 6% on June 7. If the cost of the collection is 0.1%, to the nearest 5 cents, find the net proceeds realized by Ashland & Co.

165. Foreign Exchange. Exchange carried on with foreign countries is called *foreign exchange.*

166. English Money. The table is as follows:

12 pence (d.) = 1 shilling (s. or /) = $0.243 +
20 shillings = 1 pound (£) = $4.8665

We usually think of the penny as about 2¢, the shilling as about 25¢, and the pound as about $5.

167. French Money. The table is as follows:

100 centimes (c.) = 1 franc (fr.) = $0.193

We usually think of the franc as about 20¢, and the 5-franc piece as about $1. This system is used in several countries.

168. German Money. The table is as follows:

100 pfennigs (pf.) = 1 mark (M.) = $0.238

We usually think of 4 pf. as 1¢, and 1 M. as about 25¢.

EXERCISE 87

Express as pence:

1. £7. 2. £24. 3. £5 6s. 4. £7 2s. 4d.

Express as shillings:

5. £27. 6. £32. 7. 120d. 8. 720d.

Express as pounds and shillings:

9. 95s. 10. 72s. 11. 127s. 12. 342s.

Express as francs and decimals:

13. 750 c. 14. 275 c. 15. 680 c. 16. 1250 c.

Express as marks and decimals:

17. 450 pf. 18. 275 pf. 19. 1680 pf. 20. 9275 pf.

169. Bills of Exchange. Foreign drafts are often called *bills of exchange.*

Bills of exchange, like domestic drafts, may be above par (when exchange is at a premium), at par, or below par (when exchange is at a discount).

English exchange, often called Sterling exchange, is quoted at dollars to the pound (4.88 meaning that $4.88 will buy a bill of exchange for £1). If English exchange is above 4.8665, exchange is at a premium; if below, at a discount.

French exchange is quoted either at francs to a dollar (5.15 meaning that $1 will buy a bill of exchange for 5.15 fr.), or at cents to the franc (19.7 meaning that 19.7¢ will buy a draft for 1 fr.).

German exchange is quoted either at cents to 4 marks (98 meaning that a bill of exchange for 4 M. will cost 98¢), or at cents to the mark (24.3 meaning that 24.3¢ will buy a draft for 1 M.).

When necessary to distinguish it from foreign exchange, exchange that is carried on within our own country is called *domestic exchange.*

170. Illustrative Problems. 1. How much will a bill of exchange for £75 6s. cost @ 4.90?

£75 6s. $= £75\frac{6}{20} = £75.3$.

Since £1 costs $4.90,

therefore £75.3 cost $75.3 \times \$4.90$, or $368.97.

2. How much will a bill of exchange for 26,000 fr. cost @ 5.20?

Since 5.20 fr. cost $1,

therefore 1 fr. costs $\frac{\$1}{5.20}$,

and 26,000 fr. cost $26000 \times \frac{\$1}{5.20}$, or $5000.

3. How much will a bill of exchange for 1600 M. cost @ $94\frac{1}{4}$?

Since 4 M. cost $\$0.94\frac{1}{4}$,

therefore 1 M. costs $\frac{1}{4}$ of $\$0.94\frac{1}{4}$,

and 1600 M. cost $1600 \times \frac{1}{4}$ of $\$0.94\frac{1}{4}$, or $377.

EXERCISE 88

Find the cost of the following bills of exchange:

1. £7 @ 4.89.
2. £9 @ 4.90.
3. £12 @ 4.87.
4. £25 @ 4.86.
5. £47 @ 4.85.
6. £78 @ 4.92.
7. £2 6s. @ 4.90.
8. £3 8s. @ 4.88.
9. £7 4s. @ 4.86.
10. £12 15s. @ 4.85.
11. 350 fr. @ 5.20.
12. 480 fr. @ 5.23.
13. 575 fr. @ 19.4.
14. 680 fr. @ 19.6.
15. 2975 fr. @ 19.2.
16. 4270 M. @ 98.
17. 2680 M. @ 97.
18. 3275 M. @ 24.1.
19. 4680 M. @ 23.9.
20. 5975 M. @ 23.6.

21. How large a draft on London can be bought for $3359.75 when exchange is 4.91?

22. How large a draft on Paris can be bought for $38.80, when exchange is 19.4?

23. How large a draft on Berlin can be bought for $160.70, when exchange is 95.2?

24. A merchant buys a shipment of Sheffield cutlery amounting to £48 6s. What will a bill of exchange for this amount cost @ 4.91?

25. An importer buys a lot of Lyons silk to the value of 27,375 fr. What will a bill of exchange for this amount cost @ 5.20?

26. A Chicago dealer imports some Nürnberg toys to the value of 2650 M. What do they cost him, exclusive of freight and duty, exchange being 96?

27. Which is better for a man who wishes to pay 1000 fr. in Paris, to buy his bill of exchange from a dealer at 5.20, or from one at 19.2? How much better?

EXERCISE 89

Problems without Numbers

1. What method will you take to pay a debt at a distance? Why? Is it fair to the one you owe?

2. If you purchase a bank draft when exchange is at a premium, how will you find the cost of the draft?

3. If you purchase a bank draft when exchange is at a discount, how will you find the cost of the draft?

4. If a man in another place owes you, state all the steps to be taken in drawing on him for the amount.

5. How will you find the actual value in English money of a sum in our money?

6. How will you find the actual value in our money of a sum in English money?

7. How will you find the actual value in French money of a sum in our money?

8. How will you find the actual value in our money of a sum in German money?

9. How will you find the cost of a draft for a certain number of pounds, when the rate of exchange is given?

10. How will you find the cost of a draft for a certain number of francs, when the rate of exchange is given?

11. How will you find the cost of a draft for a certain number of marks, when the rate of exchange is given?

12. How will you find the face of a draft on London, given the cost and the rate of exchange?

13. How will you find the face of a draft on Paris, given the cost and the quotation in cents?

14. How will you find the face of a draft on Munich, given the cost and the number of cents to a mark?

CHAPTER VIII

MEASUREMENT OF SOLIDS

171. Prism. A solid bounded by two equal and parallel polygons and by parallelograms is called a *prism.*

The two equal and parallel polygons are called the *bases* of the prism, and the distance between them is called the *altitude.*

172. Volume of the Prism. In this figure it is evident that upon every square inch of the base there can be placed 1 cu. in., reaching 1 in. high. Therefore, if the prism is 4 in. high, the volume is 4 times the number of cubic inches in the shaded part.



Therefore, *the volume of a prism in cubic units equals the number of square units in the base, multiplied by the number of units in the altitude.*

173. Illustrative Problem. Find the volume of a prism with base 8 sq. in. and altitude 3 in.

3×8 cu. in. $= 24$ cu. in.

EXERCISE 90

Find the volumes of prisms with the following bases and altitudes:

1. 27 sq. in., 8 in.
2. 38 sq. in., $6\frac{1}{2}$ in.
3. 48 sq. in., $7\frac{3}{8}$ in.
4. 21.6 sq. in., 2.7 in.
5. 42.8 sq. in., 8.9 in.
6. 62.75 sq. in., 12.25 in.

174. Pyramid. A solid bounded by a polygon and by triangles that all meet in a point is called a *pyramid.*

The polygon is called the *base*, the triangles taken together are called the *lateral surface*, the point in which they meet is called the *vertex* of the pyramid, and the distance from the vertex to the base is called the *altitude.*



Pyramids

175. Volume of a Pyramid. *The volume of a pyramid equals one third the product of its base and altitude.*

The base and altitude are to be understood as abstract numbers, as in § 172.

The truth of the statement may be seen by taking a hollow pyramid and a hollow prism of the same base and altitude. The amount of water or sand that the pyramid will contain is exactly one third of the amount the prism will contain.



EXERCISE 91

Find the volumes of pyramids with bases and altitudes as follows:

1. 32 sq. in., 9 in.
2. 48 sq. in., 13 in.
3. 64 sq. in., 15 in.
4. 96 sq. in., 22 in.
5. 132 sq. in., 26 in.
6. $8\frac{1}{4}$ sq. in., $2\frac{1}{2}$ in.
7. $9\frac{3}{8}$ sq. in., $3\frac{5}{8}$ in.
8. 8.7 sq. in., 3.1 in.
9. 12.3 sq. in., 4.7 in.
10. 15.75 sq. in., 8.1 in.

11. The Great Pyramid of Egypt has a square base 764 ft. on a side. It is 480 ft. 9 in. high. Assuming its faces smooth, what is its volume?

176. Cone. A solid bounded by a circle and a curved surface ending in a point is called a *cone*.

The circle is called the *base*, the curved surface is called the *lateral surface*, the point in which the lateral surface ends is called the *vertex*, and the distance from the vertex to the base is called the *altitude* of the cone.

In the cones here treated the vertex is directly over the center of the base.

Cone

177. Volume of a Cone. *The volume of a cone equals one third the product of its base and altitude.*

For if made hollow, as in § 175, the contents of the cone will fill exactly one third of the cylinder of the same base and altitude.

178. Illustrative Problem. Find the volume of a cone whose base has a radius of 2 in., and whose altitude is 3 in.

Area of base $= 3.1416 \times 2^2$ sq. in.

Volume $= \frac{1}{3} \times 3 \times 3.1416 \times 2^2$ cu. in. $= 12.5664$ cu. in.

EXERCISE 92

Find the volumes of cones with bases and altitudes as follows:

1. 6 sq. in., 4 in.
2. 15 sq. in., 7 in.
3. 20 sq. in., 9 in.
4. 34 sq. in., 15 in.
5. 68 sq. in., 21 in.
6. $6\frac{3}{4}$ sq. in., $2\frac{1}{2}$ in.
7. $9\frac{7}{8}$ sq. in., $3\frac{3}{4}$ in.
8. $15\frac{3}{4}$ sq. in., $5\frac{3}{8}$ in.
9. 22.7 sq. in., 8.4 in
10. 35.75 sq. in., 12.3 in.

11. What is the volume of a cone whose base is a circle with a radius of 3 in., and whose altitude is 8 in.?

179. Sphere. A solid bounded by a curved surface, all points of which are equally distant from a point within, is called a *sphere.*



The point within from which all points on the surface are equally distant is called the *center.* A straight line from the center to the surface is called a *radius.* A straight line through the center and terminated at each end by the surface is called a *diameter.*

180. Surface of a Sphere. If we wind half of the surface of a sphere with a cord or tape as here shown, and then wind with exactly the same length of the cord or tape the surface of a cylinder having just the same radius, the height of the cylinder equaling the diameter, we find that the cord covers half the curved surface of the cylinder.



Therefore, *the surface of a sphere equals the curved surface of a cylinder of the same radius and height.*

The surface of a sphere also equals 3.1416 times the square of the diameter.

For it is easily seen that the curved surface of a cylinder equals the height times the circumference of the base, and since the height here equals the diameter, therefore

$$\text{height} \times \text{circumference} = \text{diameter} \times 3.1416 \times \text{diameter}$$
$$= 3.1416 \times \text{the square of the diameter.}$$

For practical purposes it is usually sufficient to take $3\frac{1}{7}$ instead of 3.1416 as the multiplier.

If we have given the surface of a sphere, we may find the diameter by dividing the surface by 3.1416, or $3\frac{1}{7}$, and extracting the square root of the quotient.

181. Illustrative Problem. What is the surface of a sphere with a radius of 3 in.?

Diameter $= 2 \times 3$ in. $= 6$ in.
Area $= 3.1416 \times 6^2$ sq. in.
$= 3.1416 \times 36$ sq. in.
$= 113.0976$ sq. in.

EXERCISE 93

Using $3\frac{1}{7}$ as the multiplier, find the areas of the surfaces of spheres with the following diameters:

1. 14 in.	**4.** 2.1 in.	**7.** $\frac{7}{8}$ in.	**10.** 224 in.
2. 35 in.	**5.** 2.8 in.	**8.** 0.7 in.	**11.** 371 in.
3. 42 in.	**6.** 4.9 in.	**9.** 0.56 in.	**12.** 434 in.

Find the same, using 3.1416 as the multiplier:

13. 7 in.	**15.** 9 in.	**17.** $7\frac{1}{2}$ in.	**19.** 2.2 in.
14. 6 in.	**16.** 4 in.	**18.** $6\frac{1}{4}$ in.	**20.** 3.5 in.

Find the same, using 3.1416, the following being the radii:

21. 1 in.	**23.** $\frac{1}{2}$ in.	**25.** 7 in.	**27.** 2.5 in.
22. 5 in.	**24.** 3 ft.	**26.** 9 in.	**28.** 3.7 in.

29. If the earth is considered a sphere of 4000 mi. radius, what is its surface? (Use $3\frac{1}{7}$.)

30. How many square inches of flannel will it take to cover a tennis ball 3 in. in diameter? (Use $3\frac{1}{7}$.)

31. If the sun is considered a sphere of 866,500 mi. diameter, what is its surface? (Use $3\frac{1}{7}$.)

32. How many square inches in the surface of a ball 44 in. in diameter? (Use $3\frac{1}{7}$.)

33. What is the diameter of a sphere whose surface is 154 sq. in.? (Use $3\frac{1}{7}$.)

182. Volume of a Sphere. If a sphere is placed in a cylinder of the same diameter and with an altitude equal to the diameter, and the vacant spaces are filled with sand, the sand will be found to fill exactly one third of the cylinder after the sphere is removed.



Therefore, *a sphere is equal to two thirds of a cylinder of the same diameter and altitude.*

The volume of a sphere is $\frac{4}{3} \times 3.1416 \times$ *the cube of the radius.*

For the volume of the cylinder is the product of the altitude and the base, considered as abstract numbers.

The altitude $= 2 \times$ radius,
and the base $= 3.1416 \times$ square of radius.
Hence volume of cylinder $= 2 \times 3.1416 \times$ cube of radius,
and volume of sphere $= \frac{2}{3}$ of $2 \times 3.1416 \times$ cube of radius
$= \frac{4}{3} \times 3.1416 \times$ cube of radius.

183. Illustrative Problem. Find the volume of a sphere with a radius of 3 in.

$$\frac{4}{3} \times 3.1416 \times 3^3 \text{ cu. in.} = \frac{4 \times 3.1416 \times 3 \times 3 \times \cancel{3}}{\cancel{3}} \text{ cu. in.}$$
$$= 113.0976 \text{ cu. in.}$$

EXERCISE 94

Find the volumes of spheres with radii as follows:

1. 2 in.	4. 15 in.	7. 2.4 ft.	10. $2\frac{1}{2}$ in.
2. 5 in.	5. 23 in.	8. 4.1 ft.	11. $3\frac{3}{4}$ in.
3. 7 in.	6. 42 in.	9. 3.5 ft.	12. $4\frac{2}{3}$ in.

13. Find the weight of a lead ball 2 in. in diameter, lead being 11.35 times as heavy as water, and a cubic foot of water weighing 1000 oz.

EXERCISE 95

Review Problems

1. Compute the surface of a dome that is half of a sphere, the radius being 20 ft.

2. Find the volume of a sphere 6 in. in diameter and of one 12 in. in diameter.

3. If the moon is considered a sphere of radius 1080 mi., what is its volume?

4. A cornucopia has a circular top $2\frac{7}{8}$ in. across. It is $9\frac{1}{4}$ in. deep. How many cubic inches does it contain?

5. A ball 8 in. in diameter is placed in a cubical box 8 in. on an edge, inside measure. How many cubic inches of the box is not occupied by the ball?

6. A steel rod 4 ft. 8 in. long has a triangular cross section 2 sq. in. in area. If a cubic foot of water weighs 62.5 lb., and steel is 7.83 times as heavy as water, how much does the rod weigh?

7. A funnel in shape of a cone is closed at the bottom. If the circular top is 3 in. across, and the funnel is 4 in. deep (to the vertex), how many cubic inches of water will it hold?

8. A prism has a base of 9.4248 sq. in. and an altitude of 15 in. How does its volume compare with that of a cone whose base has a radius 3 in., and whose altitude is 15 in.?

9 Find the volume of a sphere 1 ft. in diameter, of a cylinder of the same diameter and altitude, and of a cone of the same diameter and altitude. The volume of the sphere is how many times the volume of the cone? The volume of the cylinder is how many times the volume of the cone?

EXERCISE 96

Problems without Numbers

1. Given the base and altitude of a prism, how will you find the volume ?

2. Given the volume and base of a prism, how will you find the altitude ?

3. Given the base and altitude of a pyramid, how will you find the volume ?

4. Given the base and altitude of a cone, how will you find the volume ?

5. Given the volume and altitude of a cone, how will you find the base ?

6. Given the diameter of a sphere, how will you find the surface ?

7. Given the radius of a sphere, how will you find the surface ?

8. Given the radius of a sphere, how will you find the volume ?

9. Given the diameter of a sphere, how will you find the volume ?

10. Given the edge of a cube, how will you find the volume ? how will you find the surface ?

11. Given the radius of a sphere, how will you find the circumference ?

12. Given the length of the earth's equator, how will you find the radius of the earth ? Then how will you find the surface of the earth ? the volume of the earth ?

13. Given the area of the entire surface of a cube, how will you find the area of one face ? the length of an edge ? the volume of the cube ?

CHAPTER IX

VOCATIONAL PROBLEMS

184. Nature of the Problems. You are now nearing the end of your work in arithmetic, and it is necessary to consider some of the miscellaneous problems of business, — the problems that we may all meet in the practical American life of to-day.

EXERCISE 97

Problems of the Merchant

1. Supply the proper numbers in the spaces marked with an asterisk (*) in the following bill:

Houston, Texas, March 7, 1913

Mr. Robert J. Spencer, Tyler, Texas

Bought of Henderson Bros.

Terms: 6% 30 da., net 60 da.

March 7	50	gro. Pens	@ 78¢	$39		
	15	doz. Notebooks	@ $1.70	*		
	4	doz. Rulers	@ 1.32	*		
	30	gro. Lead Pencils	@ 3.35	*		
				*		
		Less 6%		*		*

Write bills similar to that of Ex. 1, inserting places, dates, and names, and completing each item:

2. 50 M envelopes @ \$2.10, 3 doz. fountain pens @ \$19.50, 8 doz. bottles ink @ 34¢, 5 gross erasers @ \$3.38. Terms: 8% 30 da., net 60 da.

3. 75 bbl. flour @ \$5.23, 63 gal. molasses @ 39¢, 75 gal. fancy sirup @ 58¢, 3 doz. cartons flour @ \$2.64, 260 lb. coffee @ 9.65¢. Discounted @ 6%.

4. 8 doz. hatchets @ \$10.75, 6 doz. pr. hinges @ \$4.35, 5 doz. carpenter's squares @ \$34.50, ½ gross locks @ \$42.50, 8 doz. files @ \$6.25. Discounted @ 40%, 10%, and 5%.

5. 575 yd. cotton flannel @ 38¼¢, 684 yd. cotton @ 7⅓¢, 364 yd. buckram @ 9½¢, 648 yd. sheeting @ 26¾¢, 327 yd. Java canvas @ 62½¢. Discounted @ 12%.

Make out a bill in each of the following examples, and write out a sight draft upon the buyer for the amount. Then find the charge for collection at 0.1%, to the nearest 5 cents.

6. L. P. Hall purchased from Myers Bros. 84 gross bone buttons @ 18½¢, 72 doz. pearl buttons @ 9¾¢, 694 yd. cambric @ 17½¢, 364 yd. cashmere @ 82¼¢, 408 yd. chambray @ 21¾¢. Discounted @ 12%.

7. F. J. Peabody purchased from Thompson & Co. 4 gross toothbrushes @ \$9.35, 3 doz. atomizers @ \$19.25, 8 doz. combs @ \$1.95, 4 doz. brushes @ \$18.37, ½ gross nail brushes @ \$27.50. Discounted @ 15% and 5%.

8. M. S. Robbins purchased from the Seacord Carpet Co. 480 yd. matting @ 18¼¢, 375 yd. matting @ 19⅔¢, 284 yd. carpet @ 48½¢, 8 rugs @ \$7.33, 4 doz. door mats @ \$4.75. Discounted at 3% and 1%.

EXERCISE 98

Problems of the Manufacturer

1. How much will a manufacturer receive for 6 rockers @ \$6.75, 8 dressers @ \$12.50, and 12 bedsteads @ \$15.75, discounted at 8%?

2. A manufacturer sells the following bill of goods: 4 doz. plates @ \$1.38, 8 doz. cups @ \$2.27, $\frac{1}{2}$ doz. covered dishes @ \$9.50, 12 doz. plates @ \$1.45, $\frac{1}{4}$ doz. pitchers @ \$6.40. The bill is discounted at 3% and he gains 20% on the goods. Required the cost of manufacture.

3. Iron expands $\frac{3}{16}$ in. to the foot when heated to a red heat. How much longer will a casting be when heated to a red heat, if it is 3 ft. 7 in. long before it is heated?

4. A manufacturing company has a capital of \$275,000, its annual business is $3\frac{1}{4}$ times its capital, and its annual profits are $7\frac{1}{2}$% of its annual business. How much are its annual profits?

5. A manufacturer sells brass lamps to a dealer at such a price that the dealer can sell them at \$6.60 and make a profit of 32%. The manufacturer himself makes a profit of 25%. What is the cost of manufacture per lamp?

6. On which will a manufacturer make the greater per cent of profit, — an article which it costs \$2.90 to make, and which he sells for \$3.33$\frac{1}{3}$ less 3%, or one costing \$8.70 to make, which he sells for \$12 less $\frac{1}{6}$? How much greater?

7. A manufacturer sold to a retail dealer the following bill of goods: 9 dining sets @ \$62.50, 16 rockers @ \$5.35, 8 sideboards @ \$32.50, 6 card tables @ \$8.75, 4 china closets @ \$17.50. He discounted this bill at 8% and 2%. How much did he receive for the goods?

8. In casting brass hinges the brass shrinks in cooling 1.5625% of its length when melted. How long must be the mold for a hinge that is to be $5\frac{7}{8}$ in. long?

9. The wooden pattern from which an iron casting is made weighs $6\frac{1}{4}\%$ as much as the iron. If the pattern weighs $32\frac{1}{2}$ lb., how much does the casting weigh?

10. A manufacturer has a water tank that is 8 ft. 3 in. wide, 12 ft. 6 in. long, and 9 ft. 8 in. deep. If a cubic foot of water weighs $62\frac{1}{2}$ lb., what is the weight of the water required to fill the tank?

11. A manufacturer pays a salesman a salary of \$1250 a year and a commission of $1\frac{1}{2}\%$ on all sales, and allows him \$1000 a year for expenses. If the salesman sells \$172,500 worth of goods, what does the manufacturer pay him, including salary, commissions, and expenses?

12. An iron founder knows that an iron casting will weigh 17 times as much as the wooden pattern. If he has 5 patterns for the parts of a given piece that he wishes to cast, and these weigh 6 lb. 8 oz., 7 lb. 4 oz., 18 lb. 12 oz., 9 lb. 8 oz., and 12 lb. 4 oz., what will the casting weigh?

13. A manufacturer is building a chimney with a circular flue for his boiler room. He has two horizontal boilers, each containing 96 tubes 2 in. in diameter. His chimney must have the same cross-section area as the sum of all the cross-section areas of the tubes of the boilers. Required the diameter of the flue.

14. In a large dyeing establishment there is a tank 8 ft. long, 7 ft. wide, and 6 ft. deep. If the pressure on the end, when the tank is full of water, is equal to half the weight of the water in a rectangular tank whose base is the area of the end of the tank and whose height is the depth of the tank, how much is this pressure?

15. The following is the pay roll of a manufacturer for a week :

PAY ROLL *For the week ending* * **19** *

No.	Name	No. of hours per day						Total time	Wages per hour	Total wages	
		M.	T.	W.	T.	F.	S.				
1	J. P. Driscoll	9	9	8	$8\frac{1}{2}$	9	9	$52\frac{1}{2}$	25¢	$13	12
2	R. L. Bennett	9	$8\frac{1}{2}$	9	9	8	9	*	25¢	*	*
3	P. F. Purvis	9	$8\frac{1}{4}$	8	$8\frac{1}{2}$	9	9	*	30¢	*	*
4	B. J. Mead	8	9	9	9	$8\frac{1}{2}$	8	*	$33\frac{1}{3}$¢	*	*
5	R. K. King	8	8	9	9	9	9	*	35¢	*	*
6	M. L. Drake	9	9	8	0	9	9	*	$27\frac{1}{2}$¢	*	*
		*	*	*	*	*	*	*		*	*

Fill out the spaces marked with an asterisk (*).

Make out pay rolls (inserting names), the numbers, the hours per day, and wages per hour being as follows :

16. No. 1 : 9, 9, 9, 8, $8\frac{1}{2}$, 9, 30¢ ; No. 2 : 8, 8, 8, 9, 9, 8, $27\frac{1}{2}$¢ ; No. 3 : 8, $8\frac{1}{2}$, 9, 9, 9, 9, $28\frac{1}{4}$¢ ; No. 4 : 8, 8, 8, 8, $8\frac{1}{2}$, 8, $33\frac{1}{3}$¢ ; No. 5 : 8, 9, 8, 8, 8, $8\frac{1}{2}$, 32¢.

17. No. 1 : 9, 9, 9, 9, 9, 9, $37\frac{1}{2}$¢ ; No. 2 : 9, 9, 9, $8\frac{3}{4}$, $8\frac{3}{4}$, $8\frac{3}{4}$, 30¢ ; No. 3 : 9, 9, 9, 9, 9, $8\frac{3}{4}$, 32¢ ; No. 4 : 9, 8, $8\frac{3}{4}$, $8\frac{1}{2}$, 9, 9, 27¢ ; No. 5 : 9, 9, 9, $8\frac{1}{2}$, $8\frac{1}{4}$, 8, 28¢.

18. No. 1 : 8, 8, 8, 8, 8, 8, $32\frac{1}{4}$¢ ; No. 2 : 8, 8, $7\frac{3}{4}$, $7\frac{1}{2}$, $7\frac{3}{4}$, $7\frac{3}{4}$, 30¢ ; No. 3 : 8, 8, 8, $7\frac{3}{4}$, $7\frac{3}{4}$, $7\frac{3}{4}$, 28¢ ; No. 4 : $7\frac{1}{2}$, $7\frac{1}{4}$, $7\frac{1}{2}$, 8, $7\frac{3}{4}$, $7\frac{3}{4}$, 32¢ ; No. 5 : 8, 8, 8, 8, 8, 8, $33\frac{1}{3}$¢.

19. No. 1 : 8, $7\frac{3}{4}$, $7\frac{3}{4}$, $7\frac{3}{4}$, $7\frac{3}{4}$, $7\frac{1}{2}$, 28¢ ; No. 2 : 8, 8, 7, 0, 8, 8, 30¢ ; No. 3 : 8, 8, 8, $7\frac{3}{4}$, 8, 8, 35¢ ; No. 4 : 8, 8, 8, $7\frac{1}{2}$, 8, $7\frac{3}{4}$, $32\frac{3}{8}$¢ ; No. 5 : 8, 8, 8, 8, $7\frac{1}{2}$, $7\frac{1}{2}$, $32\frac{5}{8}$¢.

20. No. 1 : 8, 8, $7\frac{1}{2}$, 7, $6\frac{3}{4}$, 8, 31¢ ; No. 2 : 8, 7, 8, 8, $7\frac{3}{4}$, 8, $31\frac{1}{2}$¢ ; No. 3 : $7\frac{3}{4}$, $7\frac{1}{2}$, $7\frac{1}{4}$, 7, $6\frac{3}{4}$, 0, 28¢ ; No. 4 : 7, 7, $7\frac{1}{2}$, $7\frac{3}{4}$, 0, 7, 26¢ ; No. 5 : 8, 8, 8, 8, 8, 8, 36¢.

EXERCISE 99

Problems of the Contractor

1. These men have contracted to paper this house. The rooms are $16' \times 14'$, $12' \times 8'$, $18' \times 15'$, $12' \times 10'$, $15' \times 13'$, $16' \times 16'$, $10' \times 6'$, and $12' \times 12'$. They deduct $50'$ from the combined perimeters of the rooms and allow one roll of paper for every $3\frac{1}{2}$ ft. How many rolls do they need?

2. A contractor builds a brick wall 68 ft. 8 in. long, 5 ft. 8 in. high, and 2 bricks thick. Allowing 14 bricks per square foot of outside surface for a 2-brick wall, how much will the bricks cost at \$8.50 per M?

3. A man has a contract to put up the four walls of a building 80 ft. long, 35 ft. wide, and 78 ft. high. The walls are to be 18 in. thick, and 750 cu. ft. is to be allowed for openings. Allowing 22 bricks to a cubic foot, how much will the bricks cost at \$9.25 per M?

4. A contractor wishes to build a concrete wall $66' \times 8'$, and $18''$ thick. Concrete is $\frac{1}{3}$ Portland cement, which costs \$1.90 a barrel of 400 lb., and the rest is gravel costing delivered $87\frac{1}{2}¢$ a load (cubic yard). A cubic foot of dry cement weighs 150 lb. What will the materials cost?

EXERCISE 100

Problems of the Farm

1. A man had 8 acres planted to asparagus. The expense per acre for fertilizers was \$40, for labor before cutting \$20, for cutting and bunching \$40. From each acre he cut 1850 bunches and sold them at 10¢ a bunch, allowing a commission of 3% for selling. What was his profit from the 8 acres?

2. A farmer, building a barn, orders part of the lumber as follows: 16 pieces of timber $8'' \times 8''$, 12 ft. long; 4 pieces $6'' \times 8''$, 20 ft. long; 8 pieces $6'' \times 8''$, 18 ft. long; 4 pieces $6'' \times 6''$, 20 ft. long; 8 pieces $6'' \times 6''$, 18 ft. long; and 9 pieces $4'' \times 6''$, 12 ft. long. How much will this part of the lumber cost at \$26 per M?

3. A poultry raiser paid out for food for 350 hens during the first four weeks of December \$30.05. He sold 732 eggs @ 29¢ a dozen during the first two weeks, 564 eggs @ 36¢ a dozen during the third week, and 648 eggs @ 31¢ a dozen the fourth week. His receipts were what per cent greater than the cost of the feed?

4. A farmer spent on a 10-acre field the following sums: plowing, \$25; harrowing and rolling, \$18.50; seed, \$15.50; drilling, \$2.75; cutting and threshing, \$26.50. His income from the field was 220 bu. of wheat @ 75¢ a bushel, and \$3.25 for pasturage. Find the balance in his favor.

5. A farmer is planning to build a poultry house for 350 fowls. He estimates the average weight per fowl to be 6 lb., and he allows 10 cu. ft. of space to each pound of fowl. The house is to be 210 ft. long, 16 ft. wide, and 5 ft. high to the eaves. How high must be the ridgepole in order to give the required capacity?

EXERCISE 101

Workshop Problems

1. How much will 275 cu. in. of steel weigh, if 1 cu. ft. weighs 490 lb.?

2. What is the weight of a circular piece of steel shafting 3 in. in diameter and 20 ft. long, 1 cu. ft. of steel weighing 490 lb.?

3. If the pressure of steam in a boiler is 140 lb. to the square inch, find the pressure on a valve $2\frac{7}{8}$ in. in diameter.

4. A boiler contains 480 smoke tubes, each $2\frac{3}{8}$ in. in internal diameter. Find the total area for draft through them.

5. If a pressure of 120 lb. to the square inch is applied to the circular plunger of a cylinder 2 ft. in diameter, what is the total pressure?

6. The rim of a fly wheel contains 1.56 cu. ft. of cast iron when it is 8 in. wide. If the rim were made a foot wide, how much would it weigh, 1 cu. ft. of cast iron weighing 450 lb.?

7. Out of a rectangular sheet of steel which is 14′ 3″ long, 3′ $3\frac{1}{2}$″ wide, and $\frac{1}{2}$″ thick, a circular plate 13″ in diameter is cut. If 1 cu. ft. of steel weighs 490 lb., what is the weight of the part of the sheet that is left?

8. If the drive wheel of an engine makes 140 revolutions a minute, and the cylinder is 9 in. in diameter and 14 in. long, and is filled with steam twice in each revolution, how many cubic feet of steam are used in a minute?

9. A hollow steel shaft has an external radius of 9″ and an internal radius of 5″. If 1 cu. ft. of steel weighs 490 lb., find the weight of 10 ft. of this shaft.

EXERCISE 102

Problems in Transportation

1. If a freight car is 36 ft. long, 8 ft. 3 in. wide, and 7 ft. 6 in. high, inside measure, how many cubic feet does it contain?

2. In shipping certain goods at the rate of $97\frac{1}{2}¢$ per hundred pounds, there is allowed a discount of 15%. What is the net rate, to the nearest half cent?

3. In shipping certain goods the net rate after deducting 15% from the usual rate for that class is 34¢ per hundred pounds. What is the usual rate?

4. If a wooden coal car can carry 80,000 lb., and a steel car 100,000 lb., the steel car can carry what per cent more than the wooden car? The wooden car can carry what per cent less than the steel car?

5. A car 36 ft. long and 8 ft. 4 in. wide is loaded with wheat to a depth of 4 ft. 6 in. Reckoning a bushel as containing $1\frac{1}{4}$ cu. ft., and a bushel of wheat as weighing 60 lb., how many pounds does the wheat weigh?

6. If the car of Ex. 5 has a capacity of 80,000 lb., to what depth must it be filled with wheat to contain exactly this amount?

7. If a locomotive weighing $115\frac{1}{2}$ tons can exert a pull of $22\frac{1}{4}\%$ of its weight in starting a train, how many pounds of pull does it exert?

8. If a locomotive and coal tender together weigh 95 tons, and there are seven cars to the train, averaging 21 tons each, and a horizontal pull 0.5% of the total weight of the train is required to maintain the necessary speed on a level track, what is this pull in pounds?



EXERCISE 103

Problems of the Builder

1. From the eaves to the ridge of this roof is 13 ft., and the span is 24 ft. What is the rise of the roof?

2. The span of a common A-shaped roof is 26 ft., and the rise of the roof is 6 ft. What is the distance from the eaves to the ridge? (Two decimal places.)

3. A semicircular arch over a door has a span of 4′ 8″. Required the length of this semicircumference.

4. A builder is putting in a steam pipe 140 ft. long and 2 in. in diameter. What is the radiating surface (that is, the lateral surface that gives out heat)?

5. A builder is putting in a hemispherical dome over a tower that is 12 ft. 6 in. in diameter. What is the area of the surface of the dome?

6. The net excavation needed for a city apartment house is to be 85 ft. long, 50 ft. wide, and 7 ft. deep. In addition to this the excavation is to be extended 7 in. beyond each of the four sides, so as to allow space for working. How many loads (cubic yards) of earth must be removed?

EXERCISE 104

Problems of the Machinist

1. What is the circumference of a fly wheel that is 7′ 6″ in diameter?

2. An emery wheel 10 in. in diameter makes 2000 revolutions per minute. What is its grinding speed?

3. A fly wheel 6 ft. in diameter makes 100 revolutions per minute. At what rate per minute does a point on the rim travel?

4. How many revolutions per minute must be made by a circular saw 2 ft. in diameter, in order that the saw may have a cutting speed of 7539.84 ft. per minute?

5. A piston of an engine has an area of 175 sq. in. Required the diameter of the piston.

6. It is required to make a circular plate of the same material, thickness, and weight as a rectangular plate 2′ 4″ by 3′ 1″. What is its diameter?

7. If the diameter of a piston is 27 in., and the steam pressure is 120 lb. per square inch, what is the total pressure exerted on the piston?

8. What is the total external surface of the tubes in a boiler 18 ft. long, there being 112 tubes and the tubes being $3\frac{1}{2}$″ in diameter?

9. Two cogwheels are so geared that for every revolution of the larger the other revolves 12 times. The larger wheel has 204 cogs. How many cogs has the smaller?

10. The fly wheel of an engine 8 ft. in diameter makes 250 revolutions per minute. It is directly connected by a belt with a wheel 2 ft. 8 in. in diameter. How many revolutions per minute does the smaller wheel make?

EXERCISE 105

Problems in Farm Mechanics

1. Experiments show that, with a wagon having high wheels, it requires 84.48 lb. pull to move a ton on a dry, level, gravel road, and 30.4% more if the wagon has low wheels. How much power is required for the low-wheeled wagon?

2. Wind pressure increases as the square of the velocity of the wind. That is, when the wind blows 10 mi. an hour, the pressure is four times as much as when the wind blows 5 mi. an hour. When the wind blows 15 mi. an hour the pressure per square foot of area of a windmill is 1.135 lb. What is the pressure per square foot when the wind blows 30 mi. an hour? when the wind blows 40 mi. an hour?

3. The horse power developed by a windmill varies as the cube of the velocity of the wind. If a certain windmill develops $\frac{1}{40}$ of a horse power when the wind blows 5 mi. an hour, how much will it develop when the wind blows 35 mi. an hour?

4. If a man pumping water exerts a pressure of 18 lb. on the pump handle, and his hand is $6\frac{1}{4}$ times as far from the fulcrum as the rod that connects with the piston of the pump is distant from it, what is the lifting force exerted in raising the water?

5. If a 2-inch piston in a pump requires a lifting force of 54 lb., how much will a 3-inch piston require in the same well?

6. If a pump having a $2\frac{1}{2}$-inch cylinder, and working at a certain rate, delivers enough water per hour for 25 cows, a pump having a 3-inch cylinder, working at the same rate, would deliver enough for how many cows?

CHAPTER X

GENERAL REVIEW

185. Nature of the Problems. The problems in this chapter have been selected from recent official examination papers. They show some of the demands made upon the schools and may assist in preparing pupils for examinations.

EXERCISE 106

PROBLEMS IN COMPUTATION WITH INTEGERS

Add, checking the results:

1.	2.	3.	4.	5.
4368	2748	4227	8284	7856
5962	6299	3729	2643	9280
6857	3176	6248	1716	3442
7976	4387	5135	7357	2635
8795	8132	4273	2148	4331

Subtract, checking the results:

6.	7.	8.	9.	10.
8284	9307	9002	4871	3407
1796	2969	3763	2998	1879

Multiply, checking the results:

11.	12.	13.	14.	15.
4879	7963	3148	6779	8764
6273	4072	2909	9283	8297

Divide, checking the results:

16. $92{,}358 \div 233$. 17. $123{,}540 \div 225$. 18. $62{,}500 \div 250$.

EXERCISE 107

Problems in Computation with Common Fractions

1. Simplify $\dfrac{2\frac{1}{6} + 2\frac{5}{8} \div \frac{9}{14}}{3 \times 1\frac{3}{4}} + \dfrac{1}{6} \times 6\frac{1}{7}$. (In all such cases perform first the multiplications and divisions as indicated by the symbols, and then the additions and subtractions in the order given.)

2. Simplify $\dfrac{(\frac{7}{20} + \frac{1}{3} \times 1\frac{5}{8}) \div (6 \times \frac{3}{4})}{\frac{3}{1000}}$. (Work first within the parentheses.)

3. Simplify $\dfrac{(\frac{17}{24} - \frac{5}{18}) \div (\frac{17}{18} \times 2\frac{2}{3}\frac{5}{4})}{6\frac{3}{8} - \frac{9}{20} \times \frac{5}{6}}$.

4. Simplify $\dfrac{\frac{3}{8} + \frac{13}{16} \div 1\frac{19}{20}}{2 - 1\frac{1}{2}\frac{3}{2} + \frac{8}{77} \times 1\frac{1}{20}} - \dfrac{19}{36}$.

5. Simplify $\dfrac{\frac{2}{5} + 3\frac{3}{5} \div 4\frac{1}{2}}{4\frac{4}{5} \times \frac{2}{3}}$, and express the result both as a common fraction and as a decimal.

6. Simplify $\dfrac{(\frac{4}{15} + 1\frac{1}{3}) \div (3\frac{1}{9} \times \frac{4}{7})}{1 - \frac{2}{3} \times \frac{3}{20}}$.

7. Simplify $\dfrac{1\frac{4}{5} \times 3\frac{3}{4} \div 6\frac{3}{4}}{\frac{2}{3} \div \frac{7}{12} - \frac{4}{7}}$.

8. Simplify $\dfrac{(\frac{2}{3} + 4\frac{1}{2}) \times (3\frac{1}{2} - \frac{1}{3})}{2\frac{1}{2} \times 3\frac{1}{2}}$.

9. Simplify $\dfrac{4\frac{1}{2} + \frac{2}{3} - (4\frac{1}{2} - \frac{2}{5})}{2 + (3\frac{1}{2} - \frac{1}{8})}$.

10. Simplify $\dfrac{2\frac{1}{2} \times (3 + 4\frac{1}{4})}{3\frac{1}{2} \div (2 + 3\frac{1}{8})}$.

11. Simplify $\dfrac{(\frac{1}{4} + \frac{3}{5}) \times (\frac{3}{4} - \frac{1}{5})}{\frac{3}{10} + \frac{1}{2}}$.

12. Simplify $\dfrac{\frac{1}{6} \times 1\frac{13}{16} + 1\frac{1}{6} \times 6\frac{1}{4} - 1\frac{1}{3} \times 5\frac{1}{8}}{\frac{1}{8} \times 2\frac{5}{6} \times 5\frac{2}{3}}$.

EXERCISE 108

PROBLEMS IN COMPUTATION WITH DECIMALS

1. Simplify $\dfrac{3.63 \times 3.5}{8.47 \times 0.5}$.

2. Simplify $\dfrac{1.25 - 1.33\frac{1}{3} \div 1.66\frac{2}{3}}{240 \times .015}$. (See p. 166, Ex. 1.)

3. Simplify $\dfrac{1.75 - 0.27 \div 0.36}{2.64 - 2 \times 1.07}$.

Add the following:

4.	5.	6.	7.
2.074	7.265	4.527	5.2793
3.672	8.030	3.298	4.2606
9.42	4.723	1.111	1.1111
8.307	9.481	5.473	4.7207

Subtract:

8.	9.	10.	11.
9.6087	8.1306	21.4273	32.0049
4.7998	5.0987	8.6998	26.8297

Multiply:

12.	13.	14.	15.
5.2346	208.73	29.008	0.07289
3.1416	3.1416	42.606	0.02134

Divide:

16. $53.4072 \div 3.1416$.
17. $0.062727 \div 0.02987$.
18. $74.3094 \div 4.1283$.
19. $0.00037356 \div 0.00283$.

Divide to three decimal places:

20. $27 \div 24.8$.
21. $35 \div 4.16$.
22. $8.4 \div 2.96$.
23. $5.3 \div 0.072$.
24. $6.05 \div 3.07$.
25. $7.92 \div 0.063$.

EXERCISE 109

Problems in Computation with Compound Numbers

Add:

	ft.	in.
1.	42	7
	33	9
	26	7
	52	11
	46	8
	75	10

	yd.	in.
2.	27	27
	32	18
	41	26
	62	15
	33	32
	48	12

	lb.	oz.
3.	15	12
	26	9
	31	8
	42	15
	17	13
	36	7

Subtract:

	ft.	in.
4.	27	2
	18	9

	yd.	in.
5.	127	15
	68	27

	lb.	oz.
6.	37	6
	19	14

Multiply:

7. 26 ft. 4 in. × 35

8. 42 yd. 23 in. × 76

9. 86 lb. 14 oz. × $37\frac{1}{2}$

Divide:

10. 111 yd. ÷ 4.

11. 115 ft. 1 in. ÷ 7.

12. 156 lb. 15 oz. ÷ 9.

13. 1482 yd. 8 in. ÷ 40.

14. 222 bu. ÷ 27 bu. 3 pk.

15. 117 ft. 3 in. ÷ 16 ft. 9 in.

16. Reduce 7 mi. 10 rd. 2 yd. 2 ft. 9 in. to inches.

17. Reduce 33 rd. 16 ft. 10 in. to inches; to feet and a decimal; to rods and a decimal.

18. Add 3 mo. 2 wk. 3 da., 5 mo. 1 wk. 6 da., 6 mo. 3 wk. 5 da., and 10 mo. 4 da., allowing 4 weeks to the month.

19. From 1915 yr. 8 mo. 2 da. subtract 1911 yr. 10 mo. 20 da.



EXERCISE 110

Problems in Painting and Carpeting

1. This room is $18' \times 15'$. How much will it cost at 65¢ a yard for matting 1 yd. wide to cover the floor, no allowances being made?

2. Find the cost at 15¢ a square yard of painting the sides, ends, and tops of 10 freight cars $34' \times 8' \times 7'$.

3. How much will it cost at \$1.25 a yard to carpet a room 15′ by 12′ with plain carpet $\frac{3}{4}$ yd. wide?

4. How much will it cost at \$1.25 a yard to cover the floor of a room $17'\,6'' \times 15'\,9''$ with 27-inch carpet, allowing 3 yd. for matching patterns?

5. Find the cost at 18¢ a square yard of painting the walls and ceiling of a room $16' \times 14' \times 10\frac{1}{2}'$, making no allowance for openings.

6. Find the cost of carpeting a room 30′ by 27′ with carpet $\frac{3}{4}$ yd. wide, 3 yd. being allowed for matching, and the carpet costing \$2.25 a yard.

7. A painter, estimating the cost of a job, finds there are 925 sq. yd. of surface to be covered. His bid is at the rate of 16¢ per square yard. What is the amount of his bid?



EXERCISE 111

Problems in Practical Measurement

1. These boys are laying out a baseball diamond in the form of a square 90 ft. between bases. How far is it from first base directly across to third base?

2. Find the cost of 20 joists, each $4'' \times 6''$ and 16′ long, at \$32 per M.

3. Find the cost of 40 joists 18′ long, 10″ wide, and 4″ thick @ \$27.50 per M.

4. What is the cost of fencing a $2\frac{1}{2}$-acre rectangular lot 25 rd. long @ 45¢ a rod?

5. How many cubic feet in a cistern that holds 54 bbl. of water, allowing 231 cu. in. to a gallon?

6. Find the cost of 20 joists $2'' \times 4''$ and 12′ long, and 24 boards $1\frac{1}{2}''$ thick, 8″ wide, and 10′ long @ \$28 per M.

7. Allowing 2150.4 cu. in. to a bushel, how many tons of coal can be placed in a bin containing 560 cu. ft., if the weight of 1 bu. of coal is 80 lb.?

8. A picket fence incloses a rectangular field $42' \times 30'$. The pickets are $2\frac{1}{2}''$ wide and $1\frac{1}{2}''$ apart. Find the cost of the pickets @ \$3.25 a hundred.

EXERCISE 112

Problems in Longitude and Time

1. The longitude of Cincinnati is 84° 26′ W. and that of Berlin is 13° 23′ 45″ E. Find the difference in local time.

2. The longitude of Boston is 71° 4′ W. and that of Rochester is 77° 51′ W. Find the difference in local time.

3. The longitude of St. Paul is 93° 5′ W. and that of St. Petersburg 30° 18′ E. Find the difference in local time.

4. New York is 74° 0′ 3″ west longitude and Chicago is 87° 38′ west; how much sooner does the sun rise at New York than at Chicago?

5. When it is noon at Greenwich it is 5 hr. 20 min. 59.4 sec. P.M., local time, at Madras, India. What is the longitude of Madras?

6. When it is noon at Portland, Me., local time, it is 4 hr. 41 min. 1.2 sec. P.M. at Greenwich. What is the longitude of Portland?

7. When it is noon at Greenwich it is 6 hr. 12 min. 48 sec. A.M., local time, at Nashville, Tenn. What is the longitude of Nashville?

8. When it is noon at the Cape Hatteras lighthouse, local time, it is 5 hr. 2 min. 5 sec. P.M. at Greenwich. What is the longitude of the Cape Hatteras lighthouse?

9. When it is noon at Greenwich it is 6 hr. 2 min. 22.2 sec. A.M., local time, at Madison, Wis. What is the difference between local and standard time at Madison?

10. On a certain day a sea captain found his Greenwich chronometer had lost 2 hr. 45 min. 30 sec., compared with the sun. Find his longitude at the time of the observation. Explain fully.

EXERCISE 113

Problems in Profit and Loss

1. Some goods were sold for $1015.30 at a loss of $31\frac{1}{4}\%$. Find the loss.

2. Beans bought @ $1.60 a bushel are sold @ 7¢ a quart. Find the per cent of gain or of loss.

3. A grocer sold tea for $87\frac{1}{2}$¢ a pound, thus gaining $12\frac{1}{2}$¢ a pound. What was his gain per cent?

4. A watch sold for $228 at a loss of 5%. How much would have been gained by selling it at a gain of 5%?

5. Papers bought at the rate of 60 for 50¢ are sold for 1¢ each. Find the per cent of gain and the cost of 75 papers.

6. A box of 150 oranges is bought for $1.40. The oranges are sold at 20¢ per dozen. Find the gain per cent.

7. By selling a farm for $4228 a farmer lost $12\frac{1}{2}\%$. How much would he have gained by selling it for $5040?

8. A boy bought oranges at 20¢ per dozen and sold them at the rate of 2 for 5 cents. Find his gain per cent.

9. A grocer buys 50 bushels of potatoes at 60¢ a bushel and retails them at 20 cents a peck. Find his whole gain and his gain per cent.

10. A grocer sold 4 chests of tea @ $20.08 a chest; on 3 chests he gained $25\frac{1}{2}\%$ and on 1 chest he lost 20%. Find the total cost of the tea.

11. A merchant marked an article so as to gain 15%, but sold it for cash at such a price as to gain $3\frac{1}{2}\%$. What per cent of the marked price did he deduct?

12. A merchant marks goods $12\frac{1}{2}\%$ above cost and sells them 20% below the marked price. Find his per cent of loss. Write the analysis.

EXERCISE 114

Problems Involving Commission

1. An agent sold 325 bu. of wheat @ 80¢ a bushel, charging a commission of 5%. Find the net proceeds.

2. An agent charged $6.63 for selling 52 bushels of tomatoes @ 85¢ a bushel. Find the rate of his commission.

3. A real estate agent charged $295.50 for selling a piece of property for $9850. What was the rate of his commission?

4. The net proceeds of the sale of 244 bbl. of flour is $1124.23, the commission being 3%. Find the selling price of the flour per barrel.

5. An agent bought for a dealer 240 baskets of peaches @ 75¢ a basket, charging 3½% commission. Find the total cost to the dealer.

6. An agent sold 44 wagons @ $135 each and paid his principal $5197.50 as the proceeds of the sale. Find the rate of the agent's commission.

7. A real estate agent charged $562.50 for selling a piece of property. The rate of commission being 4½%, at what price did he sell the property?

8. A commission merchant sold 45 barrels of apples at $2.80 a barrel, charging 6¢ a barrel for storage and a commission of 5½%. Find the net proceeds of the sale.

9. A commission merchant sold some produce, charging 3% for his services. He remitted to his principal $906.95. At what price did he sell the produce?

10. A manufacturer sent his agent $3177.81 to pay for some leather, and the commission of ½%. How much did the agent invest and how much was his commission?

EXERCISE 115

Problems in Insurance

1. What is the face of the policy when the premium at $\frac{3}{4}\%$ is \$21?

2. A house valued at \$3216 is insured for $\frac{5}{6}$ of its value at $\frac{3}{4}\%$. What premium is paid?

3. A house valued at \$2750 is insured for 80% of its value at $\frac{3}{4}\%$. What premium is paid?

4. A man pays \$105 once in 3 years for insuring his house at $\frac{1}{4}\%$ annually. Find the face of the policy.

5. A house is insured for 80% of its value at 1%, the premium being \$36.80. What is the value of the house?

6. A house valued at \$4400 is insured for 80% of its value, the premium being \$44. What is the rate of insurance?

7. A man has a life insurance policy of \$7500 on which he pays an annual premium of \$28.60 per thousand. How much does he pay in premiums in five years?

8. A man has a life insurance policy on which he pays \$201 a year. The premiums are at the rate of \$26.80 per thousand. What is the face of the policy?

9. A man who pays an annual premium of $2\frac{1}{2}\%$ on a life insurance policy for \$1500 dies after 18 payments. How much more did his heirs receive than he paid?

10. A man insures his stock of goods for \$6000, this being 80% of their value. The rate is \$1.15 per thousand. What is the value of the property and the annual premium?

11. A man pays an annual premium of \$29.60 a thousand on a life insurance policy. If the total annual premium is \$244.20, what is the face of the policy?

EXERCISE 116

Problems in Taxes

1. The assessed valuation of the property of a certain town is $1,872,500, and the tax levied is $14,043.75. Find the rate of tax on $1000.

2. A tax of $22,400 is raised in a certain school district to pay for a new school building. A resident who is assessed $5600 pays a tax of $62.72. What is the total valuation?

3. In a certain school district assessed at $80,000 a tax of $1200 is raised. Mr. B's assessed valuation is $6840. Find the rate of taxation and Mr. B's tax.

4. The assessed valuation of a city is $65,489,000; the amount to be raised by tax is $229,211.50. Find the tax on property assessed at $12,400.

5. The assessed valuation of a certain school district is $2,559,000; the amount to be raised by tax is $11,515.50. Find the tax on a business block assessed at $85,000.

6. The assessed valuation of a certain school district is $2,345,000; the amount to be raised by tax is $10,552.50. Find the tax on property assessed at $4500.

7. The assessed valuation of a certain city is $48,250,000; the amount to be raised by tax is $337,750. Find the tax on a piece of property assessed at $75,000.

8. If the tax rate is 11 mills, what must a man pay who has a farm assessed at $4750, a village residence assessed at $3500, and personal property assessed at $1500?

9. A tax of $16,500 is raised in a certain town as its share of the cost of a bridge. If the assessed valuation of the town is $2,750,000, what is the rate of taxation for this purpose?

EXERCISE 117

Problems in Trade Discount

1. Find the net amount of a bill for \$880 subject to discounts of $2\frac{1}{2}\%$, 5%, and 10%.

2. On a bill of \$620 commercial discounts of 5% and 5% are allowed. What is the net price?

3. Find the net cost of a piano marked \$450, with trade discounts of 3%, 8%, and 10%.

4. What is the list price of an article whose net cost is \$6.15 after discounts of 20% and 25% are deducted?

5. What per cent of profit will a man make by paying \$17.10 for an article, with discounts of 20%, 10%, and 5% from the list price, if he sells it at the list price?

6. Furniture is bought at trade discounts of 5% and 16% from the list price, and the net cost is \$518.70. Find the list price of the furniture.

7. Find the net amount of a bill of \$470, the trade discounts being 20% and 5%. What single rate of discount is equivalent to these discounts?

8. What single discount is equivalent to a discount series of 40%, 20%, 10%, and 5%?

9. Which is the better for the purchaser, and how much better: two successive trade discounts of 25% and 10% on a bill of \$500, or a single discount of $33\frac{1}{3}\%$?

10. Which is the better for the seller, and how much better: trade discounts of 20%, 12%, and 3%, on a bill of \$800, or a single discount of $31\frac{3}{4}\%$?

11. Which is the better for the purchaser, and how much better: trade discounts of 10%, 10%, and 10%, on a bill of \$625.75, or a single discount of $27\frac{1}{10}\%$?

EXERCISE 118

PROBLEMS IN INTEREST AND DISCOUNT

1. Find the simple interest on \$920 at $4\frac{1}{4}\%$ for 2 yr.

2. Find the simple interest on \$685.70 at $5\frac{1}{2}\%$ for 1 yr. 7 mo. 20 da.

3. Find the simple interest on \$653.25 @ $3\frac{1}{2}\%$ from Sept. 28, 1910, to June 18, 1913.

4. Find the simple interest on \$786 at $5\frac{1}{2}\%$ from Dec. 29, 1910, to Oct. 2, 1911.

5. How long must \$650.82 be on interest at 5% to amount to \$761.44?

6. Find the interest at $5\frac{1}{2}\%$ on a note of \$500 dated Oct. 22, 1910, and paid June 7, 1912.

7. A 60-day note, without interest, is discounted at a bank 13 days after date at 6%. The proceeds are \$734.70. What is the face of the note?

8. A 90-day note for \$376.85 with interest at 5% is due March 30. Find the amount due and the date of the note.

9. A 60-day note for \$630 without interest, dated Dec. 27, is discounted at a bank on Jan. 16, at 6%. Find the discount.

10. The proceeds of a 90-day note, without interest, discounted 32 days before it is due @ 6%, are \$574.42. Find the face of the note.

11. Find the proceeds of a 60-day note for \$420, without interest, dated Aug. 29, 1910, and discounted at a bank five days later at 6%.

12. A note of \$600 for 6 months without interest, dated Dec. 4, is discounted at a bank on Dec. 29 at 6%. Find the discount and the proceeds.

EXERCISE 119

Problems in Stocks and Bonds

1. Find the cost of 36 shares of N. Y. Central stock at $130\frac{3}{4}$, brokerage $\frac{1}{8}\%$.

2. What will be the total cost to the purchaser of 96 shares of stock at $126\frac{3}{4}$, brokerage $\frac{1}{8}\%$?

3. What per cent is realized from an investment in $4\frac{1}{2}\%$ stock at $124\frac{7}{8}$, brokerage $\frac{1}{8}\%$?

4. Find the number of shares of stock that can be bought for \$5160.75 @ $122\frac{3}{4}$, brokerage $\frac{1}{8}\%$.

5. What dividend is a stock paying when the rate on the investment is $4\frac{4}{9}\%$, if the stock was bought for $110\frac{1}{8}$?

6. A man bought stock at 97 and sold at 102, brokerage in each case $\frac{1}{8}\%$. Find the net gain per share.

7. What would be the cost of an investment in U.S. 4's (United States 4% bonds) @ $131\frac{1}{4}$, brokerage $\frac{1}{8}\%$, to secure an annual income of \$720?

8. A man sold through his broker 156 shares of stock @ $3\frac{1}{2}\%$ discount, paying a brokerage of $\frac{1}{8}\%$. Find the brokerage and the net proceeds of the sale.

9. How much better rate of income will be received from an investment in 6% stock at $137\frac{3}{8}$ than in 4% stock at $109\frac{7}{8}$, brokerage in each case being $\frac{1}{8}\%$?

10. A man paid \$2550 for some 5% railway stock at $127\frac{3}{8}$, brokerage $\frac{1}{8}\%$. How many shares did he buy, and what was his annual income from the stock?

11. A man bought 50 shares of stock at $120\frac{1}{4}$, and 6 months later a $3\frac{1}{2}\%$ dividend was declared; he then sold the stock at 118, brokerage in each case $\frac{1}{8}\%$. Find his net gain or loss, money being worth 5%.

EXERCISE 120

Problems in Ratio, Proportion, and Analysis

1. Find the fourth term of the proportion $6\frac{2}{5} : 3\frac{1}{3} :: 1\frac{3}{5}$; that is, $6\frac{2}{5} : 3\frac{1}{3} = 1\frac{3}{5} : (?)$. (The use of the symbol :: for = is nearly obsolete.)

2. The means of a proportion are $3\frac{1}{2}$ and $\frac{5}{21}$. One of the extremes is $\frac{5}{12}$. Write the proportion.

3. A prize of \$60 was divided between two persons in the ratio of $\frac{2}{3}$ to $\frac{5}{6}$. How much was the share of each?

4. If 18 men can do a piece of work in 24 days, in how many days should 27 men do the work? Solve by (*a*) analysis; (*b*) proportion.

5. X can do a piece of work in $3\frac{1}{2}$ days, Y in 3 days, and Z in $2\frac{3}{4}$ days. How many days will it take them to do it if they all work together?

6. In 20 days 36 men can do a piece of work. Find how many men it would take to do the work in 15 days. Solve by proportion.

7. A map is drawn so that 1 in. represents 0.8 mi. on the surface of the earth. How many acres of land are represented by a portion of the map 3 in. square?

8. A tank can be filled by a pipe in $3\frac{1}{2}$ hours and can be emptied by another pipe in 5 hours. If the tank is empty and both pipes are open, how long will it take to fill the tank, the flow in the pipes being constant?

9. Two stockmen, A and B, maintain a common drinking trough and share the annual cost of repairs in proportion to the number of cattle owned by each. A has 1253 head of cattle and B has 2747. If the annual cost of repairs is \$80, how much should each contribute?

EXERCISE 121

Problems in the Metric System

1. A meter is 39.37 in. long. How many rods in a kilometer?

2. Find the weight, in kilograms, of the water in a tank 3 m. long, 2 m. wide, and 1.6 m. deep.

3. How many blocks 2 dm. long and 12 cm. wide will be required to pave a court 14 m. by 10.8 m.?

4. A tank containing 5400 l. of water is 4 m. long and 1.8 m. wide. Find the depth of water in the tank.

5. A cistern 2.5 m. by 3.6 m. contains 14 kiloliters of water. How deep is the water?

6. Find the cost of the milk in a vat 1.5 m. long, 8 dm. wide, and 4 dm. deep, @ 4¢ a liter.

7. A wood pile containing 13.86 steres is 5.5 m. long and 1.8 m. wide. Find the height of the pile.

8. A circular park contains 78.54 ha. Find the distance from the center to the circumference.

9. A tank is 5.4 dm. wide, 2.5 dm. deep, and 1.75 m. long. Find the weight, in kilograms, of the water it contains when full of water.

10. Sea water is 2.8% salt, and is 1.025 times as heavy as fresh water. How many kilograms of salt can be obtained from 100 cu. m. of sea water?

11. Find the weight in kilograms of a bar of iron 2 m. long, having a rectangular cross section 8 cm. by 12 cm., iron being 7.8 times as heavy as water.

12. In a circular reservoir 18 m. in diameter rainfall increased the depth of the water 17 cm. How many liters of water were added to the reservoir?

EXERCISE 122

Problems Involving Square Root

1. Find the square root of 119,716.

2. Find the square root of 170,569.

3. Find to three decimal places the square root of 6.

4. Find to three decimal places the square root of 30.

5. Determine the number of rods around a square field, the diagonal of which is 380 rd.

6. The diagonal of a square is 15 ft. Find to two decimal places the length of one side.

7. The side of a square is 15 ft. Find to two decimal places the length of the diagonal.

8. The area of a square is 37 sq. ft. Find to two decimal places the length of one side.

9. Separate 15,876 into prime factors, and from these factors determine the square root of the number.

10. The area of a circle is 113.0976 sq. in. Find the length of the radius.

11. The area of a circle is 153.9384 sq. ft. Find the length of the radius.

12. The foot of a 37-foot ladder is 12 ft. from the wall of a building against which the top rests. How high does the ladder reach on the wall?

13. How far from the wall of a house must the foot of a 50-foot ladder be placed in order that the top of the ladder may touch a window sill 48 ft. from the ground?

14. A rope stretched from the top of a 28-foot pole just reaches the ground 21 ft. from the foot of the pole. Assuming the rope to be straight, how long is it?

EXERCISE 123

Miscellaneous Problems

1. If 48 yd. of cloth costing 3s. 6d. a yard are sold for £10 4s., what is the per cent of gain?

2. What will it cost for rails for 5 mi. of double track, if the rails cost $28 a ton and weigh 100 lb. per yard?

3. A and B together have $153. If $\frac{3}{4}$ of A's money is equal to $\frac{2}{3}$ of B's, how much has each?

4. A horse tied to a stake can reach the grass 30 ft. in any direction from the stake. Over how many square feet of land can the horse graze?

5. Allowing 1000 shingles to 120 sq. ft., find how many thousand shingles will cover a pitched roof each side of which is 58 ft. long and 24 ft. wide.

6. A corner lot has 96 ft. front and is 180 ft. deep. Find the cost of laying a 4-foot stone walk on the front and side, at 18¢ per square foot.

7. Find in inches the depth of a cylindrical tank 5 ft. in diameter that has the same capacity as a rectangular cistern 8 ft. square and 6 ft. deep.

8. A boat travels 15 mi. down stream in $2\frac{1}{2}$ hr. The boat's rate of travel in still water is $4\frac{1}{2}$ mi. an hour. In what time can the boat return?

9. A man has $\frac{5}{8}$ of his property invested in a farm, $\frac{1}{6}$ in railway stock, and the remainder, $1500, is deposited in a bank. Find the value of the farm and of the railway stock.

10. Two men start from points 33 mi. apart and walk towards each other, the first at the rate of $4\frac{1}{2}$ mi. per hour, and the second at the rate of $3\frac{3}{4}$ mi. per hour. How far from where the second man started will they meet?

11. The amount of water that flows over Niagara Falls averages 264,000 cu. ft. a second. Find the average number of gallons carried over the falls in a second.

12. The diagonal of a square is 20 ft. Find to two decimal places the length of one side.

13. If $\frac{1}{8}$ in. on a map represents an actual distance of $35\frac{1}{2}$ mi., what distance on the map represents 28.4 mi.?

14. How many loads of gravel averaging 1 cu. yd. will be required to grade $2\frac{3}{4}$ mi. of road, the gravel to be laid 14 ft. wide and 6 in. deep?

15. If a dealer pays \$9737.50 for some wool, including the purchasing agent's commission of $2\frac{1}{2}\%$, how much is the amount of the commission?

16. The sugar contained in the sugar beet is $6\frac{1}{4}\%$ of the weight of the beet. How many pounds of beets will be required to produce $122\frac{1}{2}$ lb. of sugar?

17. How many boards 12 ft. long will be required to build a straight fence 4 boards high about a rectangular field 40 rd. wide containing 20 acres?

18. Find the circumference of a circle whose diameter is 22.6 in., using 3.1416 as the ratio of circumference to diameter; also using $3\frac{1}{7}$; also using the ratio 355 : 113.

19. If 15 burners, each consuming 6 cu. ft. of gas per hour, are used on an average 4 hr. per day for 365 days, what will be the gas bill at 80¢ per thousand?

20. Flint glass contains by weight 72% sand, 14% soda, 12% lime, and 2% alumina. Find the number of pounds of each of these substances in 150 lb. of flint glass.

21. A bell weighing 1250 lb. is composed of 77% copper, 21% tin, and the rest zinc. How many pounds of each metal does the bell contain?

22. Bronze contains 9 parts of copper by weight to 2 parts of tin. How many pounds of tin in a bronze statue that weighs 2662 lb.?

23. The time from one new moon to the next is 29 da. 12 hr. 44 min. 3 sec. Express this in days and the decimal fraction of a day.

24. Find the difference in the number of acres in two fields, one of which contains 75 sq. rd., and the other of which is 75 rd. square.

25. Find to the nearest pound the weight of the air in a schoolroom $30' \times 16' \times 12'$, if water is 770 times as heavy as air and weighs 1000 oz. per cubic foot.

26. If a certain gun metal is composed of 84% copper and the rest tin, how many pounds of tin will be needed with 58.8 lb. of copper to make the gun metal?

27. A man, computing the cost of 54 articles, multiplied by mistake the cost of each by 45 instead of 54, and obtained \$121.50. What was the cost of the 54 articles?

28. A company with a capital of \$350,000 earned net \$28,250 last year. It paid a 7% dividend and carried the balance to surplus. How much did it carry to surplus?

29. A gardener finds that a bin 8 ft. long, 3 ft. 6 in. wide, and 5 ft. deep holds 112 bu. How many bushels in a bin that is 25% longer, 25% narrower, and has the same depth?

30. Find the cost of a stair carpet at \$1.35 a yard for a straight flight of 19 steps 10 in. wide and 8 in. rise, allowing 15 in. extra for the bottom of the stairs and the same for the top.

31. Water is flowing into a rectangular tank whose base is 6 ft. 8 in. long and 4 ft. 6 in. wide, at the rate of 2 cu. ft. in 3 min. How long will it take the water to fill it to a depth of 6 ft.?

32. Find the cost of 325 boards 16 ft. long, 4 in. wide, and $\frac{7}{8}$ in. thick at \$27 per M.

33. Find the number of dry quarts a cylindrical measure $16\frac{1}{2}$ in. in diameter and 1 ft. high will hold.

34. At what rate will \$1250 yield \$112.50 interest in 2 yr.? at what rate will it yield \$206.25 interest in 3 yr.?

35. What fraction of the year 1912 is the time from January 20 to March 15, including both of these days?

36. On seven successive days at noon the thermometer indicated 66°, 72°, 61°, 68°, 73°, 62°, 65°. What was the average for the week?

37. On seven successive days the barometer indicated 29.22 in., 29.18 in., 29.65 in., 30.02 in., 30.12 in., 30.18 in., and 30.21 in. What was the average for the week?

38. A cubic inch of iron weighs $4\frac{1}{3}$ oz. Find the weight in pounds of an iron bar 1 in. square at the end and 1 yd. long; 1 in. square at the end and 15 ft. long.

39. The driving wheels of a locomotive are 6 ft. 8 in. in diameter. How many revolutions a minute does each wheel make when the locomotive is traveling 48 mi. an hour?

40. When water is heated from 32° to 212° it expands $\frac{1}{24}$ in volume. If a cubic foot of water at the freezing point weighs $62\frac{1}{2}$ lb., what does a cubic foot of boiling water weigh?

41. A man bought a bill of goods in Paris to the value of 2600 fr. He paid 40% ad valorem duty and \$17.65 freight, and sent a draft for the purchase price when exchange was 19.4. What was the total cost?

42. A pole is broken by the wind 12 ft. above the ground. The two parts hang together, but the upper part is bent over and touches the ground 12 ft. from the base. How long was the pole originally? (Two decimals.)

43. If it takes 1 bbl. of lime and $\frac{5}{8}$ cu. yd. of sand to make mortar for 1000 bricks, and if $22\frac{1}{2}$ bricks are allowed per cubic foot of wall, how much lime and how much sand are needed for a wall $28' \times 6' \times 1'\ 6''$?

44. The diagonal of one face of a cube is $\sqrt{450}$ in. Find the number of square inches in the entire surface of the cube and the number of cubic inches in the volume.

45. If a horse is tethered by a 40-foot rope, the length of the largest circumference he can walk around is how many times what it would be if he were tethered by a 20-foot rope?

46. In Ex. 45 the horse can graze over how many times as much ground in the first case as in the second?

47. One man can do a piece of work in 8 days and another man can do it in 10 days. How many days will it take the two together to do the work?

48. If X can build a wall in 18 days, Y in 15 days, and Z in 12 days, how many days will it take all three working together to build the wall?

49. If X, Y, and Z working together can dig a ditch in 24 hr., and X and Z working together can dig it in 32 hr., how many hours will it take Y alone to dig the ditch?

50. A water tank can be filled by three pipes, running separately, in 4 hours, 5 hours, and 6 hours respectively. In how many hours will the empty tank be filled by all three running together?

51. If the eye is 8 in. above the surface of a lake it can see about 1 mi.; if it is $2^2 \times 8$ in. above the surface, 2 mi.; if it is $3^2 \times 8$ in. above the surface, 3 mi.; and so on, the height being approximately 8 in. multiplied by the square of the distance in miles. About how far can a man see in one direction, if his eye is 36 ft. above the surface of the sea? (Two decimals.)

APPENDIX

186. Subjects Treated. In this Appendix are included certain subjects now generally omitted from courses in arithmetic, but still demanded by schools that have not diminished the time formerly assigned to this study. There are also included several tables that will prove helpful to the student and teacher, and will be of value for reference after the school course is completed. Local conditions should determine what portion of this material should be used. It may all be omitted if desired, or such selections may be made as seem best.

Arithmetical and Geometric Progressions, for example, are best treated in algebra, but for pupils who take no algebra the subject has considerable interest and offers opportunity for exercise in computation. Compound Interest, used chiefly in computing the growth of funds the interest on which is reinvested when due, follows naturally from the study of Geometric Progression, and affords practice in the use of tables. Repeating Decimals, while of little practical value, are interesting applications of progressions, and are frequently met in official examinations. The Proof by Casting out Nines is so important that teachers are advised always to use it with their classes. A large amount of extra drill work has also been provided, from which teachers may select problems as needed. A few problems of a recreative nature have been added that can hardly fail to appeal to many pupils.

187. Arithmetical Progression. A series of numbers that increase or decrease by a common difference is called an *arithmetical progression.*

Thus the numbers 6, 9, 12, 15 form an arithmetical progression with the common difference 3. The numbers of a progression are called its *terms.*

188. Finding a Required Term. In the arithmetical progression

1st	2d	3d	4th	5th	6th
4,	7,	10,	13,	16,	19,

it is evident that any term, as for example the 6th, is found by adding to the first term the product of the common difference by a number 1 less than the number of the term. In this case, the 6th term is $4 + 3 \times 5$, or 19.

In an expression like $4 + 3 \times 5$ the multiplication is performed before the addition. If the addition were to be performed first, the expression would be written $(4 + 3) \times 5$.

If the series is a decreasing series, we subtract from the first term the product of the common difference by a number 1 less than the number of the term. Thus, the 12th term of the series 50, 47, 44, 41, etc., is $50 - 3 \times 11$, or 17.

Therefore, *to find any required term of an arithmetical progression, multiply the common difference by a number that is 1 less than the number of the required term. Add this product to the first term if the series is an increasing series; subtract it from the first term if the series is a decreasing series.*

EXERCISE 124

1. Find the 5th term of 4, 9, 14, etc.
2. Find the 10th term of 3, 8, 13, etc.
3. Find the 12th term of 5, 8, 11, etc.
4. Find the 6th term of 63, 58, 53, etc.
5. Find the 7th term of 100, 92, 84, etc.

189. Finding the Sum. Taking seven terms of the series, 1, 3, 5, etc., the sum is indicated by

$$1 + 3 + 5 + 7 + 9 + 11 + 13$$

In reverse order it is $13 + 11 + 9 + 7 + 5 + 3 + 1$

Hence, *twice the sum* is $14 + 14 + 14 + 14 + 14 + 14 + 14$

Hence, *once the sum* is $\frac{1}{2}$ of 7×14, or 49.

Therefore, *to find the sum of an arithmetical progression, take half the product of the number of terms by the sum of the first and last terms.*

Thus the sum of nine terms of an arithmetical progression whose first term is 3 and last term 41, is $\frac{1}{2}$ of $9 \times (3 + 41)$, or 198.

EXERCISE 125

Given the first and last terms, and the number of terms, find the sum:

	First	*Last*	*No.*		*First*	*Last*	*No.*
1.	3	30	10	**7.**	11	41	11
2.	5	45	11	**8.**	12	56	11
3.	7	40	12	**9.**	15	70	12
4.	4	39	8	**10.**	45	13	9
5.	6	30	13	**11.**	57	21	7
6.	7	35	15	**12.**	49	35	15

Given the first term, common difference, and number of terms, find the last term (§ 188) and then the sum:

	First	*Diff.*	*No.*		*First*	*Diff.*	*No.*
13.	3	3	8	**17.**	5	7	6
14.	7	2	9	**18.**	7	8	10
15.	5	9	7	**19.**	2	3	20
16.	1	6	6	**20.**	1	4	15

Find the sum of:

21. 1, 4, 7, to 8 terms.

22. 2, 5, 8, to 9 terms.

23. 4, 6, 8, to 12 terms.

24. 5, 8, 11, to 10 terms.

25. 7, 8, 9, to 25 terms.

26. 11, 16, 21, to 7 terms.

27. 14, 19, 24, to 6 terms.

28. 23, 20, 17, to 7 terms.

29. What is the sum of the first 25 numbers, beginning with 2?

30. What is the sum of the first 50 odd numbers, beginning with 1?

31. What is the sum of the first 20 numbers that are divisible by 3, beginning with 3?

32. How many times in a day does a clock strike that strikes the hours only?

33. Supposing a body to fall through space $16\frac{1}{2}$ ft. in the first second of its fall, and in each succeeding second $32\frac{1}{2}$ ft. more than in the second just before, how far will it fall in the 6th second? how far in 6 seconds?

34. From the preceding example, how far will a body fall in the 10th second of its fall? in 10 seconds?

35. In a potato race 30 potatoes are placed in a straight line 3 ft. distant from one another. A boy starting from a basket in the line 3 ft. from the first potato is required to pick them up one by one, beginning with the nearest one, and carry them to the basket. To finish the race, how far must the boy run?

36. Solve the preceding example on the supposition that there are 100 potatoes.

37. Solve Example 35 on the supposition that the boy picks up the farthest potato first and the nearest one last, and compare the results.

190. Geometric Progression. A series in which each term after the first is obtained by multiplying the preceding term by a constant multiplier is called a *geometric progression.*

The constant multiplier is called the *ratio* of the progression.

Thus the numbers 2, 6, 18, 54, form a geometric progression, the ratio being 3. The numbers 27, 9, 3, 1, $\frac{1}{3}$, also form a geometric progression, the ratio being $\frac{1}{3}$.

191. Finding a Required Term. In the geometric progression

1st	2d	3d	4th	5th
2,	6,	18,	54,	162,

it is evident that any term, as for example the 5th, is the product of the first term by the power of the ratio that is 1 less than the number of the term.

That is, the 2d term is 2×3; the 3d term is 2×3^2; the 4th term is 2×3^3; the 5th term is 2×3^4; and so on.

Therefore, *to find any required term of a geometric progression, raise the ratio to a power 1 less than the number of the required term, and multiply this by the first term.*

EXERCISE 126

Given the first term and ratio to find the term whose number is indicated:

	First	*Ratio*	*No.*		*First*	*Ratio*	*No.*
1.	1	2	6	**7.**	64	$\frac{1}{2}$	6
2.	2	4	5	**8.**	81	$\frac{1}{3}$	4
3.	5	3	7	**9.**	128	$\frac{1}{2}$	4
4.	7	5	5	**10.**	243	$\frac{1}{3}$	4
5.	6	6	6	**11.**	256	$\frac{1}{4}$	3
6.	7	4	5	**12.**	729	$\frac{1}{9}$	3

13. Find the 8th term of 1, 4, 16, 64, 256, etc.

14. Find the 9th term of 2, 6, 18, 54, 162, etc.

192. Finding the Sum. Taking five terms of the series 2, 6, 18, etc., the sum is indicated by $2 + 6 + 18 + 54 + 162$. If we multiply this sum by the ratio 3, we have:

$3 \times$ the sum is $\quad 6 + 18 + 54 + 162 + 486$

$1 \times$ the sum is $\quad 2 + 6 + 18 + 54 + 162$

$2 \times$ the sum is $\quad 486 - 2$, by subtracting.

Hence the sum is $\quad \dfrac{486 - 2}{2}$.

The numerator of this fraction is the difference between the first term and the product of the last term by the ratio; the denominator is the difference between the ratio and 1.

Therefore, *to find the sum of a geometric progression, multiply the last term by the ratio and subtract the first term from the product. Then divide the remainder by the ratio minus 1.*

If the ratio is less than 1, simply reverse the progression. That is, to find the sum of the series 128, 64, 32, 16, where the ratio is $\frac{1}{2}$, find the sum of the series 16, 32, 64, 128, where the ratio is 2.

EXERCISE 127

Given the first and last terms and the ratio, find the sum:

	First	*Last*	*Ratio*		*First*	*Last*	*Ratio*
1.	2	128	2	**6.**	5	625	5
2.	1	243	3	**7.**	3	108	6
3.	1	256	2	**8.**	2	162	3
4.	3	192	4	**9.**	32	1	$\frac{1}{2}$
5.	4	108	3	**10.**	729	81	$\frac{1}{3}$

Find the sum of:

11. 3, 6, 12, to 8 terms.

12. 1, 5, 25, to 7 terms.

13. 4, 8, 16, to 6 terms.

14. 405, 135, 45, to 5 terms.

193. Geometric Progression and Compound Interest. To what sum will \$1000 amount, at 6% compound interest, in 4 yr. ?

Original principal	\$1000	
Amount at end of 1st year	\$1060,	or $1.06 \times \$1000$
Amount at end of 2d year	\$1123.60,	or $1.06 \times \$1060$
Amount at end of 3d year	\$1191.02,	or $1.06 \times \$1123.60$
Amount at end of 4th year	\$1262.48,	or $1.06 \times \$1191.02$

The first term is \$1000, the ratio 1.06, and the fifth term \$1262.48.

To what sum will \$250 amount, in 5 years, at 4% compound interest?

By § 191 the *sixth* term equals

$$1.04^5 \times \$250, \text{ or } 1.21665 \times \$250, \text{ or } \$304.16.$$

194. Compound Interest Table. The table on page 194 shows the amount of \$1 at compound interest at various rates. The compound interest on \$1 is found by subtracting 1 from the proper number shown in the table.

(1) What principal will in 10 yr., at 6% compound interest, yield \$1898.04 interest?

The interest on \$1 for 10 yr. at 6% is \$0.79085 (see the table).

Since \$0.79085 is the interest on \$1,

$$\$1898.04 \text{ is the interest on } \frac{\$1898.04}{0.79085}, \text{ or } \$2400.$$

(2) In what time will \$1600, at $4\frac{1}{2}$% compound interest, yield \$1000 interest?

Since \$1600 yields \$1000, \$1 will yield $\frac{1}{1600}$ of \$1000, or \$0.625, in the same time, and \$1 will amount to \$1.625. By the table, \$1 will, in 11 yr. at $4\frac{1}{2}$%, amount to \$1.62285, and in 12 yr. to \$1.69588. Hence the required time is a little more than 11 yr.

(3) At what rate, compound interest, will \$1500 yield \$1201.41 interest in 15 yr.?

Since \$1500 yields \$1201.41 interest in 15 yr., \$1 in 15 yr. will yield $\frac{1}{1500}$ of \$1201.41, or \$0.80094, and \$1 will amount in 15 yr. to \$1.80094. In the table, opposite 15 yr., we find in the 4% column the amount of \$1 is \$1.80094. Therefore the rate is 4%.

Table showing the amount of $1 at compound interest for :

YEAR	2 PER CENT	2½ PER CENT	3 PER CENT	3½ PER CENT	4 PER CENT
1	1.02000	1.02500	1.03000	1.03500	1.04000
2	1.04040	1.05063	1.06090	1.07123	1.08160
3	1.06121	1.07689	1.09273	1.10872	1.12486
4	1.08243	1.10381	1.12551	1.14752	1.16986
5	1.10408	1.13141	1.15927	1.18769	1.21665
6	1.12616	1.15969	1.19405	1.22926	1.26532
7	1.14869	1.18869	1.22987	1.27228	1.31593
8	1.17166	1.21840	1.26677	1.31681	1.36857
9	1.19509	1.24886	1.30477	1.36290	1.42331
10	1.21899	1.28009	1.34392	1.41060	1.48024
11	1.24337	1.31209	1.38423	1.45997	1.53945
12	1.26824	1.34489	1.42576	1.51107	1.60103
13	1.29361	1.37851	1.46853	1.56396	1.66507
14	1.31948	1.41297	1.51259	1.61870	1.73168
15	1.34587	1.44830	1.55797	1.67535	1.80094
16	1.37279	1.48451	1.60471	1.73399	1.87298
17	1.40024	1.52162	1.65285	1.79468	1.94790
18	1.42825	1.55966	1.70243	1.85749	2.02582
19	1.45681	1.59865	1.75351	1.92250	2.10685
20	1.48595	1.63862	1.80611	1.98979	2.19112

YEAR	4½ PER CENT	5 PER CENT	5½ PER CENT	6 PER CENT	7 PER CENT
1	1.04500	1.05000	1.05500	1.06000	1.07000
2	1.09203	1.10250	1.11303	1.12360	1.14490
3	1.14117	1.15763	1.17424	1.19102	1.22504
4	1.19252	1.21551	1.23882	1.26248	1.31080
5	1.24618	1.27628	1.30696	1.33823	1.40255
6	1.30226	1.34010	1.37884	1.41852	1.50073
7	1.36086	1.40710	1.45468	1.50363	1.60578
8	1.42210	1.47746	1.53469	1.59385	1.71819
9	1.48610	1.55133	1.61909	1.68948	1.83846
10	1.55297	1.62889	1.70814	1.79085	1.96715
11	1.62285	1.71034	1.80209	1.89830	2.10485
12	1.69588	1.79586	1.90121	2.01220	2.25219
13	1.77220	1.88565	2.00577	2.13293	2.40985
14	1.85194	1.97993	2.11609	2.26090	2.57853
15	1.93528	2.07893	2.23248	2.39656	2.75903
16	2.02237	2.18287	2.35526	2.54035	2.95216
17	2.11338	2.29202	2.48480	2.69277	3.15882
18	2.20848	2.40662	2.62147	2.85434	3.37993
19	2.30786	2.52695	2.76565	3.02560	3.61653
20	2.41171	2.65330	2.91776	3.20714	3.86968

EXERCISE 128

1. Find the compound interest at 6% for 5 yr. on $287.

2. Find the compound interest at $3\frac{1}{2}\%$ for 12 yr. 6 mo. on $686.70.

3. Find the amount of $960 for 9 yr. at 5%, interest compounded semiannually.

4. Find the amount of $1216 for 5 yr. at 8%, interest compounded quarterly.

5. What principal will in 14 yr. at $5\frac{1}{2}\%$ compound interest amount to $1880.78?

6. At what rate compound interest will $2200 yield $4749.40 interest in 17 yr.?

7. In what time will $1800 at 5% compound interest amount to $3000?

8. In what time will $962.44 yield $1080.72 interest at 6% compound interest?

9. What principal will in 20 yr. at 4% compound interest yield $2500 interest?

10. At what rate compound interest will $462.50 yield $277.98 interest in 12 yr.?

11. What principal will in 10 yr. at 6% amount to $3612.22, interest being compounded semiannually?

12. In what time at 5% will $1250 amount to $2000, interest being compounded semiannually?

13. At what rate per annum will $500 amount to $779.83 in 9 yr., interest being compounded semiannually?

14. At what rate compound interest will $1500 amount to $2229.15 in 9 yr.?

15. At what rate compound interest will $2500 amount to $3620.75 in 15 yr.?

195. Repeating Decimals. A decimal that contains a constantly recurring figure or series of figures is called a *repeating decimal* or *circulating decimal.*

Thus the decimal 0.272727 . . . is a repeating decimal, the figures constantly recurring being 27.

The figure or series of figures that constantly recurs in a repeating decimal is called the *repetend.*

If the repetend begins in the first decimal place, the decimal is called a *pure* repeating decimal; otherwise the decimal is called a *mixed* repeating decimal. Thus 0.272727 . . . is a pure repeating decimal and 0.3272727 . . . is a mixed repeating decimal.

Repeating decimals are rarely used, the decimal being carried usually to as many places as desired and the remaining figures being omitted.

196. Symbol. In writing a repeating decimal we stop with the last figure of the repetend and place dots over the first and last figures.

Thus we write $0.\dot{2}\dot{7}$ for 0.272727 . . . and $0.\dot{3}$ for 0.333 . . .

The repetend may be made to begin at any place we please after the first repeating figure. Thus, 4.13548548 . . . may be written $4.13\dot{5}4\dot{8}$, or $4.135\dot{4}8\dot{5}$, or $4.1354\dot{8}5\dot{4}$, and so on.

197. Reducing a Repeating Decimal to a Common Fraction.

(1) Required to reduce $0.\dot{2}\dot{7}$ to a common fraction.

From	100 times the decimal,	or 27.2727 . . .
take	1 times the decimal,	or 0.2727 . . .
Then	99 times the decimal	= 27.
Therefore	the decimal	= $\frac{27}{99}$, or $\frac{3}{11}$.

(2) Reduce $0.5\dot{2}4\dot{3}$ to a common fraction.

First, suppose we had the repeating decimal $0.\dot{2}4\dot{3}$.

From	1000 times the decimal,	or 243.243243 . . .
take	1 times the decimal,	or .243243 . . .
Then	999 times the decimal	= 243.
Therefore	the decimal	= $\frac{243}{999}$, or $\frac{9}{37}$.

Then $0.5\dot{2}4\dot{3}$ must equal $0.5\frac{9}{37}$, or $\frac{124}{370}$, or $\frac{97}{185}$.

198. Repeating Decimals and Geometric Progressions. If we consider the first example in § 197 we see that

$$0.\dot{2}\dot{7} = \tfrac{27}{100} + \tfrac{27}{10000} + \tfrac{27}{1000000} + \cdots,$$

a geometric progression that decreases towards zero, with a ratio $\frac{1}{100}$. If we reverse the order, the first term will be 0 and the ratio 100. Then, by § 192, the sum equals $\frac{100 \times \frac{27}{100}}{100 - 1}$, or $\frac{27}{99}$, or $\frac{3}{11}$, as found in § 197.

Therefore, *to reduce a repeating decimal to a common fraction, write the repetend for the numerator, and as many 9's for the denominator as there are figures in the repetend.*

EXERCISE 129

Reduce to repeating decimals:

1. $\frac{1}{3}$.	6. $\frac{2}{7}$.	11. $\frac{1}{11}$.	16. $\frac{8}{15}$.
2. $\frac{2}{3}$.	7. $\frac{5}{7}$.	12. $\frac{5}{11}$.	17. $\frac{1}{22}$.
3. $\frac{1}{6}$.	8. $\frac{1}{9}$.	13. $\frac{1}{12}$.	18. $\frac{5}{22}$.
4. $\frac{5}{6}$.	9. $\frac{5}{9}$.	14. $\frac{7}{12}$.	19. $\frac{1}{30}$.
5. $\frac{1}{7}$.	10. $\frac{7}{9}$.	15. $\frac{1}{13}$.	20. $\frac{1}{99}$.

Reduce to common fractions or mixed numbers:

21. $0.\dot{3}$.	26. $0.\dot{2}0\dot{}$.	31. $0.\dot{2}4\dot{2}$.	36. $0.7\dot{2}8\dot{3}$.
22. $0.\dot{6}$.	27. $0.\dot{2}1\dot{}$.	32. $0.1\dot{2}7\dot{}$.	37. $0.11\dot{3}6\dot{}$.
23. $0.\dot{5}$.	28. $0.\dot{3}0\dot{}$.	33. $0.\dot{1}6\dot{1}$.	38. $2.1\dot{3}3\dot{6}$.
24. $0.\dot{7}$.	29. $0.\dot{9}0\dot{}$.	34. $0.\dot{2}4\dot{0}$.	39. $4.3\dot{1}6\dot{2}$.
25. $0.\dot{9}$.	30. $0.\dot{9}9\dot{}$.	35. $0.\dot{8}6\dot{3}$.	40. $7.12\dot{4}3\dot{}$.

41. Add $0.\dot{7}$, $0.\dot{6}\dot{3}$, and $0.\dot{2}\dot{1}$, reducing first to common fractions.

42. Subtract $0.\dot{1}\dot{3}$ from $2.\dot{3}$, and express the result as a repeating decimal.

199. Decimal Scale. The common mode of representing numbers is called the *decimal scale of notation.*

This is because the value of the places increases from right to left in a tenfold ratio, the word *decimal* being derived from a Latin word (*decem*) meaning *ten.* In this scale of notation 10 is called the *radix* or *base* of the system.

200. Other Scales. Instead of the radix 10, any other integral number might be used as the radix.

Thus, the number 543 stands for

$5 \times 10^2 + 4 \times 10 + 3$ in the scale of ten,
$5 \times 8^2 + 4 \times 8 + 3$ in the scale of eight,
and $5 \times 6^2 + 4 \times 6 + 3$ in the scale of six.

Therefore, in the scale of ten, 12 means 1 ten and 2 units, or twelve ; in the scale of eight, 12 means 1 eight and 2 units, or ten ; in the scale of five, 12 means 1 five and 2 units, or seven.

The civilized world now uses only the scale of ten.

201. Reducing from One Scale to Another. There is some interest in changing from one scale to another, as in the following examples :

(1) Express 25 in the scale of eight.

This means that we are to find how many eights and units it contains. There are evidently 3 eights and 1 unit besides. Therefore 25 in the scale of ten would be 31 in the scale of eight.

(2) Express 6532 in the scale of six.

This means that we are to find how many sixes, six squares, six cubes, and so on, it contains. Dividing, we have :

$$\begin{array}{rl} 6\overline{)6532} & \\ 6\overline{)1088} & \text{remainder } 4 \\ 6\overline{)181} & \text{remainder } 2 \\ 6\overline{)30} & \text{remainder } 1 \\ 5 & \text{remainder } 0 \end{array}$$

We have, therefore $5, \times 6^4 + 0 \times 6^3 + 1 \times 6^2 + 2 \times 6 + 4$, and the number in the scale of six is 50,124.

(3) Change 50,124 from the scale of six to the scale of eight.

$$
\begin{array}{r}
8\overline{)50124} \\
8\overline{)3440} \text{ remainder } 4 \\
8\overline{)250} \text{ remainder } 0 \\
8\overline{)20} \text{ remainder } 6 \\
1 \text{ remainder } 4
\end{array}
$$

Since 50,124 is in the scale of 6, each figure is *six* times the value it would have one place to the right. Hence, we divide $6 \times 5 + 0$ by 8, and we obtain 3 for the quotient and 6 for the remainder. The next partial dividend, $6 \times 6 + 1$, or 37, divided by 8 gives 4 for the quotient and 5 for the remainder. The next partial dividend, $6 \times 5 + 2$, or 32, divided by 8 gives 4 for the quotient and 0 for the remainder; and so on. Therefore the required number is 14,604.

(4) Change 14,604 from the scale of eight to the scale of ten.

$$
\begin{array}{r}
10\overline{)14604} \\
10\overline{)1215} \text{ remainder } 2 \\
10\overline{)101} \text{ remainder } 3 \\
6 \text{ remainder } 5
\end{array}
$$

Therefore the required number is 6532.

EXERCISE 130

Change 3863 in the decimal scale to the scale of:

1. Seven. 2. Eight. 3. Three.

Change 1000 in the decimal scale to the scale of:

4. Four. 6. Three. 8. Eleven.
5. Seven. 7. Nine. 9. Twelve.

Change to the decimal scale:

10. 41,543 in the scale of seven.
11. 41,543 in the scale of six.
12. Change 1235 from the scale of six to the scale of eight.

202. Settlement of Accounts. Find the balance due on the following account, Sept. 10, 1912, computing interest at 6% on each item from its date to the day of settlement, and reckoning the time in days :

1912	Dr.	Int.	1912	Cr.	Int.
June 29. To Mdse.	$250	$3.04	July 3. By Cash.	$200	$2.30
July 13. To Mdse.	400	3.93	July 17. By Cash.	125	1.15
July 27. To Mdse.	500	3.75	July 31. By Cash.	350	2.39
			Sept. 10. By bal. acct.	475	
Settled Sept. 10, '12.			Sept. 10. By bal. int.		4.88
	$1150	$10.72		$1150	$10.72

Hence, the cash balance is $475 + $4.88, or $479.88.

When the balance of account and the balance of interest fall on *opposite* sides, the cash balance is their *difference*.

EXERCISE 131

Find the cash balance, Sept. 10, 1912, of the following accounts, reckoning interest at 6% :

1.

1912	Dr.	1912	Cr.
May 13. To Mdse.	$250.00	May 27. By Cash.	$200.00
May 28. To Mdse.	610.00	June 22. By Cash.	500.00
June 17. To Mdse.	300.00	June 29. By Cash.	400.00

2.

1912	Dr.	1912	Cr.
Mar. 7. To Mdse.	$350.00	Apr. 3. By Cash.	$150.00
Apr. 10. To Mdse.	98.50	May 2. By Cash.	150.00
May 25. To Mdse.	300.00	June 4. By Cash.	200.00

3.

1912	Dr.	1912	Cr.
May 8. To Mdse.	$250.00	June 22. By Cash.	$200.00
June 5. To Mdse.	670.00	July 20. By Cash.	500.00
July 3. To Mdse.	200.00	Aug. 19. By Cash.	300.00

203. Division by Factors. If it is required to divide one number by another which can be separated into factors, it is often easier and more convenient to divide the number by one of the factors of the divisor, the quotient by another factor, the second quotient by a third factor, and so on.

For example, required to divide 22,756 by 1155.

$$\begin{array}{r|l} 3 & 22756 \\ 5 & 7585 \ldots 1 \\ 7 & 1517 \\ 11 & 216 \ldots 5 \\ & 19 \ldots 7 \end{array}$$

The divisor, 1155, equals $3 \times 5 \times 7 \times 11$.

Here $22{,}756 \div 3 = 7585$ *threes* and 1 *unit* over; 7585 *threes* $\div 5 = 1517$ *fifteens;* 1517 *fifteens* $\div 7 =$ 216 *one hundred fives* and 5 *fifteens* over; 216 *one hundred fives* $\div 11 = 19$ *eleven hundred fifty-fives* and 7 *one hundred fives* over. Therefore the quotient is 19 and the remainder is $1 + 5 \times 15 + 7 \times 105$, or 811.

Therefore, to divide one number by another,

Divide the number by one of the factors of the divisor; divide the quotient by another factor of the divisor; and so on until all the factors have been used as divisors.

Multiply each remainder by all the divisors that precede the divisor that produced it. The sum of these products is the complete remainder.

It is best to use the largest factors possible, not exceeding 12.

EXERCISE 132

Divide by using factors:

1. 2875 by 48.
2. 4792 by 49.
3. 8463 by 75.
4. 9648 by 121.
5. 8762 by 81.
6. 7645 by 144.
7. 6589 by 99.
8. 8431 by 64.
9. 7865 by 128.
10. 8475 by 125.
11. 9175 by 88.
12. 37,560 by 616.
13. 87,542 by 495.
14. 92,653 by 504.
15. 88,475 by 378.
16. 75,555 by 1152.
17. 82,643 by 891.
18. 97,682 by 396.
19. 65,877 by 252.
20. 85,789 by 192.
21. 84,602 by 539.

204. Check by Casting out Nines. One of the most valuable checks upon computations, particularly in multiplication and division, is the one known as Casting out Nines, and this will now be explained.

205. Excess of Nines. The remainder after dividing any integer by 9 is called the *excess of nines* in the integer.

Thus the excess of nines in 11 is 2, because $11 \div 9 = 1$, with 2 remainder. The excess of nines in 48 is 3, the excess in 85 is 4, the excess in 108 is 0.

206. Finding the Excess of Nines. Instead of dividing by 9 to find the excess there is a much shorter method. Consider, for example, the number 2348.

We may separate this into $2000 + 300 + 40 + 8$.

$$\begin{aligned} 2000 &= 2 \times 999 + 2 \\ 300 &= 3 \times 99 + 3 \\ 40 &= 4 \times 9 + 4 \\ 8 &= 8 \\ \hline 2348 &= \text{a multiple of } 9, + 2 + 3 + 4 + 8 \end{aligned}$$

That is, 2348 contains 9 exactly except for the sum of its digits, 2, 3, 4, 8.

Therefore, *the excess of nines in any number is equal to the excess in the sum of the digits.*

207. Casting out Nines. In finding the remainder from dividing the sum of the digits by 9, that is, in casting out the nines, we may of course omit the nines, or any two or three digits which we see at a glance will make 9.

Thus in casting out the nines from 1,926,754, we see at once that $1 + 2 + 6 = 9$ and $5 + 4 = 9$, and the single 7 will be the remainder. So in 254,786, we reject 5, 4, and 2, 7, and add $8 + 6$; from the sum we reject 9 and have 5 left.

208. Check in Multiplication. *The excess of nines in a product equals the excess in the product of the excesses in the factors.*

Check the product of 61×47 by casting out nines.

The remainder after the nines are cast out:

From 47 is 2
From 61 is 7
} Multiply

From 2867 is **5**. From 14 is **5**.

The product of the two *numbers* has an excess 5, and the product of the two *excesses* has 5 remaining after the nines are cast out. Therefore the work may be assumed to be correct. The check does not, however, discover errors that are independent of the sum of the digits.

A convenient arrangement of work is as follows:



In the two angles at the sides of the cross write 5 and 3, the excesses in the factors. At the top write the excess in the product of these excesses, 6 being the excess in 3×5, or 15. At the bottom write the excess in the product, 6 being the excess in 21,588. The top and bottom numbers in the cross should then agree.

209. Check in Division. *The excess of nines in a dividend equals the excess in the product of the excesses in the divisor and quotient, plus the excess in the remainder.*

For, if $1{,}348{,}708 \div 498$ is 2708 with remainder 124, then $1{,}348{,}708 = 2708 \times 498 + 124$. Now 8, the excess in 2708, times 3, the excess in 498, is 24; and 6, the excess in 24, plus 7, the excess in 124, is 13, or simply 4. Since the excess in 1,348,708 is 4, the work may be assumed to be correct.

EXERCISE 133

Multiply, and check by casting out nines:

1. 75×628.
2. 34×872.
3. 27×691.
4. 36×987.
5. 246×489.
6. 492×572.

Divide, and check by casting out nines:

7. $144 \div 12$.
8. $1524 \div 12$.
9. $1331 \div 11$.
10. $2714 \div 15$.
11. $1342 \div 21$.
12. $27{,}634 \div 128$.

210. Tables of Denominate Numbers. The following tables are here brought together for convenience in reference. Certain tables of equivalents have been added, and these will frequently be found useful in making reductions and in avoiding long multiplications.

Table of Length

12 inches (in.) = 1 foot (ft.)
3 feet = 1 yard (yd.)
$5\frac{1}{2}$ yards, or $16\frac{1}{2}$ feet = 1 rod (rd.)
320 rods, or 5280 feet = 1 mile (mi.)

			ft.	in.
		yd.	1 =	12
	rd.	1 =	3 =	36
mi.	1 =	$5\frac{1}{2}$ =	$16\frac{1}{2}$ =	198
1 =	320 =	1760 =	5280 =	63,360

A *hand* (4 in.) is used in measuring the height of horses; a *fathom* (6 ft.) and *cable length* (120 fathoms) in measuring depths of water; a *knot* (nautical mile, 1.152 common or statute miles, or 6080.27 ft.) in measuring distances at sea. Carpenters, mechanics, and others usually write 2′ 6″ for 2 ft. 6 in.

Table of Square Measure

144 square inches (sq. in.) = 1 square foot (sq. ft.)
9 square feet = 1 square yard (sq. yd.)
$30\frac{1}{4}$ square yards = 1 square rod (sq. rd.)
160 square rods = 1 acre (A.)
640 acres = 1 square mile (sq. mi.)

			sq. ft.	sq. in.
		sq. yd.	1 =	144
	sq. rd.	1 =	9 =	1296
A.	1 =	$30\frac{1}{4}$ =	$272\frac{1}{4}$ =	39,204
sq. mi.	1 = 160 =	4840 =	43,560 =	6,272,640
1 =	640 = 102,400 =	3,097,600 =	27,878,400 =	4,014,489,600

Table of Cubic Measure

1728 cubic inches (cu. in.) = 1 cubic foot (cu. ft.)
27 cubic feet = 1 cubic yard (cu. yd.)
128 cubic feet = 1 cord (cd.)

	cu. ft.	cu. in.
cu. yd.	1 =	1728
1 =	27 =	46,656

A perch of stone or masonry is usually 1 rd. long, 1 ft. high, and $1\frac{1}{2}$ ft. thick, and contains $24\frac{3}{4}$ cu. ft., but this varies in different parts of the country. A cubic yard of earth is considered a load.

Table of Avoirdupois Weight

16 ounces (oz.) = 1 pound (lb.)
2000 pounds = 1 ton (T.)

	lb.	oz.
T.	1 =	16
1 =	2000 =	32,000

100 lb. is sometimes called a *hundredweight* (cwt.). The ton of 2000 lb. is sometimes called the *short ton*, there being an old ton of 2240 lb., known as the *long ton*, which is used in the customhouse and in some wholesale transactions in mining products. There is also the *long hundredweight* of 112 lb., but it is rarely used except in English trade.

Table of Troy Weight

24 grains (gr.) = 1 pennyweight (pwt. or dwt.)
20 pennyweights = 1 ounce (oz.)
12 ounces = 1 pound (lb.)

The avoirdupois pound contains 7000 gr., the troy pound 5760 gr. For the *carat*, see page 170, Part I.

Table of Apothecaries' Weight

20 grains (gr.) = 1 scruple (sc. or ℈)
3 scruples = 1 dram (dr. or ʒ)
8 drams = 1 ounce (oz. or ℥)
12 ounces = 1 pound (lb.)

Table of Liquid Measure

4 gills (gi.) = 1 pint (pt.)
2 pints = 1 quart (qt.)
4 quarts = 1 gallon (gal.)
31½ gallons = 1 barrel (bbl.)
63 gallons = 1 hogshead (hhd.)

			pt.	gi.
		qt.	1 =	4
	gal.	1 =	2 =	8
bbl.	1 =	4 =	8 =	32
1 =	31½ =	126 =	252 =	1008

A gallon contains 231 cubic inches.

Casks holding from 28 gal. to 43 gal. are called barrels, and casks holding from 54 gal. to 63 gal. are called hogsheads. Whenever barrels or hogsheads are used as *measures*, a barrel means 31½ gallons, and a hogshead means 63 gallons. A barrel contains about 4⅕ cu. ft.

Apothecaries and physicians use the following table of liquid measure, but it need not be learned:

60 minims (♏) = 1 dram (♏ lx. or f. ʒ)
8 fluid drams = 1 ounce (fl. drm. viij. or f. ℥)
16 ounces = 1 pint (fl. oz. xvj. or O)
8 pints = 1 gallon (cong.)

Table of Dry Measure

2 pints (pt.) = 1 quart (qt.)
8 quarts = 1 peck (pk.)
4 pecks = 1 bushel (bu.)

		qt.	pt.
	pk.	1 =	2
bu.	1 =	8 =	16
1 =	4 =	32 =	64

A bushel contains 2150.42 cu. in., or about 1¼ cu. ft. A dry quart contains 67.2 cu.in., while the liquid quart contains only 57.75 cu. in. In measuring grain, seeds, and small fruits the measure must be *even* full. In measuring apples, potatoes, and other large articles the measure must be *heaping* full.

Table of Surveyors' Linear Measure

7.92 inches (in.) = 1 link (l.)
25 links = 1 rod (rd.)
100 links = 1 chain (ch.)
80 chains = 1 mile (mi.)

		l.	in.
	rd.	1 =	7.92
	ch. 1 =	25 =	198
	mi. 1 = 4 =	100 =	792
1 =	80 =	320 =	8000 = 63,360

Table of Surveyors' Square Measure

16 square rods (sq. rd.) = 1 square chain (sq. ch.)
10 square chains = 1 acre (A.)
640 acres = 1 square mile (sq. mi.)
1 square mile = 1 section (sec.)
36 sections = 1 township (T.)

		sq. ch.	sq. rd.
	A.	1 =	16
	sq. mi. 1 =	10 =	160
1 =	640 =	6400 =	102,400

Table of Time

60 seconds (sec.) = 1 minute (min.)
60 minutes = 1 hour (hr.)
24 hours = 1 day (da.)
7 days = 1 week (wk.)
365 days = 1 common year (yr.)
366 days = 1 leap year

			min.	sec.
		hr.	1 =	60
		da. 1 =	60 =	3600
		wk. 1 =	24 =	1440 = 86,400
		1 =	7 = 168 =	10,080 = 604,800
yr.	mo.			
1 =	12 =	365 =	8760 =	525,600 = 31,536,000
		366 =	8784 =	527,040 = 31,622,400

211. Metric System Equivalents.

Length

Meter	= 39.370 in.	Inch	= 0.0254 m.
	= 3.281 ft.	Foot	= 0.3048 m.
	= 1.093 yd.	Yard	= 0.9144 m.
	= about 1.1 yd.		= about 0.9 m.
Millimeter	= 0.039 in.	Inch	= 25.400 mm.
Centimeter	= 0.3937 in.		= 2.540 cm.
Kilometer	= 0.62137 mi.	Mile	= 1.60935 km.
	= about $\frac{3}{5}$ mi.		= about 1.6 km.

Surface

Sq. meter	= 10.764 sq. ft.	Sq. foot	= 0.0929 sq. m.
	= 1.1960 sq. yd.	Sq. yard	= 0.8361 sq. m.
Hektare	= 2.471 A.	Acre	= 0.4047 ha.
	= about $2\frac{1}{2}$ A.		= about $\frac{2}{5}$ ha.
Sq. kilometer	= 0.3861 sq. mi.	Sq. mile	= 2.59 sq. km.

Volume

Cu. centimeter	= 0.061 cu. in.	Cu. inch	= 16.3872 cu. cm.
Cu. meter	= 35.314 cu. ft.	Cu. foot	= 0.0283 cu. m.
	= 1.3079 cu. yd.	Cu. yard	= 0.7646 cu. m.
Stere	= 0.2759 cd.	Cord	= 3.6245 st.

Capacity

Liter	= 1.05668 liq. qt.	Liq. quart	= 0.94636 l.
	= 0.9081 dry qt.	Dry quart	= 1.1012 l.
	= 0.26417 gal.	Gallon	= 3.78543 l.
	= 0.11351 pk.	Peck	= 8.80982 l.
Hektoliter	= 2.83774 bu.	Bushel	= 0.35239 hl.

Weight

Gram	= 15.4324 gr.	Grain	= 0.0648 g.
	= about $15\frac{1}{2}$ gr.		= about $\frac{3}{50}$ g.
	= 0.03527 oz. av.	Ounce av.	= 28.3495 g.
Kilogram	= 2.20462 lb. av.	Pound av.	= 0.45359 kg.
	= about $2\frac{1}{5}$ lb.		= 0.00045 t.
Met. ton.	= 2204.62 lb. av.	Short ton	= 0.90718 t.

212. Spanish Land Measures. In those sections of the United States that formerly belonged to Mexico, the Spanish measures are still used in land surveying.

The *vara* is taken as the unit of measure.

In Mexico the length of the vara is 32.9927 in., in California 33 in., in Texas $33\frac{1}{3}$ in. In the problems below its length will be taken as $33\frac{1}{3}$ in., as in Texas. In California it should be taken as 33 in.

A *labor* is a square each side of which is 1000 varas.

A *square league* is a square each side of which is 5000 varas.

213. Table of Length.

1 vara = $33\frac{1}{3}$ inches
3 varas = 100 inches
36 varas = 100 feet
108 varas = 100 yards
1900.8 varas = 1 mile

214. Table of Area.

1,000,000 square varas = 1 labor = 177.136 acres
25 labors = 1 square league = 4428.4 acres
5645.376 square varas = 1 acre

EXERCISE 134

Change to yards:

1. 540 varas. 2. 936 varas. 3. 257 varas.

Change to feet:

4. 864 varas. 5. 324 varas. 6. 750 varas.

Change to miles and decimals of a mile:

7. 3801.6 varas. 8. 8553.6 varas. 9. 22,809.6 varas.

Change to labors or square varas:

10. 3542.72 acres. 11. 10,000 sq. ft. 12. 1 sq. mi.

215. Legal Weights in Pounds per Bushel.

	Apples	Barley	Beans	Beets	Buck-wheat	Shelled Corn	Flaxseed	Oats	Onions	Peas	Potatoes	Sweet Potatoes	Rye	Wheat
U.S. customs.		48			42		56	32		60	60		56	60
Ala.		47	60			56		32		60		55	56	60
Ariz.		45	55					32					56	60
Ark.	50	48	60		52	56	56	32	57	60	60	50	56	60
Cal.		50			40			32					54	60
Colo.		48	60		52			32	57		60		56	60
Conn.	48	48	60	60	48		55	32	52	60	60	54	56	60
Del.														60
D.C.											60			
Fla.	48	48	60			56		32	56			60	56	60
Ga.		47	60		52	56	56	32	57	60		55	56	60
Hawaii		48						32					56	60
Idaho	45	48			42		56	36			60		56	60
Ill.		48	60		52	56	56	32	57			50	56	60
Ind.		48	60		50	56		32	48		60	55	56	60
Iowa	48	48	60		52	56	56	32	57		60	46	56	60
Kans.	48	48	60		50		56	32	57		60	50	56	60
Ky.		47	60		56	56	56	32	57	60	60	55	56	60
La.		48											56	60
Me.	44	48	60	60	48			32	52	60	60		50	60
Md.								26			56			
Mass.	48	48	60		48	50	55	32	52	60	60	54	56	60
Mich.	48	48	60		48	56	56	32	54	60		56	56	60
Minn.	50	48	60	50	50	56		32	52	60		55	56	60
Miss.		48	60		48	56	56	32	57	60		60	56	60
Mo.	48	48	60		52	56	56	32	57	60		56	56	60

Legal Weights in Pounds per Bushel (*Continued*).

	Apples	Barley	Beans	Beets	Buck-wheat	Shelled Corn	Flaxseed	Oats	Onions	Peas	Potatoes	Sweet Potatoes	Rye	Wheat
Mont.	45	48	60	50	52	56	56	32	57	60	60		56	60
Nebr.		48	60		52	56	56	32	57	60		50	56	60
Nev.														
N.H.			62					32		60	60		56	60
N.J.	50	48	60		50		55	30	57	60		54	56	60
N.Mex.														
N.Y.	48	48	60		48		55	32	57	60		54	56	60
N.C.		48			50		55	32		60			56	60
N.Dak.	50	48	60	60	42	56	56	32	52	60		46	56	60
Ohio	50	48	60	56	50	56	56	32	55	60		50	56	60
Okla.		48	60	60	42	56	56	32	52	60		46	56	60
Oreg.	45	46			42			32			60		56	60
Pa.		47			48			32	50		56		56	60
R.I.	48	48	60	50	48	56	56	32	50	60		54	56	60
S.C.														
S.Dak.		48	60	60	42	56	56	32	52	60		46	56	60
Tenn.	50	48	60	50	50	56	56	32	56	60		50	56	60
Tex.	45	48	60		42	56	56	32	57			55	56	60
Utah														
Vt.	46	48	62	60	48			32	52	60	60		56	60
Va.		48	60		52	56	56	30	57	60		56	56	60
Wash.	45	48			42		56	32			60		56	60
W.Va.		48	60		52		56	32			60		56	60
Wis.	50	48	60	50	50		56	32	57	60		54	56	60
Wyo.														

216. Drill Problems. Teachers occasionally wish more drill problems than a text-book supplies. An opportunity is offered in the following exercise to select from 15,800 problems in the fundamental operations, but teachers are advised to omit the entire exercise unless there is need for special attention to some particular deficiency. The problems are arranged as follows:

1. Add each of the 10 numbers in the first column of I to each of the lettered numbers of the second column, thus giving 100 examples.

For example, (7) + (c) = 10,125 + 27 = 10,152.

2. In the same way, subtract, giving 100 examples.
3. In the same way, multiply, giving 100 examples.
4. In the same way, divide, giving 100 examples.
5. Proceed in the same way for II, giving 400 more examples, or 800 on this page. In the same way III affords 2500 different examples, and so on making a total of 15,800 different examples.

EXERCISE 135

I		II	
1. 2025.	a. 9.	1. 1176.	a. 4.
2. 8100.	b. 15.	2. 4704.	b. 6.
3. 6075.	c. 27.	3. 2352.	c. 7.
4. 16,200.	d. 45.	4. 5880.	d. 8.
5. 12,150.	e. 25.	5. 3528.	e. 21.
6. 18,225.	f. 75.	6. 9408.	f. 49.
7. 10,125.	g. 81.	7. 8232.	g. 98.
8. 14,175.	h. 225.	8. 10,584.	h. 147.
9. 22,275.	i. 135.	9. 12,936.	i. 196.
10. 20,250.	j. 675.	10. 11,760.	j. 392.

Add, subtract, multiply, and divide, using each number of the first column with each lettered number of the second column:

III		IV	
1. 8640.	a. 2.	1. 10,368.	a. 16.
2. 5184.	b. 8.	2. 20,736.	b. 32.
3. 3456.	c. 4.	3. 51,840.	c. 27.
4. 6912.	d. 6.	4. 41,472.	d. 81.
5. 17,280.	e. 9.	5. 62,208.	e. 54.
6. 34,560.	f. 3.	6. 31,104.	f. 36.
7. 51,840.	g. 16.	7. 72,576.	g. 64.
8. 55,296.	h. 18.	8. 93,312.	h. 48.
9. 58,752.	i. 24.	9. 134,784.	i. 96.
10. 65,664.	j. 27.	10. 155,520.	j. 162.
11. 10,368.	k. 32.	11. 176,256.	k. 108.
12. 12,096.	l. 96.	12. 103,680.	l. 192.
13. 32,832.	m. 12.	13. 145,152.	m. 144.
14. 13,824.	n. 36.	14. 165,888.	n. 288.
15. 15,552.	o. 72.	15. 114,048.	o. 324.
16. 29,376.	p. 54.	16. 196,992.	p. 648.
17. 20,736.	q. 48.	17. 186,624.	q. 576.
18. 15,552.	r. 108.	18. 124,416.	r. 384.
19. 69,120.	s. 216.	19. 228,096.	s. 1728.
20. 25,920.	t. 288.	20. 207,360.	t. 1296.
21. 27,648.	u. 144.	21. 259,200.	u. 2592.
22. 414,720.	v. 864.	22. 238,464.	v. 1152.
23. 103,680.	w. 432.	23. 269,568.	w. 5184.
24. 829,440.	x. 192.	24. 248,832.	x. 3456.
25. 207,360.	y. 1728.	25. 217,728.	y. 10,368

Add, subtract, multiply, and divide, using each number of the first column with each lettered number of the second column:

V		VI	
1. 64.68.	a. 0.4.	1. 189.728.	a. 0.4.
2. 582.12.	b. 0.8.	2. 3794.56.	b. 0.8.
3. 12.936.	c. 0.6.	3. 5.69184.	c. 1.6.
4. 258.72.	d. 2.4.	4. 75891.2.	d. 3.2.
5. 7.7616.	e. 20.	5. 94.864.	e. 1.4.
6. 905.52.	f. 0.07.	6. 113.8368.	f. 2.8.
7. 3880.8.	g. 1.10.	7. 13.28096.	g. 0.56.
8. 194.04.	h. 7.7.	8. 1517.824.	h. 0.11.
9. 106.424.	i. 5.5.	9. 17.07552.	i. 1.21.
10. 84.084.	j. 26.4.	10. 18.9728.	j. 0.77.
11. 3.234.	k. 4.9.	11. 2087.008.	k. 0.14.
12. 129.36.	l. 0.35.	12. 227.6736.	l. 0.49.
13. 13.5828.	m. 15.	13. 246.6464.	m. 8.8.
14. 4.5276.	n. 8.8.	14. 2656.192.	n. 3.52.
15. 12.2892.	o. 0.66.	15. 2845.92.	o. 1.76.
16. 0.135828.	p. 30.	16. 303.5648.	p. 6.16.
17. 51.744.	q. 4.4.	17. 474.32.	q. 5.39.
18. 97.020.	r. 1.65.	18. 3794.56.	r. 0.98.
19. 711.48.	s. 38.5.	19. 455.3472.	s. 24.2.
20. 0.122892.	t. 24.5.	20. 3415.104.	t. 8.47.
21. 1164.24.	u. 1.05.	21. 41740.16.	u. 11.2.
22. 5.8212.	v. 0.22.	22. 3225.376.	v. 6.05.
23. 103.488.	w. 5.39.	23. 36.04832.	w. 61.6.
24. 0.9702.	x. 0.49.	24. 3984.288.	x. 2.24.
25. 0.6468.	y. 0.12.	25. 4363.744.	y. 48.4.

Add, subtract, multiply, and divide, using each number of the first column with each lettered number of the second column:

VII

1. $\frac{5}{8}$.	a. $\frac{1}{2}$.
2. $\frac{7}{8}$.	b. $\frac{1}{3}$.
3. $\frac{5}{6}$.	c. $\frac{1}{4}$.
4. $\frac{3}{4}$.	d. $\frac{1}{5}$.
5. $\frac{2}{5}$.	e. $\frac{1}{6}$.
6. $\frac{4}{7}$.	f. $\frac{1}{8}$.
7. $\frac{5}{7}$.	g. $\frac{2}{5}$.
8. $\frac{6}{7}$.	h. $\frac{3}{8}$.
9. $\frac{5}{9}$.	i. $\frac{1}{9}$.
10. $\frac{7}{9}$.	j. $\frac{2}{3}$.
11. $\frac{8}{9}$.	k. $\frac{4}{9}$.
12. $\frac{7}{10}$.	l. $\frac{1}{12}$.
13. $\frac{9}{10}$.	m. $\frac{5}{12}$.
14. $\frac{6}{11}$.	n. $\frac{1}{16}$.
15. $\frac{7}{12}$.	o. $\frac{3}{16}$.
16. $\frac{7}{16}$.	p. $\frac{5}{16}$.
17. $\frac{9}{16}$.	q. $\frac{7}{16}$.
18. $\frac{13}{16}$.	r. $\frac{1}{24}$.
19. $\frac{15}{16}$.	s. $\frac{5}{24}$.
20. $\frac{17}{32}$.	t. $\frac{7}{24}$.
21. $\frac{23}{24}$.	u. $\frac{11}{24}$.
22. $\frac{19}{24}$.	v. $\frac{1}{32}$.
23. $\frac{17}{48}$.	w. $\frac{3}{32}$.
24. $\frac{39}{48}$.	x. $\frac{5}{32}$.
25. $\frac{51}{100}$.	y. $\frac{5}{64}$.

VIII

1. $4\frac{1}{2}$.	a. 2.
2. $3\frac{1}{4}$.	b. 3.
3. $3\frac{3}{4}$.	c. $1\frac{1}{8}$.
4. $4\frac{1}{8}$.	d. $1\frac{3}{8}$.
5. $5\frac{3}{8}$.	e. $2\frac{5}{8}$.
6. $3\frac{5}{8}$.	f. $2\frac{7}{8}$.
7. $4\frac{7}{8}$.	g. $1\frac{1}{3}$.
8. $3\frac{1}{16}$.	h. $2\frac{2}{3}$.
9. $4\frac{3}{16}$.	i. $1\frac{1}{3}$.
10. $3\frac{5}{16}$.	j. $2\frac{1}{6}$.
11. $3\frac{7}{16}$.	k. $1\frac{5}{6}$.
12. $4\frac{9}{16}$.	l. $1\frac{1}{10}$.
13. $3\frac{11}{16}$.	m. $2\frac{3}{10}$.
14. $4\frac{15}{16}$.	n. $1\frac{1}{16}$.
15. $3\frac{1}{24}$.	o. $1\frac{3}{16}$.
16. $3\frac{5}{24}$.	p. $2\frac{5}{16}$.
17. $4\frac{11}{24}$.	q. $1\frac{9}{16}$.
18. $3\frac{1}{32}$.	r. $1\frac{1}{24}$.
19. $3\frac{3}{32}$.	s. $2\frac{5}{24}$.
20. $4\frac{5}{32}$.	t. $2\frac{7}{24}$.
21. $3\frac{9}{32}$.	u. $1\frac{1}{32}$.
22. $3\frac{1}{48}$.	v. $1\frac{5}{32}$.
23. $4\frac{5}{48}$.	w. $2\frac{1}{48}$.
24. $3\frac{7}{48}$.	x. $1\frac{1}{64}$.
25. $3\frac{1}{10}$.	y. $2\frac{3}{100}$.

217. Arithmetical Recreations. Most of the following problems have had a long and interesting history. They are part of the inheritance of the school, and they show some of the amusing features of arithmetic. They claim to have no practical bearing, and they should be omitted unless taken in the spirit intended, as mere recreations showing the lighter side of the subject.

EXERCISE 136

1. Multiply 142,857 by 7.

2. Multiply 37 by 3; by 6; by 9; by 12; by 15; by 18; by 21.

3. How can you write one hundred with Arabic figures without using zeros?

4. How can you write an even number, using only the odd digits?

5. If a goose weighs 10 lb. and half of its own weight, what is the weight of the goose?

6. How many days would it take to cut a piece of cloth 50 yd. long into 1-yard lengths, one yard being cut off daily?

7. If a post in a pond stands $\frac{1}{3}$ in the ground, $\frac{1}{4}$ in the water, and 10 feet above the water, how long is it?

8. A bottle and its stopper cost \$1.10, and the bottle cost \$1 more than the stopper. What did the stopper cost?

9. A new steel coal car and its contents weigh 139,700 lb., and the contents weighs 60,300 lb. more than the car. What does the car weigh?

10. Two men purpose to cross the Rocky Mountains. X can walk 13 miles a day and Y only 10 miles a day. Therefore Y starts 9 days ahead. How long will it take X to overtake Y?

11. A snail climbing up a post 20 ft. high ascends 5 ft. every day and slips down 4 ft. every night. How long will it take the snail to reach the top of the post?

12. A visitor to a class said, "Good morning, you 100 pupils." One of them replied, "We are not 100, but our number, and the number again, and its half, and its fourth, and one more, make 100." How many were there?

13. A man borrowed as much money as he had and then spent $10. He again borrowed as much money as he then had and again spent $10. A third time he borrowed as much money as he then had and then spent $10. He then had nothing left. How much had he at first?

14. One man said to another, "If you give me $1, I shall have as much as you." The other replied, "If you give me $1, I shall have twice as much as you." How much did each have?

15. In several parts of the world twenty-four-hour time is used. Assuming the clock to strike the hours from 1 to 24, how many strokes would such a clock make in a day? How many, if it also struck each half hour?

16. Two Arabs met at meal time, one having 4 loaves and the other 3. Just as they were beginning to eat, a third Arab, without any loaves, joined them, and they all ate equally. The third Arab then produced 7 pence and said, "Divide this equitably." How much did each receive?

17. A Persian fable relates that a father left to his three sons 17 camels, the first son to have half, the second a third, and the youngest a ninth. They could not divide them, and so a wise man loaned them another camel, and they divided the 18, the first taking 9, the second 6, and the youngest 2. This made 17, and they returned the one that was borrowed. Was the division right?

18. It is said that the inventor of the game of chess was asked by the king to name his reward. He asked for a single grain of wheat to place on the first square, 2 on the second, 4 on the third, 8 on the fourth, and so on, doubling each time, until the 64 squares were completed. How many grains of wheat did the inventor ask?

19. A woman dropped a basket of eggs and broke them all. Some one asked her how many she had, and she said she did not know, but that when she put them in the basket by twos there remained one egg; when she took them out by threes there also remained one egg; and when she took them out again, five at a time, there remained none. What is the smallest number that she could have had?

20. A thief leaving an orchard met three other thieves, who threatened to expose him unless he gave them a share of his apples. To the first he gave half, who then returned 12 to him. To the second he gave half of the remainder, who then returned 7. To the third he gave half of what he then had, 4 being returned. He then had 20 apples. How many did he steal?

21. Two men are employed by a manufacturing company, one beginning with a salary of $1000 a year, with a yearly increase of $200, and the other at a salary of $1000 a year, with a half-yearly increase of $50. In each case the salary was paid every six months. Which had the larger income?

22. The first of two bottles is half full of water and the second is half full of vinegar. From the first bottle a tablespoonful of water is taken and poured into the second bottle. A tablespoonful of the mixture is then taken from the second bottle and poured into the first bottle. Is the quantity of water removed from the first bottle greater or less than the quantity of vinegar removed from the second bottle?

DEFINITIONS OF COMMON TERMS

Abstract Number. A number used without reference to any particular unit.

Addends. Numbers added.

Addition. The operation of finding a number equal to two or more numbers taken together.

Agent. A person who transacts business for another.

Aliquot Part. An exact divisor of another number.

Amount. The sum of principal and interest.

Analysis. Any process of reasoning by which we prove a mathematical truth.

Annual Interest. Periodic interest in which installments are due annually.

Antecedent. The first term of a ratio.

Area. The number of square units in a surface.

Arithmetic. The science that treats of numbers and the methods of using them.

Arithmetical Progression. A series of numbers that increase or decrease by a common difference.

Assets. All the property of an estate, individual, or corporation.

Bank. A corporation authorized by law to receive and loan money and to perform certain other financial operations.

Bank Discount. Interest paid in advance on a note.

Base. The number of which some per cent is to be taken.

Bond. A written or printed promise to pay a specified sum at a given time, signed by the maker and often bearing his seal.

Broker. An agent who makes sales or purchases for his principal without having actual possession of the goods.

Brokerage. A sum paid a broker for transacting business.

Cancellation. The process of shortening work in division by removing or canceling equal factors from both dividend and divisor.

Capital Stock. The amount contributed by the members of a corporation to carry on the business.

Check. Any method tending to verify an operation. A written order on a bank to pay money.

Commercial Discount. A reduction from the list price of an article, from the amount of a bill of goods, or from the amount of a debt.

Commercial Draft. A draft made by one business house on another to secure the payment of a debt.

Commission. A sum paid an agent for transacting business.

Commission Merchant. An agent who has actual possession of goods to be sold for his principal.

Common Denominator. A denominator common to two or more fractions.

Common Divisor. The same as Common Measure.

Common Fraction. A fraction expressed by two numbers, one under the other with a line between them.

Common Measure. A number that exactly divides each of two or more numbers.

Common Multiple. A multiple of two or more numbers.

Complex Fraction. A fraction that has a fraction in one or both of its terms.

Composite Number. A number that is not a prime number.

Compound Interest. The total interest when interest is added to the principal and becomes a part of it at specified intervals.

Compound Number. A denominate number involving two or more different units.

Concrete Number. If the unit of a number is named, the number together with the unit is called a *concrete number.*

Consequent. The second term of a ratio.

Consignee. The person to whom goods are sent.

Consignor. The person who sends goods to another.

Corporation. A company composed of a number of persons authorized by law to do business of a certain nature.

Creditor. A person to whom money is due.

Cube. The third power of a number.

Cube Root. One of the three equal factors of a number.

Customs. Taxes imposed by law on merchandise imported.

Debtor. A person who owes money to another.

Decimal Fraction. A fraction whose denominator is not written, but is some power of 10.

Decimal Point. The period written at the left of tenths.

Decimal Scale. The common mode of representing numbers, each order having a value ten times that of the order to the right.

Denominate Number. A concrete number expressing measure.

Denominator. The number below the line in a common fraction.

Difference. The result found in subtraction.

Discount. Allowance made for the payment of money before it becomes due. Also the difference between the market value and the face value when the market value is *below* the face value. A reduction from the list price of goods (trade discount).

Discount Series. A series of trade discounts.

Dividend. In division, the given number which is equal to the product of a given factor (called divisor) and a required factor (called quotient). In business, the sum paid on each share of stock from the profits of the business.

Divisible Number. A number is *divisible* by another when it is exactly divisible, that is, divisible without a remainder.

Division. The process by which, when a product and one of two factors are given, the other factor is found.

Divisor. The number by which a given dividend is divided.

Draft. A written order directing one person to pay a specified sum of money to another.

Drawee of a Draft. The person to whose order the sum of money named in the draft is to be paid.

Drawer of a Draft. The person who signs the draft.

Duties. The same as customs.

Even Number. A number that is exactly divisible by 2.

Exact Divisor. A number that divides another without a remainder.

Exact Interest. Interest computed for exact days, and at 365 days to the year.

Exchange. A system of paying debts, due to persons living at a distance, without actually sending the money.

Exponent. A small figure placed at the right of a number to show how many times the number is taken as a factor.

Extremes. The first and last numbers of a proportion.

Factors. Integral numbers whose product is a given number.

Figures. Symbols used to represent numbers in the common system of notation. Also diagrams used to represent geometric forms.

Fraction. A number that shows what part or what number of parts of a unit is taken.

Geometric Progression. A series of numbers in which each term after the first is obtained by multiplying the preceding term by a constant multiplier.

Greatest Common Divisor. The same as Greatest Common Measure.

Greatest Common Measure. The greatest number that exactly divides each of two or more numbers.

Improper Fraction. A fraction whose numerator is not less than the denominator.

Indorse. To write across the back of a note, draft, or check.

Insurance. An agreement by which, for a lawful consideration, a company agrees to pay an indemnity for loss by specified cause.

Integers. Numbers applied to whole units.

Interest. Money paid for the use of money.

Inverse Ratio. The result of interchanging the terms of a ratio.

Least Common Multiple. The smallest common multiple of two or more numbers.

License. A permit to engage in some specified act or to enjoy some special privilege.

Like Numbers. Numbers applied to the same unit.

Long Division. The method of dividing in which the processes are written in full.

Longitude. The distance in circular measure east or west of a certain meridian agreed upon.

Lowest Terms. If the terms of a fraction are prime to each other, the fraction is expressed in *lowest terms.*

Maker of a Note. The person who signs a note.

Market Value. The price at which goods or stocks sell.

Maturity of a Note. The date at which a note legally becomes due.

Means. The two middle numbers of a proportion.

Meridian. The shortest line on the earth's surface passing from one pole to the other.

Minuend. The number from which the subtrahend is taken.

Mixed Number. A number composed of an integer and a fraction taken together.

Multiple. The product of two or more integers is called a *multiple* of each.

Multiplicand. A number to be multiplied.

Multiplication. The process of taking a number as many times as there are units in another number.

Multiplier. A number by which another is multiplied.

Net Price. The amount of a bill after the discount is made.

Net Proceeds. The money that remains of the money received for property after all expenses and discounts are paid.

Notation. A system of expressing numbers by symbols.

Note. A written promise to pay a specified sum of money on demand or at a specified time.

Number. That which shows how many times a unit is taken, or what part of a unit is taken.

Numerals. The characters used in any system of notation.

Numeration. The reading of numbers.

Numerator. The number above the line in a common fraction.

Odd Number. A number that is not an even number.

Order of Units. Each successive place in a number that may be occupied by a figure.

Par Value. The face value of stocks.

Partial Payments. Payments of a part of a note.

Payee. The person to whom a note, check, or draft is payable.

Per Cent. Another name for hundredths.

Percentage. The part of arithmetic treating of per cent. The result found by taking a certain per cent of the base.

Perimeter. The distance around a polygon.

Period. A group of three figures.

Policy. A written contract of insurance.

Poll Tax. A tax levied upon a person.

Power. The result of taking a number any number of times as a factor.

Premium. Money paid for insurance. Also the excess of market value above par value.

Prime Factor. A factor that is a prime number.

Prime Number. A number that has no factors.

Prime to Each Other. Two integers that have no common measure, always excepting 1.

Principal. The person for whom another transacts business. Money loaned on which interest is paid.

Proceeds. The balance after deducting the discount from the face of a note.

Product. The result found in multiplication.

Promissory Note. A written promise to pay a specified sum of money on demand or at a specified time.

Proper Fraction. A fraction whose numerator is less than the denominator.

Property Tax. A tax levied upon property.

Proportion. An expression of equality between two ratios.

Quotient. The number found by division.

Rate of Interest. The rate per cent of the principal paid in interest for one year.

Rate Per Cent. Rate in hundredths.

Ratio. The relative magnitude of two numbers, as expressed by the fraction which has the first number for the numerator and the second for the denominator.

Reciprocal of a Fraction. The fraction inverted.

Reduction. The process of changing the unit of a number without changing the value.

Remainder. The part of the dividend that is left in division.

Root. One of the equal factors of a number.

Security. Property used to guarantee the payment of any debt.

Short Division. The process of dividing in which the operations of multiplying and subtracting are performed mentally.

Similar Decimals. Decimals that have the same number of decimal places.

Similar Fractions. Fractions with the same denominator.

Simple Fraction. A fraction whose terms are both integers.

Specific Gravity. The ratio of the weight of a given substance to the weight of an equal volume of water.

Square. The result of taking a number twice as a factor.

Square Root. One of the two equal factors of a number.

Stock. Capital invested in business.

Subtraction. The process of taking one number from another, or of finding what number must be added to one of two numbers to make the other.

Subtrahend. The number taken away in subtraction.

Sum. The result obtained in addition.

Taxes. Money levied by a government for its support and for public purposes.

Terms of a Fraction. The numerator and denominator.

Terms of a Proportion. The extremes and means.

Unitary Analysis. An analysis that proceeds first to the unit and then to the required number of units.

Unit Fraction. A fraction whose numerator is 1.

Units. The standards by which we count or measure.

Volume. The number of cubic units a body contains.

INDEX

	Page
Acceptance	130
Accounts	200
Ad valorem duty	31
Agent	22
Analysis	179
Antecedent	61
Arithmetical progression	188
Assessor	27
Bank	119
Bank note	126
Banking	119
Bill of exchange	142
Bills	16
Bonds	117, 178
Borrowing from banks	126
Broker	22, 111
Brokerage	22, 111
Builders' problems	162
Capacity	102
Capital	109
Carpeting	169
Cash accounts	200
Casting out nines	202
Centigrade	105
Check, bank	124, 136
of nines	202
on operations	202
Circle	87
Circulating decimals	196
Collector	28
Commercial bank	122
draft	130, 138
discount	12, 176
Commission	22, 173
merchant	22
Compound interest	49, 193
interest table	194
Cone	147
Consequent	61
Contractors' problems	158
Corporations	109
Cube	88
root	88
Cubic measure	101
Customs	31
Definitions	219
Denominate numbers, tables of	204
Deposit slips	122
Difference between dates	41, 44
in time	41, 44
Direct tax	27
Directly proportional	67
Discount	12, 110, 127, 139, 176
series	14
Dividend	110, 115
Division, check for	203
by factors	201
Draft	130, 137
Duties	31
English money	141
Equivalents, metric	208
Exact interest	47
Examination problems	165
Excess of nines	202
Exchange	135
Extremes	65
Face of policy	24
of note	132
Fahrenheit	105
Farm problems	159, 164
Fire insurance	24
Foreign exchange	141

	PAGE
French money	141
Gain and loss	18
Geometric progression	191
German money	141
Gram	97
Holder	50
Hypotenuse	84
Indirect tax	27, 31
Indorsement	50, 124
Industrial stocks	113
Insurance	24, 174
Interest	37, 120, 149, 177, 193
tables	46
Inverse ratio	67
Inversely proportional	67
Legal weights of produce	210
Lever	70
Licenses	27
Life insurance	26
Liter	97
Longitude and time	171
Machinists' problems	163
Maker	50
Manufacturing problems	155
Market value	110
Means	65
Measurement of solids	145
Merchants' problems	153
Merchants' rule	52
Meter	97
Metric measures	97, 180
Metric system equivalents	208
Money order	135
Multiplication, check for	202
Nines, casting out	202
Note	50, 126
Painting	169
Par value	110, 139
Partial payments	52
Payee	50, 130
Per cent	1
important	6
Percentage	1
Periodic interest	48
Policy	24
Poll tax	27
Powers and roots	77
Practical measurements	170
Premium	24, 110, 139
Principal	37
and agent	22
Prism	145
Proceeds	127
Produce, weights of	210
Profit and loss	18, 172
Progressions	188
Promissory note	50
Property tax	27
Proportion	65, 179
Proportional parts	73
Pyramid	146
Rate of interest	37
Ratio and proportion	61, 179
Recreations	216
Reduction of ratios	61
Repeating decimals	196
Right triangles	84
Savings bank	119
Scales of notation	198
Settlement of accounts	200
Similar figures	69, 86
solids	94
Six per cent method	42
Spanish measure	209
Specific duty	31
gravity	104
Sphere	148
Square	77
measure	100
root	77, 181
on the hypotenuse	84
Stock	109, 178
Stock exchange	113
Surface of sphere	148
Tariff	31

	Page
Tax rate	27
table	29
Taxes	27, 175
Telegraphic money order	135
Temperature	105
Thermometers	105
Trade discount	12, 176
Transportation problems	161
Triangle	86
Underwriters	24
United States rule	54
Vocational problems	71, 153
Volume	102, 145
Weight	103
Weights of produce	210
Workshop problems	160

ANSWERS

Exercise 1. Page 2

1. $\frac{1}{25}$.
2. $\frac{1}{20}$.
3. $\frac{8}{50}$.
4. $\frac{1}{10}$.
5. $\frac{8}{20}$.
6. $\frac{1}{5}$.
7. $\frac{1}{4}$.
8. $\frac{3}{10}$.
9. $\frac{1}{2}$.
10. $\frac{4}{4}$.
11. 1.
12. 2.
13. 5.
14. $1\frac{1}{4}$.
15. $1\frac{1}{2}$.
16. $1\frac{3}{4}$.
17. $1\frac{1}{5}$.
18. $1\frac{2}{5}$.
19. $1\frac{3}{5}$.
20. $1\frac{4}{5}$.
21. $\frac{1}{16}$.
22. $\frac{1}{8}$.
23. $\frac{3}{8}$.
24. $\frac{5}{8}$.
25. $\frac{7}{8}$.
26. $\frac{3}{16}$.
27. $\frac{5}{16}$.
28. $\frac{7}{16}$.
29. $\frac{9}{16}$.
30. $\frac{11}{16}$.
31. $\frac{1}{80}$.
32. $\frac{1}{15}$.
33. $\frac{1}{8}$.
34. $\frac{2}{3}$.
35. $\frac{1}{6}$.
36. $\frac{5}{6}$.
37. $1\frac{1}{8}$.
38. $1\frac{1}{3}$.
39. $1\frac{2}{3}$.
40. $1\frac{7}{8}$.
41. 3; 3.
42. 160; 160.
43. 864; 864.
44. 6330; 6330.
45. 1080; 1080.
46. $\frac{1}{8}$; 8.
47. $\frac{8}{6}$; 270.
48. 70.
49. 22.
50. 11.
51. 123.
52. 92.
53. 198.
54. 352.
55. 507.
56. 972.
57. 1068.
58. 1180.

Exercise 2. Page 3

1. 0.06.
2. 0.10.
3. 0.25.
4. 0.50.
5. 0.75.
6. 0.125.
7. $0.16\frac{2}{3}$.
8. $0.33\frac{1}{3}$.
9. 0.375.
10. $0.66\frac{2}{3}$.
11. 0.005.
12. 0.007.
13. 0.009.
14. 0.0015.
15. 0.0625.
16. 2.
17. 1.5.
18. 1.25.
19. 6.75.
20. 3.75.
21. 1.
22. 10.
23. 0.00005.
24. 0.00065.
25. 0.00125; $\frac{1}{800}$.
26. 0.00875; $\frac{7}{800}$.
27. $3.33\frac{1}{3}$; $1\frac{2}{3}$; $3\frac{1}{3}$.
28. \$2; \$2.
29. \$6; \$6.
30. \$45; \$45.
31. \$812.50; \$812.50; \$812.50.
32. \$1150; \$1150.
33. 2; 1.

Exercise 3. Page 4

1. 50%.
2. 70%.
3. 60%.
4. 620%.
5. 750%.
6. 25%.
7. 57%.
8. 34%.
9. 29%.
10. 765%.
11. 12.5%.
12. 27.5%.
13. 37.5%.
14. 75.8%.
15. 963.7%.
16. 25%.
17. 52.5%.
18. 67.5%.
19. 521.25%.
20. 733.75%.
21. $33\frac{1}{3}$%.
22. $33\frac{1}{3}$%.
23. $66\frac{2}{3}$%.
24. $\frac{3}{8}$%.
25. $\frac{1}{80}$%.
26. 50%.
27. 25%.
28. $3\frac{1}{8}$%.
29. 0.7%.
30. 37%; 370%.
31. $3\frac{1}{8}$%.
32. $3\frac{1}{8}$%.

915.7

Exercise 4. Page 5

1. 50%.
2. 25%.
3. 75%.
4. 20%.
5. 40%.
6. 60%.
7. 80%.
8. 10%.
9. 70%.
10. 5%.
11. 45%.
12. 4%.
13. 44%.
14. 2%.
15. 74%.
16. $33\frac{1}{3}$%.
17. $66\frac{2}{3}$%.
18. $12\frac{1}{2}$%.
19. $37\frac{1}{2}$%.
20. $62\frac{1}{2}$%.
21. $6\frac{1}{4}$%.
22. $31\frac{1}{4}$%.
23. $3\frac{1}{8}$%.
24. $46\frac{7}{8}$%.
25. $20\frac{5}{8}$%.
26. 225%.
27. 360%.
28. $762\frac{1}{2}$%.
29. $633\frac{1}{3}$%.
30. $7587\frac{1}{2}$%.
31. $33\frac{1}{3}$%.
32. $8\frac{1}{3}$%.
33. $12\frac{1}{2}$%.
34. 75%.
35. 25%.
36. $43\frac{3}{4}$%.
37. $83\frac{1}{3}$%.
38. 10%.

Exercise 5. Page 6

1. $137.
2. $93.
3. $64.
4. $211.
5. $6.66.
6. $7.45.
7. $30.17.
8. $23.10.
9. $5.71.
10. $25.72.
11. $53.38.
12. $59.25.
13. $147.03.
14. $244.50.
15. $440.49.
16. 81.
17. 132.
18. 84.
19. 108.
20. 140.

Exercise 6. Page 7

1. 16.5.
2. 30.1.
3. 8.64.
4. 31.98.
5. 57.66.
6. 0.884.
7. 2.881.
8. 2.067.
9. 0.196.
10. 0.2205.
11. 0.231.
12. 0.0285.
13. 0.1292.
14. 1743.7.
15. 4.4784.
16. 432.
17. $3117\frac{1}{2}$.
18. $1468\frac{1}{5}$.
19. 837.
20. 4836.
21. 1202.
22. $1520\frac{1}{2}$.
23. 3017.
24. 4744.
25. 30,940.
26. $2301.
27. 9390.
28. 18,625.
29. 1185.
30. 972.
31. 1360.
32. $10.50.
33. $350.
34. $2,980,800.
35. $348.
36. 14.625 lb.
37. $3.36.
38. Second; 0.46¢ per day.
39. $155.25.
40. $17.93.

Exercise 7. Page 10

1. 600.
2. 1100.
3. 1200.
4. 1700.
5. 31,996.
6. 146.16.
7. 144.81.
8. $1900.
9. $56,600.
10. 31.
11. 41.
12. 44.44.
13. $33\frac{1}{3}$.
14. 25.
15. 40.
16. 245.
17. 320.
18. 425.
19. 640.
20. 400.
21. 725.
22. 7.29.
23. 5.46.
24. 9.36.
25. 25.
26. 40.
27. $33\frac{1}{3}$.
28. 270.
29. 320.
30. 750.
31. 764.
32. 280.
33. 720.
34. 7.2.
35. 32.
36. 8.8.
37. $7250.
38. $395.
39. $850.
40. 22.05.
41. $275.
42. $6.75.
43. 27,500.

Exercise 8. Page 11

1. 5%
2. [illegible]
3. 4%
4. 6%
5. 11%
6. [illegible]
7. 2½%
8. 45%
9. 33⅓%
10. 8%
11. 25%
12. 22½%
13. 50%
14. [illegible]%
15. 66⅔%
16. 37½%
17. 62½%
18. 87½%
19. 25%
20. ½%

Exercise 9. Page 12

1. $25.[illegible]
2. $20.76.
3. $43.70.
4. $90.
5. $61.44.
6. $78.26
7. $[illegible].26.
8. $72.16.
9. $61.00.
10. $231.84.
11. $150.25.
12. $20.97.
13. $44.85.
14. $56.07.
15. $[illegible].06.
16. $90.50.
17. $78.44.
18. $34.11.
19. $42.08.
20. $45.15.
21. $57.97.
22. $40.12.
23. $120.48.
24. $245.46.
25. $383.85.
26. $244.24.
27. $252.28.
28. $423.40.
29. $508.47.
30. $244.75.
31. $727.32.
32. $817.87.
33. $770.99.
34. 25%.
35. $520.
36. $16.40.
37. $39.60.
38. $385.
39. $1911.
40. $41.82.
41. 12%.
42. $47.25.
43. 3%.
44. $66.64.
45. $16.08.
46. $245.

Exercise 10. Page 14

1. $169.20.
2. $392.20.
3. $407.40.
4. $245.80.
5. $378.
6. $162.
7. $207.80.
8. $325.92.
9. $366.66.
10. $170.10.
11. $1324.80.
12. $2258.75.
13. $194.40.
14. $51.84.
15. $51.84.
16. 20% and 10% by 15%.
17. $40.50.
18. $528.
19. $119.88.
20. $144.
21. $480.
22. $594.81.

Exercise 11. Page 16

1. $[illegible].40
2. $[illegible].40
3. $164.45.
4. $53.82.
5. $846.45.
6. $24.37.
7. $1486.75.

Exercise 12. Page 17

1. 17.2%.
2. 20.1%.
3. 20.46%.
4. 21.74%.
5. 28%.
6. 37%.
7. $34\frac{3}{8}\%$.
8. 27.1%.
9. 42.625%.
10. 46%.
11. 49.6%.
12. 43%.
13. 46%.
14. $32\frac{1}{2}\%$
15. 37%.
16. $40\frac{15}{16}\%$.
17. They are equal.
18. 24%.
19. They are equal.

Exercise 13. Page 19

1. $28.
2. $41.04.
3. $74.75.
4. $84.96.
5. $106.25.
6. $189.88.
7. $207.58.
8. $280.
9. $431.25.
10. $867.30.
11. $194.40.
12. $435.40.
13. $53,521.25.
14. $33,519.50.
15. $94,062.50.
16. $51.
17. $69.70.
18. $56.16.
19. $165.
20. $623.
21. $810.
22. $169.05.
23. $21,800.
24. $18,480.
25. $75.
26. $82.
27. $68.
28. $175.
29. $296.
30. $450.
31. $260.
32. $320.
33. $460.
34. $262.50.
35. $360.
36. $337.50.
37. $41.25.
38. $45.63.
39. $661.22.
40. $634.40.
41. $1603.14.
42. $41.31.
43. $55.44.
44. $88.70.
45. $138.12.
46. $130.
47. $342.04.
48. $352.37.
49. $524.12.
50. $1402.01.
51. $623.70.
52. $16.50.
53. $13.80.
54. $37.04.
55. $14.50.
56. $34.20.
57. $87.87.
58. $378.02.
59. $315.90.
60. $625.50.
61. $212.40.
62. $39.25.
63. $138.
64. $8.50.
65. $9.12.
66. 15%.
67. 25%.
68. $10.
69. $320.
70. $3.15.
71. $15.40.
72. $2.40, loss.
73. $223.20.
74. $150.
75. $360.
76. 50%.
77. $66\frac{2}{3}\%$.
78. $800, loss.
79. $1280, loss.

Exercise 14. Page 22

1. $5.50.
2. $10.35.
3. $27.
4. $36.25.
5. $52.50.
6. $41.25.
7. $81.88.
8. $96.60.
9. $187.88.
10. $212.50.
11. $10.
12. $18.75.
13. $31.
14. $13.20.
15. $54.
16. $4794.
17. $6384.
18. $3493.
19. $2737.
20. $5481.
21. $6176.
22. $264.48.
23. $563.50.
24. $678.21.

25. $44.45.
26. 255,000; $18.75.
27. $8787.50; 425,000; $31.25.
28. $786.60.
29. 21¢.
30. 1⅛¢.
31. 227,500; $19,248.25.
32. 350,000; $42,385.

Exercise 15. Page 24

1. $18.75.
2. $22.50.
3. $30.63.
4. $50.63.
5. $52.50.
6. $71.50.
7. $95.
8. $78.75.
9. $125.
10. $270.
11. $187.50.
12. $223.13.
13. $228.75.
14. $371.25.
15. $431.25.
16. $515.63.
17. $109.20.
18. $78.
19. $60.
20. $45.90.
21. $60.50.
22. $87.50.
23. $134.40.
24. $178.75.
25. $6500.
26. $2400.
27. $3800.
28. $3200.
29. $1975.
30. $1650.
31. 1%.
32. 2½%.
33. 1½%.
34. 1¾%.
35. 2%.
36. 1½%.
37. $34.38.
38. $48.75.
39. $84.
40. $126.
41. $375.
42. $756.25.
43. $41.25.
44. $71.50.
45. $52.50.
46. $5500.
47. 1½%.
48. $43.20.
49. ⅘%.
50. $3000.
51. $4500.
52. $4666.67; $3333.33.

Exercise 16. Page 26

1. $108.75.
2. $169.88.
3. $99.58.
4. $118.62.
5. $194.25.
6. $100.58.
7. $86.28.
8. $307.44.
9. $369.32.
10. $456.63.
11. $3954.
12. $195.98.
13. $6000; $4720.80.

Exercise 17. Page 29

1. $1.39.
2. $4.73.
3. $5.
4. $22.22.
5. $20.28.
6. $25.28.
7. $41.95.
8. $50.
9. $66.66.
10. $63.88.
11. $62.50.
12. $220.82.
13. $3.18.
14. $5.
15. $6.36.
16. $32.72.
17. $45.45.
18. $32.27.
19. $43.18.
20. $34.09.
21. $50.45.
22. $72.72.
23. $118.17.
24. $318.15.
25. $113.63.
26. $240.89.
27. $443.14.
28. $748.56.
29. $49.50.
30. $162.50.
31. $7500.
32. 12 mills.
33. 12 mills.
34. $3760.
35. $42.50.
36. $190.
37. $614.33.

Exercise 18. Page 31

1. $142.50.
2. $218.75.
3. $300.
4. $375.75.
5. $585.
6. $375.
7. $495.
8. $945.
9. $1460.
10. $3787.50.
11. $2490.
12. $12,712.50.
13. $10,276.70.
14. $16,137.50.
15. $45,177.
16. $24.48.
17. $343.75.
18. $7500.
19. $415.80.
20. 15%.
21. 40%.
22. $8275.
23. 35%.
24. $331.
25. $3375.
26. $2750.
27. $6600.
28. $168.50.
29. $271.80.
30. 1750.
31. $750.

Exercise 19. Page 33

1. 12.21 ; 122.1 ; 1221 ; 12,210.
2. 12.21 ; 122.1 ; 1221 ; 12,210.
3. 24.55 ; 245.5 ; 2455 ; 24,550 ; 24,550.
4. 16.22 ; 162.2 ; 1622 ; 16,220 ; 16,220.
5. 50.64 ; 506.4 ; 5064 ; 50,640 ; 50,640.
6. 103.11 ; 1031.1 ; 10,311 ; 103,110 ; 1,031,100.
7. 41.88 ; 418.8 ; 4188 ; 41,880 ; 418,800.
8. 77.15 ; 771.5 ; 7715 ; 77,150 ; 771,500.
9. 324.38 ; 3243.8 ; 32,438 ; 324,380 ; 3,243,800.
10. 18%.
11. 15%.
12. 4%.
13. $4850.
14. $120.
15. $700.
16. $490.
17. $2250.
18. $6000.
19. $7000.
20. $6500.
21. $27\frac{3}{11}\%$.
22. $7525.
23. 20%.
24. $650.
25. $1.25.
26. $1.64.
27. $4.
28. 20%.
29. $1039.50.
30. $17,000.
31. $1800.
32. $2.64.
33. $130.
34. $1.92.
35. $1\frac{1}{4}\%$.
36. $240.
37. 97.6%.
38. $2375 ; $2625.
39. $17,250.
40. $1.44.
41. 81¢.
42. $654.75.
43. $1470.15.
44. $40.50.
45. $1\frac{1}{4}\%$.
46. $280.
47. 25%.
48. $1425.90.
49. $5\frac{1}{2}\%$.
50. $1181 ; $1228.24.
51. $65.07.
52. $1.81\frac{9}{11}\%$; $2.72\frac{8}{11}\%$; $95.45\frac{5}{11}\%$.

Exercise 20. Page 37

1. $27.50.
2. $42.
3. $55.20.
4. $78.75.
5. $21.20.
6. $63.75.
7. $152.40.
8. $105.
9. $231.25.
10. $78.
11. $107.25.
12. $97.88.
13. $58.45.
14. $63.83.
15. $78.91.
16. $47.31.
17. $367.50.
18. $491.56.

Exercise 21. Page 38

1. $4.51.
2. $87.97.
3. $172.58.
4. $190.46.
5. $115.45.
6. $392.26.
7. $490.77.
8. $305.35.
9. $180.25.
10. $234.11.
11. $635.68.
12. $1392.01.
13. $2759.51.

Exercise 22. Page 40

1. $125.
2. $560.
3. $68.50.
4. $426.
5. $130.
6. $240.
7. $402.
8. $1042.
9. $1080.
10. 3 yr. 6 mo.
11. 2 yr. 3 mo.
12. 2 yr. 4 mo.
13. 2 yr. 6 mo.
14. 5%.
15. 4%.
16. 6%.
17. $16\frac{2}{3}$ yr.
18. 20 yr.
19. $500.
20. $500.

Exercise 23. Page 41

1. 2 yr. 1 mo. 13 da.
2. 3 yr. 3 mo. 20 da.
3. 3 yr. 9 mo. 27 da.
4. 3 yr. 1 mo. 25 da.
5. 2 yr. 4 mo. 16 da.
6. $63.56.
7. $90.73.
8. $138.70.
9. 6%.
10. Jan. 7, 1913.
11. $200.
12. $745.88.

Exercise 24. Page 42

1. $5.04.
2. $5.58.
3. $11.63.
4. $7.60.
5. $11.48.
6. $14.04.
7. $5.63.
8. $7.80.
9. $14.03.
10. $51.73.
11. $96.75.
12. $43.75.
13. $35.55.
14. $143.49.
15. $255.75.
16. $331.25.

Exercise 25. Page 43

1. $10.40.
2. $8.60.
3. $6.27.
4. $10.50.
5. $19.38.
6. $41.25.
7. $1.67.
8. $2.35.
9. $4.76.
10. $16.67.
11. $16.63.
12. $20.
13. $2.52.
14. $10.81.
15. $21.66.
16. $38.18.
17. $1.13.
18. $12.19.
19. $18.56.
20. $28.91.

Exercise 26. Page 44

1. 92.
2. 153.
3. 227.
4. 220.
5. 174.
6. 188.
7. 104.
8. 48.
9. 243.
10. 186.
11. 122.
12. 141.
13. 162.
14. 141.
15. 191.
16. 235.

Exercise 27. Page 45

1. $8.92.
2. $10.13.
3. $8.80.
4. $18.75.
5. $7.75.
6. $11.25.
7. $14.79.
8. $7.13.
9. $9.60.
10. $25.20.
11. $3.85.
12. $7.13.
13. $15.87.
14. $18.
15. $2.74.
16. $7.92.
17. $12.31.
18. $7.80.
19. $11.07.
20. $6.03.
21. $8.37.
22. $19.88.
23. $19.67.
24. $12.59.
25. $7.14.
26. $10.79.
27. $9.15.
28. $14.88.

Exercise 28. Page 46

1. $40.49.
2. $49.14.
3. $63.75.
4. $39.48.
5. $51.46.
6. $62.10.
7. $76.97.
8. $58.51.
9. $236.25.
10. $35.27.
11. $56.21.
12. $65.88.

Exercise 29. Page 47

1. $3.08.
2. $3.20.
3. $4.01.
4. $5.99.
5. $14.67.
6. $11.34.
7. $17.67.
8. $4.50.
9. $4.80.
10. $20.10.
11. $19.20.
12. $48.
13. $76.23.
14. $236.50.
15. $110.25.
16. $47.25.
17. $94.50.

Exercise 30. Page 48

1. $130.80.
2. $47.70.
3. $130.63.
4. $253.13.
5. $133.62.
6. $135.04.
7. $75.57.
8. $108.75.
9. $79.58.
10. $355.93.
11. $166.71.
12. $473.10.
13. $1467.50.
14. $4038.08.

Exercise 31. Page 49

1. $281.22.
2. $438.69.
3. $478.07.
4. $790.83.
5. $1107.16.
6. $1379.04.
7. $1591.20.
8. $3040.51.
9. $3042.50.
10. $112.65.
11. $273.36.
12. $610.29.
13. $710.74.
14. $1137.32.
15. $1454.32.
16. $2774.60.
17. $1886.59.
18. $1943.75.

Exercise 32. Page 51

1. Sept. 5, 1911; $353.50.
2. July 4, 1910; $584.25.
3. Feb. 8, 1911; $480.70.
4. June 7, 1910; $333.38.
5. July 14, 1911; $544.29.
6. June 15, 1910; $276.65.
7. $14.40.
8. $10.67.
9. $11.25.
10. $252.08.
11. $1268.75.
12. $289.28.

Exercise 33. Page 53

1. $71.97.
2. $182.70.
3. $487.25.
4. $247.43.
5. $1538.21.
6. $378.44.
7. $534.
8. $406.98.
9. $1.80.

Exercise 34. Page 55

1. $147.33.
2. $142.43.
3. $231.48.
4. $161.04.
5. $17.80.
6. $254.40.

Exercise 35. Page 56

1. $18.83.
2. $2.40.
3. $28.08.
4. $75.50; $37.75; $113.25; $117.03.
5. $23.56.
6. $26.18.
7. $1484.96.
8. $45.44.
9. $261.
10. $432.39.
11. $10.90.
12. $29.90.
13. $277.
14. $1151.16.
15. $775.
16. $240.
17. $350.
18. $450.
19. $750.
20. $840.
21. 4 yr. 11 mo. 6 da.
22. 3 yr. 4 mo.
23. 1 yr. 7 mo. 6 da.
24. 7 yr. 9 mo. 15 da.
25. 5 yr. 7 mo. 9 da.
26. 3%.
27. $4\frac{1}{2}$%.
28. 6%.

Exercise 37. Page 62

1. $\frac{2}{3}$.
2. $\frac{1}{2}$.
3. $\frac{4}{5}$.
4. $\frac{3}{4}$.
5. $\frac{2}{5}$.
6. $\frac{1}{4}$.
7. 4.
8. $\frac{1}{2}$.
9. $\frac{2}{3}$.
10. $\frac{3}{4}$.
11. 8.
12. 3.
13. 3.
14. 20.
15. 6.
16. 35.
17. 18.
18. 14.
19. 12; 16.
20. 20; 25.
21. 100; 160.
22. $10\frac{1}{2}$; 21.
23. $8; $64.
24. $36; $60.
25. $18; $60.
26. 165; 176.
27. 132; 360.
28. $7; $8.
29. $8080.

Exercise 38. Page 63

1. $211\frac{1}{2}$.
2. 129.6.
3. \$1125.
4. 150 lb.; 65 lb.
5. \$1650; \$2100.
6. $187\frac{1}{2}$.
7. 16.
8. \$896; \$1344.
9. \$28; \$56.
10. \$45; \$70.
11. \$2100.
12. 49 ft.
13. $12\frac{4}{7}$ ft.
14. $62\frac{1}{2}$.
15. 14.
16. 99.
17. \$30; \$54.
18. \$2250; \$3150.
19. 4 lb.; 2 lb.

Exercise 39. Page 66

1. 18.
2. 9.
3. 80.
4. 6.
5. 12.
6. 25.
7. $6\frac{2}{3}$.
8. 30.
9. 18.
10. 35.
11. 27.
12. 14.
13. 63.
14. 63.
15. 63.
16. 45.
17. \$11.
18. \$5.
19. 85.
20. 35.
21. 11 ft.
22. 280.
23. 40.
24. 60.
25. 60.
26. 12.
27. 15.
28. 10.
29. 1250.
30. 5.02656.
33. $9\frac{3}{5}$.
34. 144.
35. $401 : 311 = 6817 : 5287$; $5287 : 6817 = 311 : 401$; $401 : 6817 = 311 : 5287$.

Exercise 40. Page 68

1. \$249.60.
2. \$15.12.
3. \$16.50.
4. \$7.75.
5. \$196.
6. \$68.75.
7. $266\frac{1}{4}$ yd.
8. \$20.70.
9. $112\frac{1}{2}$.
10. 39 da.
11. 15.
12. 216 mi.

Exercise 41. Page 69

1. 625. 2. 1.7. 3. 40 ft. 4. 180 ft. 5. 30 ft. 6. 64 ft.

Exercise 42. Page 70

1. $4\frac{1}{4}$ oz.
2. $8\frac{1}{18}$ oz.
3. $5\frac{1}{17}$ lb.
4. $7\frac{1}{32}$ lb.
5. $16\frac{2}{3}$ lb.
6. 60 lb.
7. $37\frac{1}{2}$ lb.
8. 150 lb.
9. 50 lb.
10. $181\frac{9}{11}$ lb.
11. 60 lb.
12. 360 lb.
13. 750 lb.
14. 225 lb.
15. $1031\frac{1}{4}$ lb.
16. $1462\frac{1}{2}$ lb.

Exercise 43. Page 71

1. $154.70.
2. $50.
3. 750.
4. 4680.
5. 315 gal.
6. 20 ft.
7. 90%.
8. No.
9. 1431 lb.
10. $67.50.
11. $10\frac{4}{15}$.
12. 28.405 in.
13. $121.50.
14. $40.
15. $13\frac{5}{12}$ T.
16. 3625.
17. 14 da.
18. $38\frac{1}{4}$.
19. $35\frac{3}{4}$.
20. 46,100 cu. ft.

Exercise 44. Page 73

1. 77; 99; 121.
2. 46; 138; 69.
3. $1176; $1470.
4. $936; $1248; $1560.
5. $1350; $1650; $1750; $2000.
6. $67.50; $57; $100.50.
7. $11.64; $14.07; $13.05.
8. $224; $288; $336.
9. $160; $200; $180.
10. $21.60; $21.60.
11. $1235; $1558.
12. $9; $6; $7; $10.50.
13. $600; $420.
14. $12; $12.

Exercise 45. Page 75

1. 38 ft. 6 in.
2. 37 ft.
3. $5.50.
4. 4 ft.
5. $8\frac{1}{3}$ lb.

Exercise 47. Page 78

1. 289 sq. ft.
2. 361 sq. ft.
3. 529 sq. ft.
4. 8.41 sq. in.
5. 13.69 sq. in.
6. 18.49 sq. in.
7. 0.3844 sq. yd.
8. 1.6129 sq. yd.
9. 24.3049 sq. yd.
10. 0.64 sq. mi.
11. $\frac{49}{64}$ sq. in.
12. $\frac{81}{1024}$ sq. ft.
13. 14.
14. 15.
15. 16.
16. 20.
17. 18.
18. 22.
19. 25.
20. 21.
21. 28.
22. 30.
23. 27.
24. 32.
25. 35.
26. 33.
27. 36.
28. 1.2 in.
29. 1.1 in.
30. 2.4 in.
31. 50 ft.
32. 60 yd.
33. 80 rd.
34. 0.3 mi.
35. 0.9 ft.
36. 0.12 ft.
37. 96 in.
38. 288 in.
39. 19.2 in.
40. 25.6 in.
41. 32.4 ft.
42. 42 ft.
43. 10.
44. 80 rd.
45. 52.
46. $141\frac{1}{64}$ sq. in.
47. 1.7 ft.

Exercise 48. Page 80

1. 29.
2. 31.
3. 23.
4. 37.
5. 41.
6. 39.
7. 57.
8. 61.
9. 43.
10. 91.
11. 99.
12. 79.
13. 83.
14. 73.
15. 22 in.
16. 87.

Exercise 49. Page 82

1. 437.
2. 862.
3. 634.
4. 871.
5. 343.
6. 897.
7. 441.
8. 416.
9. 418.
10. 714.
11. 32.2.
12. 9.07.
13. 0.251.
14. 1.23.
15. 1.62.
16. 1.98.
17. 21.5.
18. 0.063.
19. 0.427.
20. 0.234.
21. 111 ft.
22. 89.7 in.
23. 176.4 in.
24. 7.7 in.; 456.533 cu. in.

Exercise 50. Page 85

1. $\frac{7}{12}$.
2. $\frac{11}{14}$.
3. $\frac{15}{16}$.
4. $\frac{21}{25}$.
5. $\frac{23}{27}$.
6. $\frac{31}{33}$.
7. $\frac{37}{41}$.
8. $\frac{29}{43}$.
9. $\frac{47}{51}$.
10. $\frac{53}{55}$.
11. 1.41.
12. 2.65.
13. 3.32.
14. 3.87.
15. 5.48.
16. 7.07.
17. 11.18.
18. 25.50.
19. 0.75.
20. 0.76.
21. 0.58.
22. 0.63.
23. 0.82.
24. 0.61.
25. 0.94.
26. 0.79.
27. 0.76.
28. 0.77.
29. 0.65.
30. 0.96.
31. 65 ft.
32. 75 ft.
33. 85 ft.
34. 89.157 ft.
35. 38.601 ft.
36. 50.774 ft.
37. 8 ft.
38. 8 in.
39. 24 in.
40. 13.748 ft.
41. 13.416 ft.
42. 19.621 in.
43. 28.284 in.
44. 45.255 in.
45. 63.640 in.
46. 98.995 in.
47. 106.066 in.

Exercise 51. Page 86

1. 17.32 sq. in.
2. 23.53 sq. in.
3. 5.33 sq. in.
4. 42.43 sq. in.
5. 74.83 sq. in.
6. 176.56 sq. in.
7. $68\frac{3}{4}$ sq. ft.
8. $4000.

Exercise 52. Page 87

1. 907.9224 sq. in.
2. 2642.0856 sq. in.
3. 4300.8504 sq. in.
4. 87.25134264 sq. in.
5. 115.75193784 sq. ft.
6. 1134.1176 sq. in.
7. 1661.9064 sq. in.
8. 660.5214 sq. in.
9. 44.65124664 sq. in.
10. 74.20333536 sq. ft.
11. 10 in.
12. 6 in.
13. 8.92 in.
14. 1.60 in.
15. 1.95 ft.
16. 11.28 in.
17. 42.22 ft.
18. 22.36 ft.; 6283.2 sq. ft.
19. 23.1 sq. in.; 2.71 in.

Exercise 53. Page 88

1. 50,653. **2.** 117,649. **3.** 205,379. **4.** 421.875. **5.** 110.592. **6.** 0.328509. **7.** 11. **8.** 15. **9.** 16. **10.** 18. **11.** 21. **12.** 22. **13.** 24 in.

Exercise 54. Page 90

1. 13. **2.** 17. **3.** 19. **4.** 24. **5.** 31. **6.** 48. **7.** 61. **8.** 51. **9.** 72. **10.** 95. **11.** 96. **12.** 98. **13.** 92 in. **14.** 59 in.

Exercise 55. Page 93

1. 4.15. **2.** 8.63. **3.** 1.92. **4.** 0.91. **5.** 2.79. **6.** 0.50. **7.** 3.35. **8.** 4.34. **9.** $\frac{2}{5}$. **10.** $\frac{11}{12}$. **11.** $\frac{17}{19}$. **12.** $\frac{18}{21}$. **13.** $\frac{15}{16}$. **14.** 1.260. **15.** 1.442. **16.** 1.710. **17.** 0.630. **18.** 0.874.

Exercise 56. Page 95

1. 121. **2.** 109. **3.** 127. **4.** 363. **5.** 225. **6.** 444. **7.** 16.9. **8.** 0.097. **9.** 0.486. **10.** 4.22 in. **11.** 9.40 ft. **12.** 4.52 in. **13.** 1.96 in. **14.** 6 in. **15.** 13:17. **16.** 9 in. **17.** 8 ft. **18.** 9 ft. **19.** 4; 8. **20.** 2.

21. 8; 125; 1000; 3723.875.

Exercise 58. Page 99

1. 25,000 m.
2. 3700 m.
3. 700 m.
4. 62,500 m.
5. 57,750 m.
6. 23.7 m.
7. 4.75 m.
8. 0.275 m.
9. 7.25 m.
10. 0.685 m.
11. 29.65 m.
12. 487.5 m.
13. 29.375 m.
14. 96.4 m.
15. 250 m.
16. 0.5 m.
17. 2 m.
18. 3 m.
19. 7.62 m.
20. 1.46 m.
21. 0.18 m.
22. 0.99 m.
23. 1 m.
24. 9 m.
25. 246.06 ft.
26. 159.12 ft.
27. 9.02 ft.
28. 11.48 ft.
29. 2.46 ft.
30. 22.47 ft.
31. 147.64 ft.
32. 22.56 ft.
33. 70.46 ft.
34. 3.1 mi.
35. 46.5 mi.
36. 1.55 mi.
37. 2.945 mi.
38. 168.64 mi.
39. 30.318 mi.
40. 524.19 km.
41. 68.87 km.
42. 1.21 km.
43. 5.7885.
44. 194.06.
45. 351.61.

Exercise 59. Page 100

1. 275,000,000 sq. m.
2. 3,450,000 sq. m.
3. 750,000 sq. m.
4. 0.4875 sq. m.
5. 0.9235 sq. m.
6. 6.4275 sq. m.
7. 0.12345 sq. m.
8. 2.25 sq. m.
9. 37.375 sq. m.
10. 1 ha.
11. 4.5 ha.
12. 17.5 ha.
13. 32.55 ha.
14. 10 ha.
15. 600 ha.
16. 90 m.

Exercise 60. Page 101

1. 725.25 cu. m.
2. 2750 cu. m.
3. 4625.75 cu. m
4. 9125 cu. m.
5. 8.125 cu. m.
6. 9.275 cu. m.
7. 25.325 cu. m.
8. 37.25 cu. m.
9. 71.75.

Exercise 61. Page 102

1. 75,000 l.
2. 27,500 l.
3. 9275 l.
4. 937.5 l.
5. 75 l.
6. 9.75 l.
7. 7.5 l.
8. 6.25 l.
9. 37.5 hl.
10. 48.75 hl.
11. 9.785 hl.
12. 0.2575 hl
13. 0.975 hl.
14. 0.3875 hl.
15. 2.6 hl.
16. 1.26 hl.
17. 3700 qt.
18. 950 qt.
19. 75 qt.
20. 82.5 qt.
21. 1000.
22. 1260.
23. 11,390.625.
24. 864; 86,400.
25. 612,500.
26. 763,408.8.

Exercise 62. Page 103

1. 1700 g.
2. 900 g.
3. 250 g.
4. 3750 g.
5. 7 g.
6. 9.5 g.
7. 7.5 g.
8. 8.125 g.
9. 7000 mg.
10. 8700 mg.
11. 270 mg.
12. 4250 mg.
13. 15,000,000 mg.
14. 2,700,000 mg.
15. 750 mg.
16. 98 mg.
17. 27,000 kg.
18. 500 kg.
19. 0.25 kg.
20. 2000 kg.
21. 6.6 lb.
22. 165 lb.
23. 0.66 lb.
24. 0.0198 lb.

Exercise 63. Page 104

1. 0.79. 2. 0.7. 3. 0.24. 4. 1.03. 5. Yes. 6. 19.3. 7. 15.3153 kg.

Exercise 64. Page 105

1. 15°.
2. $5\frac{5}{9}$°.
3. $23\frac{8}{9}$°.
4. 30°.
5. $42\frac{2}{3}$°.
6. $44\frac{4}{9}$°.
7. $65\frac{5}{9}$°.
8. $93\frac{1}{3}$°.
9. 15° below zero.
10. $12\frac{2}{3}$° below zero.
11. $23\frac{1}{3}$° below zero.
12. $26\frac{1}{3}$° below zero.
13. $31\frac{2}{3}$° below zero.
14. 104°.
15. 167°.
16. 50°.
17. 302°.
18. 392°.
19. 14°.
20. 5°.
21. 13° below zero.

Exercise 65. Page 106

1. 1.8769 sq. m.
2. 5.372 sq. m.
3. 17,671.5 sq. cm.
4. 82,448.1504 sq. mm.
5. 4.5375 sq. m.
6. 12,350 sq. cm.
7. 2 m.
8. 6.28 m.
9. 1262.24 kg.
10. 137.05536 kg.
11. 2835.
12. 113.
13. 0.8125.
14. 0.915 kg.
15. 52.7558 in.
16. 105.132 in.
17. 0.4875.
18. 764.5.
19. 295.16.
20. 141.42 m.
21. 4.472 cm.
22. 12.649 cm.
23. $1.24.
24. $1.50.
25. 13,304.676 l.
26. 663.663.
27. 683.46 cu. in.
28. 7.168 kg.

Exercise 67. Page 112

1. $10,650.
2. $14,093.75.
3. $16,187.50.
4. $35,028.13.
5. $50,006.25.
6. $4659.38.
7. $6030.
8. $6410.63.
9. $12,406.25.
10. $3190.63.
11. $6140.63.
12. $1975.
13. $4837.50.
14. $11,805.
15. $31,218.75.
16. $13,734.38.
17. $16,856.25.
18. $21,196.88.
19. $35,687.50.
20. $27,465.63.
21. $143.75.
22. $393.75.
23. $31.26.
24. 40; $15.

Exercise 68. Page 113

1. $4762.50.
2. $18,750.
3. $8390.63.
4. $7521.25.
5. $5225.
6. $22,312.50.
7. $41,602.50.
8. $5100.
9. $1706.25.
10. $4585.
11. $9956.25.
12. $21.87, gain.
13. $34.37, gain.
14. $53.13, loss.
15. $143.75, loss.
16. $6.25, gain.
17. $25, gain.
18. $40.62, gain.
19. $34.37, gain.
20. $59.37, gain.
21. $153.12, gain.
22. $46.87, gain.
23. $96.88, loss.
24. $156.25, loss.
25. $593.75, gain.
26. $99.99, gain.
27. $30, gain.
28. $1037.49, gain.

Exercise 69. Page 115

1. $2\frac{1}{2}\%$.
2. \$2625.
3. \$90,000.
4. \$75,500,000.
5. \$300.
6. $2\frac{1}{2}\%$.
7. $4\frac{1}{2}\%$.
8. 6%.

Exercise 70. Page 116

1. 4%.
2. 4%.
3. 4%.
4. 5%.
5. 6%.
6. 8%.
7. 4%.
8. 5%.
9. 8%.
10. 6%.
11. $4\frac{4}{19}\%$.
12. $5\frac{5}{11}\%$.
13. $4\frac{6}{11}\%$.
14. 4.04%.
15. 4.98%.
16. 5.37%.
17. 5.26%.
18. 5%.
19. The same.
20. The 5% note; 0.34%.
21. The 8% stock; $\frac{1}{8}\%$.
22. The 6% stock; 0.12%.
23. \$120; $119\frac{7}{8}$.
24. \$150; $149\frac{7}{8}$.

Exercise 71. Page 117

1. \$360.
2. \$350.
3. \$360.
4. \$255.
5. \$260.
6. \$472.50.
7. \$765.
8. \$660.
9. \$1105.
10. 4.90%.
11. 6.37%.
12. $3\frac{1}{8}\%$.

Exercise 73. Page 121

1. \$970.75.
2. \$873.53.
3. \$518.18.
4. \$1087.31.
5. \$1572.65.
6. \$59.60.

Exercise 74. Page 123

1. \$603.75.
2. \$725.12.
3. \$936.25.
4. \$1130.
5. \$774.40.
6. \$682.67.
7. \$626.90.
8. \$547.52.
9. \$799.40.
10. \$324.45.
11. \$321.25.
12. \$631.27.
13. \$1802.84.

Exercise 75. Page 125

3. \$158.42. 4. \$368.71. 5. \$706.49. 6. \$813.96. 7. \$449.89.

Exercise 76. Page 127

1. \$1.25; \$248.75.
2. \$2.88; \$572.12.
3. \$6.25; \$618.75.
4. \$10.42; \$1239.58.
5. \$18.75; \$2231.25.
6. \$0.73; \$174.27.
7. \$11.69; \$1263.31.
8. \$21.54; \$2328.46.
9. \$4.13; \$271.37.
10. \$7.91; \$519.59.
11. \$1237.50.
12. \$714.12.
13. \$7.08.

Exercise 77. Page 128

1. $7.13; $249.12.
2. $5.82; $373.81.
3. $8.89; $424.61.
4. $7.46; $551.71.
5. $16.03; $679.22.
6. $14.95; $1266.30.
7. $4.92; $378.09.
8. $17.55; $838.65.
9. $12.25.
10. $12.35.
11. $10.31.
12. $6.19.
13. $6.25; $2493.75.
14. $1653.92.
15. $1660.79.
16. $1649.63.
17. $1625.25.
18. $6.75.
19. On the 4-months note; $0.30.

Exercise 78. Page 131

1. $971.10.
2. $348.42.
3. $718.35.
4. $1214.72.
5. $1656.42.
6. $2140.75.
7. $615.13.
8. $1480.92.
9. $2059.20.

Exercise 79. Page 132

1. $502.53.
2. $1800.
3. $502.51.
4. $1772.73.
5. $2062.31.
6. $2836.14.

Exercise 80. Page 133

1. $609.49. 2. $1917.86. 3. $1505.19. 4. $2343.20. 5. $146.25.
6. Proceeds of the $750 note; $13.25.

Exercise 82. Page 136

1. 8¢.
2. 5¢.
3. 8¢.
4. 8¢.
5. 10¢.
6. 12¢.
7. 12¢.
8. 15¢.
9. 15¢.
10. 18¢.
11. 25¢.
12. 30¢.
13. $249.75.
14. $5.85.
15. $3250.
16. 0.2%.

Exercise 83. Page 137

1. $2502.50.
2. $3753.75.
3. $4854.85.
4. $4809.60.
5. $5611.20.
6. $250.31.
7. $751.50.
8. $641.60.
9. $1283.20.

Exercise 84. Page 138

1. $1748.25.
2. $2145.70.
3. $3595.50.
4. 0.1%.
5. 0.2%.
6. $224.62.

Exercise 85. Page 139

1. $27,549.20.
2. $36,580.30.
3. $37,339.40.
4. $48,202.
5. $26,546.38.
6. $125,231.25.
7. $48,201.75.
8. $74,850.
9. $64,638.
10. $327,336.25.
11. $774,862.38.
12. $1,748,524.73.

Exercise 86. Page 140

1. $1250.
2. $1753.50.
3. $2762.76.
4. $4488.75.
5. $2694.60.
6. $25,801.50.
7. Discount; $\frac{1}{20}\%$.
8. $1.75.
9. $0.30.
10. $1.05.
11. $1319.02.

Exercise 87. Page 141

1. 1680d.
2. 5760d.
3. 1272d.
4. 1708d.
5. 540s.
6. 640s.
7. 10s.
8. 60s.
9. £4 15s.
10. £3 12s.
11. £6 7s.
12. £17 2s.
13. 7.50 fr.
14. 2.75 fr.
15. 6.80 fr.
16. 12.50 fr.
17. 4.50 M.
18. 2.75 M.
19. 16.80 M.
20. 92.75 M.

Exercise 88. Page 143

1. $34.23.
2. $44.10.
3. $58.44.
4. $121.50.
5. $227.95.
6. $383.76.
7. $11.27.
8. $16.59.
9. $34.99.
10. $61.84.
11. $67.31.
12. $91.78.
13. $111.55.
14. $133.28.
15. $571.20.
16. $1046.15.
17. $649.90.
18. $789.28.
19. $1118.52.
20. $1410.10.
21. £684 5s. 4d.
22. 200 fr.
23. 675.21 M.
24. $237.15.
25. $5264.42.
26. $636.
27. Exchange at 19.2; $0.31.

Exercise 90. Page 145

1. 216 cu. in.
2. 247 cu. in.
3. 354 cu. in.
4. 58.32 cu. in.
5. 380.92 cu. in.
6. 768.6875 cu. in.

Exercise 91. Page 146

1. 96 cu. in.
2. 208 cu. in.
3. 320 cu. in.
4. 704 cu. in.
5. 1144 cu. in.
6. $6\frac{7}{8}$ cu. in.
7. $11\frac{21}{64}$ cu. in.
8. 8.99 cu. in.
9. 19.27 cu. in.
10. 42.525 cu. in.
11. 93,537,284 cu. ft.

Exercise 92. Page 147

1. 8 cu. in.
2. 35 cu. in.
3. 60 cu. in.
4. 170 cu. in.
5. 476 cu. in.
6. $5\frac{5}{8}$ cu. in.
7. $12\frac{11}{32}$ cu. in.
8. $28\frac{7}{32}$ cu. in.
9. 63.56 cu. in.
10. 146.575 cu. in.
11. 75.3984 cu. in.

Exercise 93. Page 149

1. 616 sq. in.
2. 3850 sq. in.
3. 5544 sq. in.
4. 13.86 sq. in.
5. 24.64 sq. in.
6. 75.46 sq. in.
7. $2\frac{13}{32}$ sq. in.
8. 1.54 sq. in.
9. 0.9856 sq. in.
10. 157,696 sq. in.
11. 432,586 sq. in.
12. 591,976 sq. in.
13. 153.9384 sq. in.
14. 113.0976 sq. in.
15. 254.4696 sq. in.
16. 50.2656 sq. in.
17. 176.715 sq. in.
18. 122.71875 sq. in.
19. 15.205344 sq. in.
20. 38.4846 sq. in.
21. 12.5664 sq. in.
22. 314.16 sq. in.
23. 3.1416 sq. in.
24. 113.0976 sq. ft.
25. 615.7536 sq. in.
26. 1017.8784 sq. in.
27. 78.54 sq. in.
28. 172.034016 sq. in.
29. 201,142,857$\frac{1}{7}$ sq. mi.
30. $28\frac{3}{7}$.
31. 2,359,727,071,428$\frac{4}{7}$ sq. mi.
32. 6084$\frac{4}{7}$.
33. 7 in.

Exercise 94. Page 150

1. 33.5104 cu. in.
2. 523.6 cu. in.
3. 1436.7584 cu. in.
4. 14,137.2 cu. in.
5. 50,965.1296 cu. in.
6. 310,339.8144 cu. in.
7. 57.9059712 cu. ft.
8. 288.6962848 cu. ft.
9. 179.5948 cu. ft.
10. 65.45 cu. in.
11. 220.89375 cu. in.
12. 425.7062 cu. in.
13. 27.5132 oz.

Exercise 95. Page 151

1. 2513.28 sq. ft.
2. 113.0976 cu. in.; 904.7808 cu. in.
3. 5,276,681,625.6 cu. mi.
4. 20.0165.
5. 243.9168.
6. $31\frac{23}{32}$ lb.
7. 9.4248.
8. The same.
9. 0.5236 cu. ft.; 0.7854 cu. ft.; 0.2618 cu. ft.; twice; three times.

Exercise 97. Page 153

1. \$160.06.
2. \$168.47.
3. \$463.73.
4. \$182.55.
5. \$600.51.
6. \$468.28; \$0.45.
7. \$159.87; \$0.15.
8. \$361.78; \$0.35.

Exercise 98. Page 155

1. $303.14.
2. $38.34.
3. $\frac{4}{64}$ in.
4. $67,031.25.
5. $4.
6. The second; $3\frac{1}{2}\frac{3}{9}\%$.
7. $929.19.
8. $5\frac{6}{8}\frac{1}{3}$ in.
9. 520 lb.
10. $62{,}304\frac{11}{16}$ lb.
11. $4837.50.
12. 922 lb. 4 oz.
13. 27.713 in.
14. 7875 lb.
15. $89.23.
16. $76.34.
17. $82.02.
18. $73.37.
19. $72.06.
20. $65.61.

Exercise 99. Page 158

1. 103.
2. $46.30.
3. $5180.70.
4. $85.51.

Exercise 100. Page 159

1. $635.60.
2. $73.01.
3. 70.88%.
4. $80.
5. $7\frac{1}{2}$ ft.

Exercise 101. Page 160

1. 77.98 lb.
2. 481.0575 lb.
3. 908.855 lb.
4. 2126.4705 sq. in.
5. 54,286.848 lb.
6. 1053 lb.
7. 938.850 lb.
8. 144.31725.
9. 1496.656 lb.

Exercise 102. Page 161

1. $2227\frac{1}{2}$.
2. $0.83.
3. 40¢.
4. 25%; 20%.
5. 64,800.
6. $5\frac{5}{9}$ ft.
7. 51,397.5.
8. 2420.

Exercise 103. Page 162

1. 5 ft.
2. 14.32 ft.
3. 7.3304 ft.
4. 73.304 sq. ft.
5. 245.4375 sq. ft.
6. 1143.04.

Exercise 104. Page 163

1. 23.562 ft.
2. 5236 ft.
3. 1884.96 ft.
4. 1200.
5. 14.927 in.
6. 36.319 in.
7. 68,706.792 lb.
8. 1847.2608 sq. ft.
9. 17.
10. 750.

Exercise 105. Page 164

1. 110.16 lb.
2. 4.54 lb.; 8.071 lb.
3. $8\frac{2}{4}\frac{8}{0}$ H. P.
4. $112\frac{1}{2}$ lb.
5. $121\frac{1}{2}$ lb.
6. 36.

Exercise 106. Page 165

1. 33,958.
2. 24,742.
3. 23,612.
4. 22,148.
5. 27,544.
6. 6488.
7. 6338.
8. 5239.
9. 1873.
10. 1528.
11. 30,605,967.
12. 32,425,336.
13. 9,157,532.
14. 62,929,457.
15. 72,714,908.
16. $396\frac{80}{283}$.
17. $549\frac{15}{225}$.
18. 250.

Exercise 107. Page 166

1. $2\frac{3}{14}$.
2. 50.
3. $\frac{1}{36}$.
4. 1.
5. $\frac{3}{8}$; 0.375.
6. 1.
7. $1\frac{3}{4}$.
8. $1\frac{274}{315}$.
9. $\frac{82}{129}$.
10. $26\frac{121}{224}$.
11. $\frac{187}{320}$.
12. $\frac{1}{8}$.

Exercise 108. Page 167

1. 3.
2. $\frac{1}{8}$.
3. 2.
4. 23.473.
5. 29.499.
6. 14.409.
7. 15.3717.
8. 4.8089.
9. 3.0319.
10. 12.7275.
11. 5.1752.
12. 16.44501936.
13. 655.746168.
14. 1235.914848.
15. 0.0015554726.
16. 17.
17. 2.1.
18. 18.
19. 0.132.
20. 1.089.
21. 8.413.
22. 2.838.
23. 73.611.
24. 1.971.
25. 125.714.

Exercise 109. Page 168

1. 278 ft. 4 in.
2. 246 yd. 22 in.
3. 171 lb.
4. 8 ft. 5 in.
5. 58 yd. 24 in.
6. 17 lb. 8 oz.
7. 921 ft. 8 in.
8. 3240 yd. 20 in.
9. 3257 lb. 13 oz.
10. 27 yd. 2 ft. 3 in.
11. 16 ft. $5\frac{3}{7}$ in.
12. 17 lb. 7 oz.
13. 37 yd. 2 in.
14. 8.
15. 7.
16. 445,605 in.
17. 6736 in.; 561.33$\frac{1}{3}$ ft.; 34.0202 rd.
18. 26 mo. 4 da.
19. 3 yr. 9 mo. 12 da.

Exercise 110. Page 169

1. $19.50.
2. $143.40.
3. $37.50.
4. $54.79.
5. $17.10.
6. $276.75.
7. $148.

Exercise 111. Page 170

1. 127.279 ft.
2. $20.48.
3. $66.
4. $36.90.
5. $227\frac{25}{64}$.
6. $11.20.
7. 18.
8. $14.04.

Exercise 112. Page 171

1. 6 hr. 31 min. 19 sec.
2. 27 min. 8 sec.
3. 8 hr. 13 min. 32 sec.
4. 54 min. $31\frac{1}{5}$ sec.
5. 80° 14′ 51″ E.
6. 70° 15′ 18″ W.
7. 86° 48′ W.
8. 75° 31′ 15″ W.
9. 2 min. 22.2 sec.
10. 41° 22′ 30″ E.

Exercise 113. Page 172

1. $461.50.
2. 40%, gain.
3. $16\frac{2}{3}\%$.
4. $12.
5. 20%; $62\frac{1}{2}\%$.
6. $78\frac{4}{7}\%$.
7. $208.
8. 50%.
9. $10; $33\frac{1}{3}\%$.
10. $73.10.
11. 10%.
12. 10%.

Exercise 114. Page 173

1. $247.
2. 15%.
3. 3%.
4. $4.75.
5. $186.30.
6. $12\frac{1}{2}\%$.
7. $12,500.
8. $116.37.
9. $935.
10. $3162; $15.81.

Exercise 115. Page 174

1. $2800.
2. $20.10.
3. $16.50.
4. $14,000.
5. $4600.
6. $1\frac{1}{4}\%$.
7. $1072.50.
8. $7500.
9. $825.
10. $7500; $6.90.
11. $8250.

Exercise 116. Page 175

1. $7.50.
2. $2,000,000.
3. 15 mills; $102.60.
4. $43.40.
5. $382.50.
6. $20.25.
7. $525.
8. $107.25.
9. 6 mills.

Exercise 117. Page 176

1. $733.59.
2. $559.55.
3. $361.42.
4. $10.25.
5. 46.199%.
6. $650.
7. $357.20; 24%.
8. 58.96%.
9. The single discount; $4.17.
10. The discount series; $0.30.
11. The same.

Exercise 118. Page 177

1. $78.20.
2. $61.81.
3. $62.43.
4. $33.26.
5. 3 yr. 4 mo. 24 da.
6. $44.92.
7. $740.50.
8. $381.56; Dec. 30.
9. $4.20.
10. $577.50.
11. $416.15.
12. $15.70; $584.30.

Exercise 119. Page 178

1. \$4711.50.
2. \$12,180.
3. $3\frac{3}{5}\%$.
4. 42.
5. $4\frac{1}{2}\%$.
6. \$4.75.
7. \$23,647.50.
8. \$19.50; \$15,034.50.
9. $\frac{8}{11}\%$.
10. 20; \$100.
11. \$100.47, loss.

Exercise 120. Page 179

1. $\frac{5}{8}$.
2. $\frac{5}{12} : \frac{5}{21} = 3\frac{1}{2} : 2$.
3. \$26.67; \$33.33.
4. 16.
5. $1\frac{4}{27}$.
6. 48.
7. 3686.4.
8. $11\frac{2}{3}$ hr.
9. \$25.06; \$54.94.

Exercise 121. Page 180

1. $198\frac{8}{9}\frac{3}{3}$.
2. 9600 kg.
3. 6300.
4. 0.75 m.
5. $1\frac{5}{9}$ m.
6. \$19.20.
7. 1.4 m.
8. 500 m.
9. 236.25 kg.
10. 2870.
11. 149.76 kg.
12. 43,259.832.

Exercise 122. Page 181

1. 346.
2. 413.
3. 2.449.
4. 5.477.
5. 1074.8.
6. 10.61 ft.
7. 21.21 ft.
8. 6.08 ft.
9. 126.
10. 6 in.
11. 7 ft.
12. 35 ft.
13. 14 ft.
14. 35 ft.

Exercise 123. Page 182

1. $21\frac{3}{7}\%$.
2. \$49,280.
3. A, \$72; B, \$81.
4. 2827.44.
5. $23\frac{1}{4}$.
6. \$201.60.
7. 234.68 in.
8. 5 hr.
9. \$4500; \$1200.
10. 15 mi.
11. $1,974,857\frac{1}{7}$.
12. 14.14 ft.
13. 0.7 in.
14. $3764\frac{4}{9}$.
15. \$237.50.
16. 1960.
17. 1320.
18. 71.00016 in.; $71.028571\frac{1}{7}$ in.; 71 in.
19. \$105.12.
20. Sand, 108; soda, 21; lime, 18; alumina, 3.
21. Copper, 962.5; tin, 262.5; zinc, 25.
22. 484.
23. 29.5305903 da
24. $34\frac{11}{16}$.
25. 468 lb.
26. 11.2.
27. \$145.80.
28. \$3750.
29. 105.
30. \$13.95.
31. $4\frac{1}{2}$ hr.
32. \$46.80.
33. 38.1831.
34. $4\frac{1}{2}\%$; $5\frac{1}{2}\%$.
35. $\frac{28}{183}$.
36. $66\frac{5}{7}°$.
37. $29.79\frac{5}{7}$ in.
38. 10 lb.; 50 lb.

39. 201.68.
40. 60 lb.
41. $722.77.
42. 28.97 ft.
43. 5.67 bbl.; 3.54 cu. yd.
44. 1350; 3375.
45. 2.
46. 4.
47. $4\frac{4}{9}$.
48. $4\frac{3}{7}$.
49. 96.
50. $1\frac{2}{3}\frac{3}{7}$.
51. 7.35 mi.

Exercise 124. Page 188

1. 24. **2.** 48. **3.** 38. **4.** 38. **5.** 52.

Exercise 125. Page 189

1. 165.
2. 275.
3. 282.
4. 172.
5. 234.
6. 315.
7. 286.
8. 374.
9. 510.
10. 261.
11. 273.
12. 630.
13. 24; 108.
14. 23; 135.
15. 59; 224.
16. 31; 96.
17. 40; 135.
18. 79; 430.
19. 59; 610.
20. 57; 435.
21. 92.
22. 126.
23. 180.
24. 185.
25. 475.
26. 182.
27. 159.
28. 98.
29. 350.
30. 2500.
31. 630.
32. 156.
33. $176\frac{1}{12}$ ft.; 579 ft.
34. $305\frac{7}{12}$ ft.; $1608\frac{1}{3}$ ft.
35. 2790 ft.
36. 30,300 ft.
37. Results the same.

Exercise 126. Page 191

1. 32.
2. 512.
3. 3645.
4. 4375.
5. 46,656.
6. 1792.
7. 2.
8. 3.
9. 16.
10. 9.
11. 16.
12. 9.
13. 16,384.
14. 13,122.

Exercise 127. Page 192

1. 254.
2. 364.
3. 511.
4. 255.
5. 160.
6. 780.
7. 129.
8. 242.
9. 63.
10. 1053.
11. 765.
12. 19,531.
13. 252.
14. 605.

Exercise 128. Page 195

1. $97.07.
2. $369.11.
3. $1497.27.
4. $1806.92.
5. $888.80.
6. 7%.
7. $10\frac{1}{2}$ yr.
8. 13 yr.
9. $2098.86.
10. 4%.
11. $2000.
12. $9\frac{1}{2}$ yr.
13. 5%.
14. $4\frac{1}{2}$%.
15. $2\frac{1}{2}$%.

Exercise 129. Page 197

1. $0.\dot{3}$.
2. $0.\dot{6}$.
3. $0.1\dot{6}$.
4. $0.8\dot{3}$.
5. $0.\dot{1}42857\dot{1}$.
6. $0.2\dot{8}5714\dot{2}$.
7. $0.\dot{7}14285\dot{7}$.
8. $0.\dot{1}$.
9. $0.\dot{5}$.
10. $0.\dot{7}$.
11. $0.0\dot{9}$.
12. $0.4\dot{5}$.
13. $0.08\dot{3}$.
14. $0.58\dot{3}$.
15. $0.0\dot{6}$.
16. $0.5\dot{3}$.
17. $0.04\dot{5}$.
18. $0.2\dot{2}\dot{7}$.
19. $0.0\dot{5}$.
20. $0.0\dot{1}$.
21. $\frac{1}{3}$.
22. $\frac{2}{3}$.
23. $\frac{5}{9}$.
24. $\frac{7}{9}$.
25. 1.
26. $\frac{20}{99}$.
27. $\frac{7}{33}$.
28. $\frac{10}{33}$.
29. $\frac{10}{11}$.
30. 1.
31. $\frac{242}{999}$.
32. $\frac{127}{995}$.
33. $\frac{161}{999}$.
34. $\frac{80}{333}$.
35. $\frac{868}{999}$.
36. $\frac{3638}{4995}$.
37. $\frac{5}{44}$.
38. $2\frac{89}{666}$.
39. $4\frac{117}{770}$.
40. $7\frac{878}{3000}$.
41. $1\frac{62}{99}$.
42. $2.2\dot{0}$.

Exercise 130. Page 199

1. 14,156.
2. 7427.
3. 12,022,002.
4. 33,220.
5. 2626.
6. 1,101,001.
7. 1331.
8. $82\widehat{10}$, in which $\widehat{10}$ stands for a single figure.
9. $6\widehat{11}4$, in which $\widehat{11}$ stands for a single figure.
10. 10,223.
11. 5607.
12. 467.

Exercise 131. Page 200

1. $64.86.
2. $256.27.
3. $130.24.

Exercise 132. Page 201

1. $59\frac{43}{48}$.
2. $97\frac{39}{49}$.
3. $112\frac{83}{75}$.
4. $79\frac{89}{121}$.
5. $108\frac{14}{81}$.
6. $53\frac{139}{144}$.
7. $66\frac{55}{99}$.
8. $131\frac{47}{64}$.
9. $61\frac{667}{128}$.
10. $67\frac{100}{128}$.
11. $104\frac{28}{88}$.
12. $60\frac{800}{616}$.
13. $176\frac{422}{495}$.
14. $183\frac{421}{504}$.
15. $234\frac{39}{378}$.
16. $65\frac{675}{1152}$.
17. $92\frac{671}{891}$.
18. $246\frac{266}{396}$.
19. $261\frac{105}{252}$.
20. $446\frac{137}{192}$.
21. $156\frac{318}{539}$.

Exercise 133. Page 203

1. 47,100.
2. 29,648.
3. 18,657.
4. 35,532.
5. 120,294.
6. 281,424.
7. 12.
8. 127.
9. 121.
10. $180\frac{14}{13}$.
11. $63\frac{19}{21}$.
12. $215\frac{114}{128}$.

Exercise 134. Page 209

1. 500 yd.
2. $866\frac{2}{3}$ yd.
3. 237.96 yd.
4. 2400 ft.
5. 900 ft.
6. $2083\frac{1}{3}$ ft.
7. 2 mi.
8. 4.5 mi.
9. 12 mi.
10. 20 labors.
11. 1296 square varas.
12. 3,613,040.64 square varas.

ANNOUNCEMENTS

THE WENTWORTH-SMITH MATHEMATICAL SERIES

By George Wentworth, and David Eugene Smith, Professor of Mathematics in Teachers College, Columbia University

THE WENTWORTH-SMITH ARITHMETICS

THE Wentworth-Smith Arithmetics are the product of a rare combination of mathematical scholarship, experience in the making of successful textbooks, and knowledge of the conditions and needs of the schools. They are modern, practical, and straightforward. They are built upon this maxim: Present the reason briefly but clearly; then furnish such an amount of practice that the pupil cannot forget the principle. With due appreciation and recognition of the value of the study of arithmetic for its own sake, the several books provide a profuse drill in fundamentals, a strictly topical arrangement of the work in higher grades, and genuine applications of arithmetic to the American life of the day.

NEW ELEMENTARY ARITHMETIC, 35 cents

The "New Elementary Arithmetic" prepares directly for the study of the "Complete Arithmetic." It teaches addition, subtraction, multiplication, and division by means of thorough induction and full review, each operation being developed logically, clearly, and separately.

COMPLETE ARITHMETIC

In one volume	$0.60
In two volumes, Part I	.40
Part II	.40

The "Complete Arithmetic" covers all the topics ordinarily studied after a primary arithmetic has been completed. The book is thoroughly pedagogical, well balanced, and modern. In its one-volume form it makes an excellent two-book series with the "New Elementary Arithmetic" as an introductory book, while in two parts it can be used for the last two books in a three-book series.

ORAL ARITHMETIC, 35 cents

A thorough drill in the applications of the fundamental operations of arithmetic to practical life, according to the principles set forth by Pestalozzi, arranged in four chapters suited to the last four years of elementary schools.

GINN AND COMPANY Publishers

RURAL ARITHMETIC

By JOHN E. CALFEE, Normal Department, Berea College, Berea, Ky.

12mo, cloth, 119 pages, illustrated, 30 cents

THIS is an exercise book in arithmetic designed to put new life and meaning into the subject for country boys and girls in the grammar grades. It applies arithmetic directly to the solution of real and practical problems taken from everyday farm life and covering all the important phases of farm management. It gives thus in a supplementary way much reliable and valuable information that can be used to increase farm profits.

Among the subjects treated are rapid addition, decimals, interest, lumber measure, land measure, liquid measure, mill problems, feed problems, meat problems, dairy problems, soil erosion, cost of growing crops, idleness and carelessness, educated labor, health and sanitation, fertilizers, cost of bad roads, etc.

The problems make school and home interests identical, reduce abstract thinking to a minimum, and lead the pupil to discover for himself important principles that can be put to practical use. The book is thoroughly teachable and in accord with the best modern educational theory.

> The problems in this little book are the real and practical problems that present themselves in the work or management of a farm. To the country school this should prove at once interesting and profitable, developing a broader view of the farmer's opportunities and a corresponding ability to aid in the accumulation of wealth. Its practicability is the book's greatest asset. — *Western Journal of Education.*

GINN AND COMPANY PUBLISHERS

THE TEACHING OF ARITHMETIC

By DAVID EUGENE SMITH, Professor of Mathematics in Teachers College, Columbia University

12mo, cloth, 196 pages, illustrated, $1.00

THIS work has been prepared to meet the needs of reading circles and of teachers in the elementary school. It considers the origin of arithmetic, the reasons for teaching the subject, the various noteworthy methods that have been suggested, and the work of the various school years. Besides these general topics it discusses at length what arithmetic should include, the nature of the problems, the arrangement of material, the place of oral arithmetic, the nature of written arithmetic, the analyses to be expected of children, the modern improvements in the technique of the subject, the question of interest and effort, the proper subjects for experiment, and the game element.

The book is not one of explanations of mathematical processes, nor is it concerned with little devices, these being sufficiently developed in the ordinary textbooks. It seeks rather to set before the teacher the larger phases of the subject and to encourage her to progressive, enthusiastic, intelligent work in the grades of the elementary school. It is written in a nontechnical style that will appeal to all readers, and it supplies a large bibliography that will help teachers who wish to investigate the subject further.

GINN AND COMPANY PUBLISHERS

HISTORY OF MODERN ELEMENTARY EDUCATION

By Samuel Chester Parker
Dean of the College of Education, The University of Chicago

8vo, cloth, xxiv + 505 pages, illustrated, $1.50

This book provides a continuous, connected history of elementary education, from the first vernacular schools of medieval cities to the present, which will contribute directly to the student's understanding of the problems of the elementary school. The subject is treated under three main topics — social conditions, educational theory, and school practice. The balance of attention devoted to each topic is carefully preserved, and the relation of each to historical development clearly traced.

The author shows in a concrete way how elementary schools have changed to meet changing social conditions such as the growth of vernacular literatures, of cities, of modern science, of national governments, and of democracy. He traces the changes which have been made in the elementary curriculum, and shows how the methods of teaching various subjects have been influenced by Rousseau, Pestalozzi, Herbart, Froebel, Colonel Parker, Dewey, and other prominent educational reformers.

Two thirds of the book are devoted to developments since the publication of Rousseau's "Émile" in 1762.

GINN AND COMPANY Publishers

8 1 6
3 5 7
4 9 2